


Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.

The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or
2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.

General Information	1
-------------------------------	---

Frame Section

36" Frame	3-1
Frame Decals	3-2

Hydraulic & Steering Section

36" Hydraulic System (Multi-Page)	4-1
Transmission Service Parts	4-2
36" Deck Lift & Mounting (Multi-Page)	4-3
Spindle Assembly—783506	4-4

Engine & Fuel Tank Section

36" Cover	5-1
Engine, 15HP KAW	5-2
Fuel System	5-3
Instrument Panel (Multi-Page)	5-4
Throttle	5-5
36" Brake	5-6

Wheels & Tires Section

36" Wheels & Tires	6-1
Caster Wheel Breakdown	6-2
Drive Wheel Breakdown	6-3

Deck Section

36" Deck Decals	7-1
36" Deck Pulleys & Spindles	7-2
Spindle Assembly—783506	7-3
36" Deck	7-4

General Information

Note: When ordering parts, you must use the part number as shown for each part, not the index number. Always give the model and serial number to your parts and service representative.

Note: Items sold in bulk such as seals and hoses are sold by the foot.

Using This Manual

This manual is part of a service package for the Hustler® mowers. Use of this manual in conjunction with other Hustler® mower and component manuals will provide the information necessary to service and maintain Hustler® mowers.

This Parts Manual provides a complete parts listing for the unit. Use this manual when ordering parts. Illustrations used were current at the time of printing, but subsequent production changes may cause your machine to vary slightly in detail. Excel Industries, Inc. reserves the right to redesign and change the machine as deemed necessary, without notification. If a change has been made to your machine which is not reflected in this parts manual, see your authorized dealer for current information and parts.

The Service Manual is a service guide for use by Service Technicians. It provides the necessary information needed to perform normal maintenance requirements on these units.

The Operator's Manual provides fundamental operational information and operational safety that is needed when operating the mower.

The component manuals are furnished by the various manufacturers to be used for the troubleshooting and servicing of their products.

Hardware Description Codes & Abbreviations

The following codes are used throughout this parts manual. Refer to this list when ordering parts.



ABBREVIATION	DESCRIPTION	ABBREVIATION	DESCRIPTION
CB	CARRIAGE BOLT	MB	MACHINE BUSHING
CE	CLEVIS PIN	MS	MACHINE SCREW
CN	CLIP NUT	NT	NUT
CP	COTTER PIN	SC	SELF TAPPING CAP SCREW
CS	CAP SCREW	SH	SOCKET HEAD
CW	CUP WASHER	SB	SHOULDER BOLT
FDRW	FENDER WASHER	SS	SET SCREW
FW	FLAT WASHER	OD	OUTSIDE DIAMETER
HX	HEX HEAD	ID	INSIDE DIAMETER
LW	LOCK WASHER	WN	WELD NUT

Standard Torques

The following chart lists the standard torque values for the threaded fasteners found in this manual. Torque all cap screws, nuts and set screws to these values unless a different torque is shown in the Notes section next to the fastener.

SIZE	FT-LBS	N•M	SIZE	FT-LBS	N•M
.250	8.2	11.1	M3	1	1.3
.312	17	23	M4	2.2	3
.375	30	40	M5	4.5	6.1
.438	48	65	M6	7.7	10.4
.500	73	99	M8	18.5	25
.562	105	143	M10	37	50
.625	145	200	M12	64	87
.750	260	350	M14	80	108.5
.875	420	565	M16	160	215
1.00	625	850	M20	320	435
			M24	555	750


Cette page intentionnellement laissée vierge




Élément	Numéro de pièce	Qté	Nom
1	551093	1	SVC FRAME, 36" CE TS
2	601069	7	CN .312-18x.200 MAX THK
3	033001		FLEXIBLE TRIM UNI-GRIP
4	N/A	1	TURF PRODUCTS SERIAL NO. PLATE
5	797647	1	DECAL, TSH IZT BELT
6	776310	1	DECAL, CE MARK
7	794834CE	1	CE 100 DBA LIMIT DECAL
8	602041	1	DECAL, HOT
9	808485	8	RIVET NUT, 5/16-18 THRE

Comments for Page: 36" Frame


1. In the event the serial number tag becomes damaged or illegible, please contact your dealer to order a replacement.
2. Item 1 (551093 36" Frame) comes with Decals & Hardware.
3. For Item 3 (033001 21 cm Trim)
 - A. Trim length 5 cm
 - B. Trim length 8 cm



Élément	Numéro de pièce	Qté	Nom
1	794834CE	1	CE 100 DBA LIMIT DECAL
2	776310	1	DECAL, CE MARK



Élément	Numéro de pièce	Qté	Nom
1	034280	10	CS .312-18X0.750HXG5
2	768523	28	FW 0.343SAE
3	034272	12	NT .312-18HXG5
4	601996	1	EXPANSION TANK, ZT2800
5	601001	4	SPRING CLAMP, .75" DIA
6	787713	151 cm	HOSE, 1/2" LOW PRESSURE
7	778746	1	RING, 2" ID SPLIT
8	259812	1	CHAIN, 13 LINK
9	036384	1	SPRING 1/4 COIL PL 1.23
10	781153	2	BUSHING, UHMW
11	110551	1	IDLER ARM W/A, 36" TS
12	607525	1	PULLEY, IDLER
13	025296	2	FW .760X1.63X0.08 ZY
14	601084	1	SB .750X 2.000 SH.625-11
15	028118	1	FW 0.625X1.00X.13 ZY
16	781872	1	CS .625-11X1.250HXG5
17	601838	1	DRIVE BELT
18	710087	8	CS .312-18X2.500HXG5
19	601503	2	CB .250-20 X .625 ZNYC
20	602228	2	TOW LINK ROD
21	111157	2	PLATE, TS TOW VALVE
22	111617	1	TOW VALVE BRACKET, RS
Not Shown	111616	1	TOW VALVE BRACKET, LS
23	768515	6	FW 0.281SAE
24	068551	4	NT .250-20 HXZY NL
25	041988	2	SPRING LC-042F-5
26	601219	2	FTG, 90 - 9/16 SAE
27	601683	1	ZT2800, RH TRANSMISSION
28	601682	1	ZT2800, LH TRANSMISSION
29	016410	2	CS .375-16X2.000HXG5
30	767954	2	FW 0.379X.82X.06 HD ZY
31	781922	2	BALL STUD
32	110537	1	ZT SPACER TUBE
33	110731	1	CHARGE PUMP COVER, RH
34	110730	1	CHARGE PUMP COVER, LH
35	000331	6	WIRE TIE, SMALL/SHORT




36" Hydraulic System (Multi-Page)

Hustler TrimStar 36" CE Parts Manual

Comments for Page: 36" Hydraulic System (Multi-Page)


1. With item 14 (601084) torque to 160 N-m.
2. For item 6 (787713 151 cm Hose) Hydraulic Line Lengths:
 - A. 56 cm Expansion Tank to LS Transmission
 - B. 95 cm Expansion Tank to RS Transmission
3. Item 18 (710087) torque to 23 N-m.
4. Service parts:
 - 600767 Overflow Tank Cap
 - 601221 Brake Arm
 - 600972 Brake Arm Retainer Clip
 - 601433 4-Bolt Hub Kit
 - 600974 Right Filter Guard
 - 602094 Fan/Pulley Kit
 - 600975 Left Filter Guard
 - 602208 Extension Spring
 - 600976 Oil Filter




Élément	Numéro de pièce	Qté	Nom
1	602094	1	FAN / PULLEY KIT
2	607729	1	FAN - 7.0" (10 BLADE)
3	604901	1	HG RTN CW
Not Shown	604902	1	HG RTN CCW
4	604903	1	HG RTN SPRING
5	601433	1	KIT, HUB 4 BOLT
Commentaires pour le numéro de pièce 601433 CUSTOMER SERVICE NOTE: Lug Studs are not sold separately.			
6	601221	1	ZT2800 BRAKE ARM - 2007
7	600972	1	CLIP, RETAINING
8	603572	1	COVER, ZT3100 CHRGE PUMP
9	603223	1	O-RING, ZT28/3100 CHARGE
10	600976	1	HYDRAULIC OIL FILTER
11	600974	1	GUARD, TRANS FILTER
Not Shown	600975	1	GUARD, TRANS FILTER
12	606830	1	OIL RETENSION KIT,
Not Shown	602208	1	SPRING, EXT RTN 52401
Not Shown	607199	1	SEAL KIT 72994 HYDRO-G

Comments for Page: Transmission Service Parts


1. 604901 is used on the left side transmission. 604902 is used on the right side transmission.
2. The hub kit includes the nut.




Élément	Numéro de pièce	Qté	Nom
1	792317	1	GRIP, 1.000 X 4.562 BLK
2	110570	1	DECK LIFT HANDLE
3	768523	4	FW 0.343SAE
4	036236	2	CS .312-18X1.000HXG5
5	034272	3	NT .312-18HXG5
6	765339	1	BUSHING, IGUS#0608 (FS)
7	348284	1	STOP, HEIGHT ADJ W/A
8	110529	1	DECK INDICATOR W/A
9	086660	1	NT .375-16NLG8
10	767954	4	FW 0.379X.82X.06 HD ZY
11	054502	2	NT .375-16HXG5
12	767962	13	FW .531 x 1.063 x .175
13	008193	2	NT .500-13HXG5
14	008417	2	NT .750-10HXG5
15	781930	1	BLOCK, DECK LIFT MT 3/4"
16	110530	1	LOWER HANDLE
17	550073	1	DECK LIFT TS SERV ASSY
18	036244	1	CS .375-16X1.00 HX G5 ZY
19	705954	2	CS .500-13X1.25 HX G5 ZY
20	263517	2	BEARING DISC .531 ID
21	728550	1	SB .50X.75SH .375-16TD
22	601953	2	WASHER, WAVY .558x1.005
23	601942	1	DECK LIFT ROD N/SPRING
24	781294	3	CLIP E, 1.00 X.625X .05
25	601681	3	FW .781X1.50X.12 ZY
26	015495	3	GREASE FITTING STRAIGHT
27	704643	12	NT .437-14FLKG5
28	360131	2	CHAIN, DECK LIFT
29	124354-3	1	DECK LIFT LINK
30	055749	5	CS .437-14X1.750HXG5
31	348458	1	YOKE W/A, DECK LEVELER
32	756270	1	CS .312-18X1.500HXG5
33	781831	1	CS .437-14x1.75 FULTHG5
34	078949	2	CS .500-13X2.000 FUL HX
35	781567	2	NT .500-13NLG5




Cette page intentionnellement laissée vierge



Élément	Numéro de pièce	Qté	Nom
1	783514	1	HOUSING, BLADE SPINDLE
2	783522	1	SHAFT, BLADE SPINDLE
3	783555	2	BEARING, BLADE SPINDLE
4	783530	1	SPACER, BLADE SPINDLE
5	783548	1	RING, BLADE SPINDLE RET




Élément	Numéro de pièce	Qté	Nom
1	114509	1	HEAT SHIELD, W/A
2	114002	1	DECK COVER, 36
3	036244	2	CS .375-16X1.00 HX G5 ZY
4	767954	4	FW 0.379X.82X.06 HD ZY
5	036236	4	CS .312-18X1.000HXG5
6	712927	4	FW 0.344X1.00X.12 HD ZY
7	602562	2	DECAL, NO SERVICE
8	086660	2	NT .375-16NLG8
9	602061	1	DECAL, DECK HEIGHT IND



Élément	Numéro de pièce	Qté	Nom
1		1	ENGINE, KAWASAKI 15HP
2	034272	5	NT .312-18HXG5
3	768523	15	FW 0.343SAE
4	052837	4	CS .312-18X1.500HXG5
5	064345	1	CS .312-18X2.000HXG5
6	034280	5	CS .312-18X0.750HXG5
7	124365-3	1	ENGINE PLATE COVER
8	796524	1	VALVE,OIL DRAIN M20x2.5
9	787713	1	HOSE, 1/2" LOW PRESSURE
10	791558	2	GASKET, EXHAUST 15&17HP
11	017004	4	LW0.312SPLIT
12	782664	4	NT M8-1.25 HX STAINLESS
13	601799	1	MUFFLER, 15HP KAW
14	000331	1	WIRE TIE, SMALL/SHORT
15	111557	1	CLUTCH ANCHOR PLATE
16	791251	1	HARNESS, CLUTCH PIGTAIL
Commentaires pour le numéro de pièce 791251			
Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material.			
17	784918	1	BUMPER, RUBBER
18	712372	1	KEY 1/4 SQ X 0.66 LG(FS)
19	799429	1	PULLEY, A SEC, 4.5 OD
20	601325K	1	CLUTCH KIT
21	763417	1	FW 0.454X1.50X.25 NF
22	785048	1	CS .437-20X3.00 HXG5 P85

Comments for Page: Engine, 15HP KAW

1. Part of wiring harness.
2. Torque to 61-65 N-m. Replace (do not reuse) capscrew if removed or loosened. Use only hand tools to install this fastener.
3. Engine oil capacity: See engine owner's manual.



Élément	Numéro de pièce	Qté	Nom
1	779306	1	FUEL CAP,3.5"
2	792044	1	FUEL TANK, WALKBEHIND
3	000323	2	CLIP, HOSE CLAMP
4	015818	1	FUEL LINE, 1/4"
Commentaires pour le numéro de pièce 015818			
Sold by the foot.			
5	110511	1	CONSOLE SUPPORT W/A, 36"
6	768523	4	FW 0.343SAE
7	034280	4	CS .312-18X0.750HXG5
8	054502	4	NT .375-16HXG5
9	767954	4	FW 0.379X.82X.06 HD ZY


Comments for Page: Fuel System

1. Valve and grommet included with new fuel tank.


2. Service parts available for the fuel tank:

785295 Flange Grommet


783944 Fuel Shut-Off Valve



Élément	Numéro de pièce	Qté	Nom
1	771139	2	GRIP, .834 - .4563 BLK
2	773556	2	BEARING, STEERING
3	110766	1	STEERING BAR W/A
4	785766	2	STEERING ROD, ADJUSTER
5	041152	4	NT 0.312-24 HX G8
6	601839	2	PIVOT SPACER BUSHING
7	769299	6	SC #10-24x0.750BH
8	779157	2	CB .312-18X1.750
9	768523	18	FW 0.343SAE
10	058776	5	NT .312-18NLG5
11	077842	4	MS#6-32X1.000RDSL
12	341826	2	ARM, OPC W/A WB
13	043299	1	KNOB,1.31RD .375-16x50
14	110645	1	NEUTRAL LOCK HANDLE ROD
15	342378	2	SPACER, SWITCH WB
16	047456	1	GM .750X.188X1.00X.12
17	039693	2	WN #6-32 X 1.00 TP 1116
18	779165	4	RP0.078X 0.50 ZN
19	045765	3	FW 1.030X1.50X.13 HD ZY
20	784223	2	BEARING
21	314351	1	ARM W/A, WB DAMPER
22	034272	2	NT .312-18HXG5
23	781922	2	BALL STUD
24	788349	1	DAMPER, CENTERING
25	305086	1	PIVOT PIN
26	768259	6	BUSHING,IGUS#0810 (FS)
27	119748	1	NEUTRAL LOCK YOKE ASSY
28	034652	1	SPRING 2.5
29	076422	1	FW 0.406X1.00X.06 ZY
30	086660	1	NT .375-16NLG8
31	601798	1	BRAKE ROD ASSY, CONSOLE
32	788554	1	LOCK COLLAR, .500x1.000
33	110647	2	NEUTRAL LOCK SPACER
34	785113	1	CS .312-18X4.250 HX G5
35	110646	1	NEUTRAL SWITCH BRKT
36	704932	2	FW 0.219X.50X.05 ZY



Élément	Numéro de pièce	Qté	Nom
37	059832	2	NT #10-24 HX NL ZN
38	601952	2	PUMP ADJUSTMENT ROD
39	110639	2	BELLCRANK W/A
40	601098	2	CB 10-24 X .500 ZYNC
41	054502	6	NT .375-16HXG5
42	792374	1	SWITCH,PLUNGER SNAP MOU
43	601953	1	WASHER, WAVY .558x1.005
44	767962	2	FW .531 x 1.063 x .175
45	017251	1	CP .156DX1.000 LG HML Z
46	073338	1	CE .500X4.50 .156X4.34
47	550072	1	CONSOLE TS SERV ASSY
48	601934	1	DECAL, TS INST PNL NO-ES
49	788828	1	DECAL, TrimStar ID
50	769166	1	HOUR METER
51	776476	1	SWITCH, PTO 6201-321
52	776518	1	IGN SWITCH INDAK D431
53	785808	1	KEY ASSEMBLY
54	601097	1	CABLE, CHOKE
55	055822	4	CS .375-16X0.75 HX G5 ZY
56	767954	8	FW 0.379X.82X.06 HD ZY
57	601967	1	DECAL, ENGINE COMPART
58	727172	1	DECAL 'MADE IN U.S.A.'
59	550071	1	H-BAR TS SERV ASSY
60	771030	1	DECAL, H-BAR STEERING
61	603314	1	WIRE HARNESS, WB
62	601972	1	WIRE HARNESS, OPC TS




Instrument Panel (Multi-Page)

Comments for Page: Instrument Panel (Multi-Page)

Hustler TrimStar 36" CE Parts Manual


1. Item 61 (603314) is part of wire harness.
2. Item 62 (601972) is part of wire harness OPC.



Throttle

Hustler TrimStar 36" CE Parts Manual


Élément	Numéro de pièce	Qté	Nom
1	601098	2	CB 10-24 X .500 ZYNC
2	102707	1	STOP, CE THROTTLE
3	778365	1	CABLE, THROTTLE
4	704932	2	FW 0.219X.50X.05 ZY
5	059832	2	NT #10-24 HX NL ZN



Élément	Numéro de pièce	Qté	Nom
1	080655	3	CS .375-16X1.500HXG5
2	767954	9	FW 0.379X.82X.06 HD ZY
3	124380-3	1	LOWER BRAKE BELLCRANK
4	086660	4	NT .375-16NLG8
5	765339	1	BUSHING,IGUS#0608 (FS)
6	601710	1	LOWER BRAKE ROD ASSY
7	054502	2	NT .375-16HXG5
8	064006	2	CS .312-18X0.625HXG5
9	768523	2	FW 0.343SAE
10	110538	1	BRAKE PULL BRKT 36 TS
11	055939	2	CS .250-20X0.75 HX G5 ZY
12	768515	2	FW 0.281SAE
13	109202	1	BRAKE SPRING LINK, RS
14	109203	1	BRAKE SPRING LINK, LS
15	034272	2	NT .312-18HXG5
16	024927	2	NT .250-20HXG5
17	784421	1	SPRING, SUPPLIER # 2512

Comments for Page: 36" Brake


1. Supplied with transmission.



Élément	Numéro de pièce	Qté	Nom
1	785345	2	TIR/WHL 18X6.50-8 SLV
2	061077	8	WHEEL NUT
3	705954	2	CS .500-13X1.25 HX G5 ZY
4	344267	2	FW .510X2.15X.19 ZY
5	712976	2	FW 0.531X1.38X.12 ZY
6	784223	4	BEARING
7	784603	2	SPACER
8	781567	2	NT .500-13NLG5
9	767962	4	FW .531 x 1.063 x .175
10	339689	2	CASTER FORK W/A, WB/FAS
11	042630	2	CS .500-13X6.500HXG5
12	788604	2	TIR/WHL 11X4.00-5 SLV
13	306969	2	GAGE WHEEL SPACER

Comments for Page: 36" Wheels & Tires


1. Item 2 (061077 Wheel Nut) torque to 88-102 N-m.



Caster Wheel Breakdown

Hustler TrimStar 36" CE Parts Manual

Élément	Numéro de pièce	Qté	Nom
1	788604	1	TIR/WHL 11X4.00-5 SLV
2	772806	2	BEARING CAP
3	772814	1	BEARING, 3/4" ROLLER



Élément	Numéro de pièce	Qté	Nom
1	785337	2	TIR 18X6.50-8 B4R GRMR
Not Shown	600684	2	TIR 20X10.00-10 B4R GRMR
2	785303	2	WHL 8X5.38 4X4 SLV
Not Shown	600700	2	WHL 10X7.00 4X4.0 SLV
3	019521	2	TIRE VALVE TR-412 GOODY


Comments for Page: Drive Wheel Breakdown

1. Tire & wheel usage:

36" mower

785337 Tire 18 X 6.50-8 4 PLY


785303 Wheel 5.35



36" Deck Decals

Hustler TrimStar 36" CE Parts Manual


Élément	Numéro de pièce	Qté	Nom
1	550229	1	36" SERVICE DECK
2	601069	4	CN .312-18x.200 MAX THK
3	601787	2	DECAL, TRIMSTAR
4	601796	1	DECAL, TRIMSTAR
5	793513	1	DECAL, 36" DECK ID
6	602243	1	DECAL, BELT ROUTING
7	601931	1	DECAL, THROWN OBJECTS




Élément	Numéro de pièce	Qté	Nom
1	025007	2	CS .62511X1.750HXG5
2	046821	2	FW .656X2.00X.08 ZY
3	797449	2	FW .630X1.13X.18 ZY
4	601162	1	PULLEY, IDLER 3.06" STL
5	105031	1	IDLER, DECK MNZ W/A
6	784199	6	CS .312-18X1.250 FLT SH
7	601434	2	IDLER SLIDE, UHMW
8	036384	1	SPRING 1/4 COIL PL 1.23
9	259812	1	CHAIN, 13 LINK
10	781872	2	CS .625-11X1.250HXG5
11	782474	2	CW .678 X 2.250 X .187
12	796656	1	PULLEY, 5.62 EOD, A-SEC
13	796664	1	PULLEY, 3.75 EOD, A-SEC
14	330225	2	PULLBAR W/A
15	034272	2	NT .312-18HXG5
16	768523	10	FW 0.343SAE
17	058776	6	NT .312-18NLG5
18	034280	2	CS .312-18X0.750HXG5
19	322974	2	PULLBAR PIN W/A
20	781856	1	PULLEY, IDLER NHI 5.00"
21	054502	8	NT .375-16HXG5
22	767954	16	FW 0.379X.82X.06 HD ZY
23	783506	2	BLADE SPINDLE ASSEMBLY
24	005116	8	CS .375-16X1.38 HX G5 ZY

Comments for Page: 36" Deck Pulleys & Spindles

1. Item 10 (781872) Torque to 160 N-m.
2. Item 24 (005116) Torque to 40 N-m.



Élément	Numéro de pièce	Qté	Nom
1	783514	1	HOUSING, BLADE SPINDLE
2	783522	1	SHAFT, BLADE SPINDLE
3	783555	2	BEARING, BLADE SPINDLE
4	783530	1	SPACER, BLADE SPINDLE
5	783548	1	RING, BLADE SPINDLE RET



Élément	Numéro de pièce	Qté	Nom
1	601786	1	DECK BELT
2	601806	1	DISCHARGE CHUTE
3	601824	1	SPRING, TORSION
4	601843	1	PIN, CHUTE
5	114793	1	CHUTE BRACKET, 36
6	086660	3	NT .375-16NLG8
7	767954	2	FW 0.379X.82X.06 HD ZY
8	034280	3	CS .312-18X0.750HXG5
9	768523	10	FW 0.343SAE
10	034272	3	NT .312-18HXG5
11	064006	4	CS .312-18X0.625HXG5
12	550475	1	PULLEY COVER RS, CE SVC
13	550476	1	PULLEY COVER LS, CE SVC
14	794214	1	BLADE,20.50"-MUL-F-CW
15	794206	1	BLADE,13.75"-MUL-F-CW
16	782474	2	CW .678 X 2.250 X .187
17	781872	2	CS .625-11X1.250HXG5
18	107655	1	MULCH BAFFLE W/A
19	600900	1	BLADE, F13.75"-L-F-CW
20	600901	1	BLADE, F20.50"-L-F-CW
21	602562	2	DECAL, NO SERVICE

Comments for Page: 36" Deck

1. Item 19 (600900) & 20 (600901) blades to be used when side discharging.
2. Item 17 (781872) torque to 160 N-m.
3. Item 6 (086660) do not torque, the discharge chute must pivot freely.