

Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.

The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or
2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.

General Information	1
Rivet Nuts & Footrest Section	
Rivet Nut Installation	3-1
Footrest	3-2
Hydraulic Section	
Hydraulic System	4-1
Battery, Deck Lift, Brake & Pump Belt Section	
Battery	5-1
Deck Lift	5-2
Steering & Brake	5-3
Pump Belt & Pulleys	5-4
Deck Section	
Engine	6-1
Fuel System	6-2
Instrument Panel	6-3
Wheels & Tires Section	
Front Wheels	7-1
Front Wheel Breakdown - 786061	7-2
Drive Wheel Breakdown	7-3
Anti-Rollover Wheel Breakdown	7-4
Deck Section	
Deck	8-1
Deck Pulleys	8-2
Spindle Breakdown	8-3
Deck Installation	8-4
Decal Section	
Mower Decals	9-1
Deck Decals	9-2
Seat & ROPS Section	
Seat Installation—S/N 08010000 and Higher	10-1
Seat Installation—S/N Prior to 08010000	10-2
Seat Service Parts - 793661 Standard Seat	10-3
ROPS	10-4

General Information

*This Manual covers Hustler Mini Z 24/52CE model **927251CE**.*

Frequently Ordered Parts

PART NO.	DESCRIPTION
768341	Hydraulic Oil Filter
786533	Pump Drive Belt
789388	52" Deck Belt
785626	Honda Fuel Filter
785261	Main Air Filter
785279	Safety Air Filter Element
785634	Honda 20/24HP Engine Oil Filter
783753	Blade, 17.86"-L-F-CW

Service Literature

PART NO.	DESCRIPTION
785642	Honda 18/20/24HP Engine Manual
601656	Hustler Z Operator's Manual

***Note:** When ordering parts, you must use the part number as shown for each part, not the index number. Always give the model and serial number to your parts and service representative.*

***Note:** Items sold in bulk such as seals and hoses are sold by the foot.*

Using This Manual

This manual is part of a service package for the Hustler® mowers. Use of this manual in conjunction with other Hustler® mower and component manuals will provide the information necessary to service and maintain Hustler® mowers.

This Parts Manual provides a complete parts listing for the unit. Use this manual when ordering parts. Illustrations used were current at the time of printing, but subsequent production changes may cause your machine to vary slightly in detail. Excel Industries, Inc. reserves the right to redesign and change the machine as deemed necessary, without notification. If a change has been made to your machine which is not reflected in this parts manual, see your authorized dealer for current information and parts.

The Service Manual is a service guide for use by Service Technicians. It provides the necessary information needed to perform normal maintenance requirements on these units.

The Operator's Manual provides fundamental operational information and operational safety that is needed when operating the mower.

The component manuals are furnished by the various manufacturers to be used for the troubleshooting and servicing of their products.

Hardware Description Codes & Abbreviations


The following codes are used throughout this parts manual. Refer to this list when ordering parts.

ABBREVIATION	DESCRIPTION	ABBREVIATION	DESCRIPTION
CB	CARRIAGE BOLT	MB	MACHINE BUSHING
CE	CLEVIS PIN	MS	MACHINE SCREW
CN	CLIP NUT	NT	NUT
CP	COTTER PIN	SC	SELF TAPPING CAP SCREW
CS	CAP SCREW	SH	SOCKET HEAD
CW	CUP WASHER	SB	SHOULDER BOLT
FDRW	FENDER WASHER	SS	SET SCREW
FW	FLAT WASHER	OD	OUTSIDE DIAMETER
HX	HEX HEAD	ID	INSIDE DIAMETER
LW	LOCK WASHER		




Standard Torques

The following chart lists the standard torque values for the threaded fasteners found in this manual. Torque all cap screws, nuts and set screws to these values unless a different torque is shown in the Notes section next to the fastener.

SIZE	FT-LBS	N•M	SIZE	FT-LBS	N•M
.250	8.2	11.1	M3	1	1.3
.312	17	23	M4	2.2	3
.375	30	40	M5	4.5	6.1
.438	48	65	M6	7.7	10.4
.500	73	99	M8	18.5	25
.562	105	143	M10	37	50
.625	145	200	M12	64	87
.750	260	350	M14	80	108.5
.875	420	565	M16	160	215
1.00	625	850	M20	320	435
			M24	555	750




Élément	Numéro de pièce	Qté	Nom
1	546630	1	FRAME W/A 52"(CRATED)
2	808493	2	RIVET NUT, 3/8-16 THREA




Élément	Numéro de pièce	Qté	Nom
1	388884	1	FLOOR PLATE MINI Z
2	785485	2	STEP TREAD, UPPER 5.00
3	785493	1	STEP TREAD, LOWER 9.00
4	086660	2	NT .375-16NLG8
5	767954	4	FW 0.379X.82X.06 HD ZY
6	378448	1	WEIGHT W/A, MINI Z
7	034272	2	NT .312-18HXG5
8	768523	4	FW 0.343SAE
9	781880	2	BUMPER, .500x 1.00x .31
10	036236	2	CS .312-18X1.000HXG5
11	052860	2	CS .375-16X1.25 HX G5 ZY

Comments for Page: Footrest

1. Do not torque, the floor plate must pivot.




Élément	Numéro de pièce	Qté	Nom
1	032763	1	CAP, BREATHER
2	032771	1	STRAINER
3	368803	1	HYDRAULIC OIL RESERVOIR
4	787614	1	FTG, -12MORB/-6FORB
5	787473	1	FTG, -6MORB/-6 BEAD
6	781658	1	FTG, -8MORB/HEX PLUG
7	787655	2	HOSE ASSY, CASE DRAIN M
8	787465	2	FTG, 90°-6MORB/-6BT
9	034272	3	NT .312-18HXG5
10	768523	3	FW 0.343SAE
11	787648	2	HOSE ASSY, FLTR TO PUMP
12	779132	2	FTG, -6MORB/-6MJIC STR
13	781062	1	PUMP, HYD-GEAR PG-1KCC
14	781047	1	PUMP, HYD-GEAR PG-1HCC
15	041707	4	NT .437-14HXG5
16	704742	8	FW 0.453X.81X.06 ZY
17	781559	4	FTG, 45-8MORB/-8MSL
18	791152	2	MOTOR, WHITE CE-14 CCW
Not Shown	784991	1	SEAL KIT, WHITE CE MOTO
19	008573	8	CS .500-13X2.500HXG5
20	767962	8	FW .531 x 1.063 x .175
21	781526	3	FTG, 90°-10MORB/-8MORFS
22	787440	1	FTG, 45-10MORB/-8MS
23	791111	1	HYD TUBE MINI Z RH SIDE
24	791129	1	HYDRO TUBE MINIZ RH SID
25	791145	1	HYDRO TUBE MINIZ LH SID
26	791137	1	HYDRO TUBE MINIZ LH SID
27	705186	4	CS .437-14X1.375HXG5
28	787630	1	HOSE ASSY, RES. TO FLTR
29	779447	1	ADAPTER T,-6JIC/-60RB/-
30	763946	1	FTG 90, -6 O-RING/-
31	055947	2	CS .250-20X0.50 HX G5 ZY
32	768515	2	FW 0.281SAE
33	768341	1	HYDRAULIC OIL FILTER
34	768333	1	FILTER HEAD ZINGA BF SE
35	780718	1	SEAL KIT, PG/PJ PUMPS




Élément	Numéro de pièce	Qté	Nom
1	058776	2	NT .312-18NLG5
2	768523	3	FW 0.343SAE
3	348417	1	STRAP, BATTERY CLAMP
4	785063	1	BATTERY CABLE, POSITIVE
5	771428	1	BATTERY CBL BOOT-RED(FS)
6	055939	2	CS .250-20X0.75 HX G5 ZY
7	029868	4	LW .250 INTEXT ZY
8	024927	2	NT .250-20HXG5
9	034272	2	NT .312-18HXG5
10	768820	1	CABLE, BATTERY GROUND
11	034280	1	CS .312-18X0.750HXG5
12	029876	1	LW .312 INTEXT ZY
13	779850	2	CB .312-18X 3.00 FUL ZN

Comments for Page: Battery


1. When performing service, disconnect the battery ground cable and the black wire of the wire harness, and do not reconnect them until the engine is ready to be started.



Élément	Numéro de pièce	Qté	Nom
1	348318	1	HANDLE, STOP
2	784488	1	INDICATOR, DECK LIFT S/
3	348284	1	STOP, HEIGHT ADJ W/A
4	781294	7	CLIP E, 1.00 X.625X .05
5	782995	2	DECK LIFT SPRING S/A
6	704643	8	NT .437-14FLKG5
7	055749	3	CS .437-14X1.750HXG5
8	348391	4	CHAIN, DECK LIFT
9	781831	1	CS .437-14x1.75 FULTHG5
10	756270	1	CS .312-18X1.500HXG5
11	034272	1	NT .312-18HXG5
12	348458	1	YOKE W/A, DECK LEVELER
13	781229	1	CE .750X2.25 X1.75 HEAD
14	015495	4	GREASE FITTING STRAIGHT
15	784686	1	FW 0.812X1.469X0.134




Élément	Numéro de pièce	Qté	Nom
1	781260	2	GRIP, STEERING BAR
2	368704	2	STEERING BAR W/A MINI Z
3	367128	1	CONTROL PANEL W/A
4	368670	2	STEERING ARM MOUNT W/A(
5	055822	6	CS .375-16X0.75 HX G5 ZY
6	767954	26	FW 0.379X.82X.06 HD ZY
7	781716	4	SS .500-13X1.750SH
8	053199	2	NT .500-13JAMG5
9	036244	4	CS .375-16X1.00 HX G5 ZY
10	781583	2	BRAKE ROD ASSEMBLY
11	705178	6	CS .375-16X1.750HXG5
12	768523	26	FW 0.343SAE
13	041152	8	NT 0.312-24 HX G8
14	348862	4	STEERLEVER BUSHING (PLA
15	781153	4	BUSHING, UHMW
16	784439	2	LOCK COLLAR,0.757 ID(FS)
17	368910	1	TUBE, STEER CTR PIVOT(P
18	781286	2	PUMP ROD ADJUSTER ASSY
19	704163	2	CS .250-20X2.000HXG5
20	768515	4	FW 0.281SAE
21	023655	8	NT 0.312-24 NL G8
22	367557	2	PUMP ARM, BDP-10(PLATED
23	068551	2	NT .250-20 HXZY NL
24	781922	4	BALL STUD
25	600221	2	DAMPER, STEERING
Not Shown	783696	2	DAMPER, CENTERING
26	086660	12	NT .375-16NLG8
27	367573	1	STEERLEVER SUPT W/A,LH(
28	367565	1	STEERLEVER SUPT W/A,RH(
29	063198	4	CS #10-24X0.750FLKG5
30	782979	2	CS .375-16X4.750HXG5
31	781211	2	SWITCH, PUSH BUTTON
32	059832	4	NT #10-24 HX NL ZN
33	060541	4	SB0.500X0.625SH0.375-16
34	765339	4	BUSHING,IGUS#0608 (FS)
35	302943	1	BRAKE PIVOT ARM, LEFT M



Élément	Numéro de pièce	Qté	Nom
36	302935	1	BRAKE PIVOT ARM, RIGHT
37	305268	2	Brake Lever Ext. White
38	783852	2	KEY, for WHITE MOTOR CE
39	791327	2	BRAKE ROD ASSEMBLY
40	017004	4	LW0.312SPLIT
41	048876	8	CS .312-18X0.750HXG8
42	783118	1	BRAKE ASSY, RH WHITE
43	783126	1	BRAKE ASSY, LH WHITE
44	782953	2	HUB ASSEMBLY, WHITE
45	783845	2	NUT, for WHITE MOTOR CE
46	064014	4	CS .312-18X0.875HXG5
47	712927	8	FW 0.344X1.00X.12 HD ZY
48	029876	2	LW .312 INTEXT ZY


Comments for Page: Steering & Brake

1. Torque to 400 N•m. Included with the wheel motor.
2. Torque the brake assembly mounting bolts to 32.54 N•m.
3. 783118 used on the left wheel; 783126 used on the right wheel.
4. The steering bar includes Item 1 (781260 Steering Bar Grip).
5. 783696 is used on mowers with serial numbers prior to 06071186.



LOCATION FOR
RUBBER BUMPER


Élément	Numéro de pièce	Qté	Nom
1	779876	1	PULLEY, ENGINE SC SINGL
2	212076	1	KEY 1/4 SQ X 1.50 LG(FS)
3	797654	1	FW 1.156X1.75X.25 ZY
4	791251	1	HARNESS, CLUTCH PIGTAIL
Commentaires pour le numéro de pièce 791251			
Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material.			
5	601311K	1	CLUTCH KIT
6	783829	1	FW 0.468X1.75X0.25 ZY
7	785048	1	CS .437-20X3.00 HXG5 P85
Not Shown	785659	1	CS .437-20X2.50 HXG5 P85
8	083196	4	SS .312-18X0.750SQ
9	325308	2	PULLEY & FAN W/A
10	768127	2	KEY 5mm x30mm RADIUS EN
11	366765	1	ANGLE, CLUTCH ANCHOR MM
12	016527	2	CS .500-13X1.000HXG5
13	767962	4	FW .531 x 1.063 x .175
14	008193	2	NT .500-13HXG5
15	784918	1	BUMPER, RUBBER
16	015495	1	GREASE FITTING STRAIGHT
17	368860	1	IDLER ARM W/A, MINI Z
18	025296	1	FW .760X1.63X0.08 ZY
19	061101	1	NT .750-10 HX ZY NL GR B
20	607525	1	PULLEY, IDLER
21	028118	1	FW 0.625X1.00X.13 ZY
22	781872	1	CS .625-11X1.250HXG5
23	781302	1	IDLER SPRING
24	786533	1	DRIVE BELT
25	601311K	1	CLUTCH KIT
26	778217	1	CS .437-20X2.250 HXG5P85
27	036244	1	CS .375-16X1.00 HX G5 ZY
28	767954	2	FW 0.379X.82X.06 HD ZY
29	054502	1	NT .375-16HXG5
30	055939	1	CS .250-20X0.75 HX G5 ZY
31	362392	1	BRACKET, CLUTCH ANCHOR
32	778738	1	CLAMP, WIRING .312 (FS)




Élément	Numéro de pièce	Qté	Nom
33	768515	1	FW 0.281SAE
34	024927	1	NT .250-20HXG5
35	748681	1	GM .75X1.35X1.06X.18-GR

Comments for Page: Pump Belt & Pulleys

1. Torque to 61-65 N•m. Replace (do not reuse) the capscrew if removed or loosened. Use only hand tools to install this fastener.
2. Torque to 16.27-20.34 N•m.
3. Do not torque Item 19 (NT .750-10 HX NL ZN), Item 17 (368860 Pump Idler Arm) should pivot freely.
4. 797654 and 785048 are used on mowers with serial number 05040948 and higher.
5. 785659 is used on mowers with serial number prior to 05040948.



Élément	Numéro de pièce	Qté	Nom
1		1	ENGINE, HONDA 24HP
2	784843	1	MUFFLER, 18/20/24 HONDA
3	720177	2	CS M8-1.25X20FLG10.9
4	785543	2	HONDA (20) GASKET, MUFF
5	784959	1	MANIFOLD,18/20/24 HONDA
6	785378	1	CLAMP, MUFFLER 1.50"
7	017004	5	LW0.312SPLIT
8	782664	4	NT M8-1.25 HX STAINLESS
9	786673	1	CAP, DONALDSON AIR CLEA
10	057661	1	HOSE CLAMP (FS)
11	797670	1	CLAMP, HONDA AIRCNR HOSE
12	782763	1	AIR CLEANER, DONALDSON
Not Shown	600910	1	COVER END, W/ LATCHES
13	785741	1	BAND, AIR CLEANER MOUNT
14	034272	12	NT .312-18HXG5
15	768523	20	FW 0.343SAE
16	036236	2	CS .312-18X1.000HXG5
17	370288	1	BRACKET W/A, REMOTE A/C
18	785675	1	HOSE, REMOTE AIR FILTER
19	787689	1	VALVE,OIL DRAIN M14x
20	787713	1	HOSE, 1/2" LOW PRESSURE
21	769166	1	HOUR METER
22	388892	1	CROSSMEMBER W/A MINI Z
23	808493	8	RIVET NUT, 3/8-16 THREA
24	767954	8	FW 0.379X.82X.06 HD ZY
25	055822	8	CS .375-16X0.75 HX G5 ZY
26	034280	4	CS .312-18X0.750HXG5
27	029876	4	LW .312 INTEXT ZY
28	052837	4	CS .312-18X1.500HXG5
29	338483	1	HEAT SHIELD,MINI Z TALL
30	337378	1	ENGINE GUARD, HUSTLER M
31	064006	2	CS .312-18X0.625HXG5
32	767962	6	FW .531 x 1.063 x .175
33	016527	6	CS .500-13X1.000HXG5
34	377994	1	HEAT SHIELD, MMZ ROLLER
35	056077	2	CS .250-20X1.000HXG5



Élément	Numéro de pièce	Qté	Nom
36	768515	4	FW 0.281SAE
37	024927	2	NT .250-20HXG5
38	785477	1	RECTIFIER,HONDA 20 AMP
39	077545	1	NT M8-1.25 X 10 HX ZNYC
40	787200	1	WIRE HARNESS, HONDA SUP
41	789131	1	CAP, HUSTLRZ FAN CON(FS)


Comments for Page: Engine

1. Part of the mower wire harness.
2. Includes one (1) of 057661 Hose Clamp.
3. Includes mounting hardware.
4. This connector is used for the optional hydraulic oil cooler fan.

Air filter service parts:

785261 MAIN AIR FILTER ELEMENT


763318 VACUATOR VALVE



Élément	Numéro de pièce	Qté	Nom
1	784181	2	CAP, FUEL TANK
2	796318	1	FUEL TANK
3	796326	1	FUEL TANK
Commentaires pour le numéro de pièce 796326 796326 FUEL TANK is no longer produced by the manufacturer. Unfortunately, there is no replacement for this fuel tank available.			
4	791277	2	FTG, FUEL TANK 90 d
5	745059	1	FUEL VALVE 3-WAY
6	000323	6	CLIP, HOSE CLAMP
7	000331	3	WIRE TIE, SMALL/SHORT
8	712919	12	FW 0.406X1.00X.12 HD ZY
9	055822	12	CS .375-16X0.75 HX G5 ZY
10	015818	12.5	FUEL LINE, 1/4"
Commentaires pour le numéro de pièce 015818 Sold by the foot.			
11	015818	29	FUEL LINE, 1/4"
Commentaires pour le numéro de pièce 015818 Sold by the foot.			
12	015818	7.5	FUEL LINE, 1/4"
Commentaires pour le numéro de pièce 015818 Sold by the foot.			
13	015818	22	FUEL LINE, 1/4"
Commentaires pour le numéro de pièce 015818 Sold by the foot.			

Comments for Page: Fuel System


1. Torque to 27.12 N•m.
2. Supplied with a new fuel tank.




Élément	Numéro de pièce	Qté	Nom
1	786657	1	CABLE, CHOKE
2	776476	1	SWITCH, PTO 6201-321
3	712257	1	INDICATOR LIGHT, RED(FS)
4	785808	1	KEY ASSEMBLY
5	045898	1	IGNITION SWITCH
6	059832	6	NT #10-24 HX NL ZN
7	601053	3	RELAY, SEALED W/BACKET
8	704932	6	FW 0.219X.50X.05 ZY
9	762195	1	DELAY MODULE
10	714998	3	MS#10-24X0.625HX
11	778365	1	CABLE, THROTTLE
12	055947	3	CS .250-20X0.50 HX G5 ZY
13	768515	3	FW 0.281SAE
14	349308	1	INSTRUMENT PANEL W/A MM
15	102707	1	STOP, CE THROTTLE

Comments for Page: Instrument Panel


1. Part of the mower wire harness.



Élément	Numéro de pièce	Qté	Nom
1	705954	2	CS .500-13X1.25 HX G5 ZY
2	344267	2	FW .510X2.15X.19 ZY
3	712976	2	FW 0.531X1.38X.12 ZY
4	784223	4	BEARING
5	784603	2	SPACER
6	045765	2	FW 1.030X1.50X.13 HD ZY
7	366625	2	FORK W/A
8	786731	2	CS .750-10X8.000HXG5
9	025296	4	FW .760X1.63X0.08 ZY
10	061101	2	NT .750-10 HX ZY NL GR B
11	786061	2	TIR/WHL 13X5.00-6 SLV
Not Shown	795245	2	TIR/WHL 13X5.00-6 SLV




Élément	Numéro de pièce	Qté	Nom
1	786103	2	WHEEL BEARING
2	747402	1	TIRE 13x5-6 4PLY RIB TL
3	786079	1	WHL 6X3.25 SLV
4	019521	1	TIRE VALVE TR-412 GOODY
5	015511	1	GREASE FITTING 45° DEG 1/4"
Commentaires pour le numéro de pièce 015511			
Customer to purchase from parts store.			



Élément	Numéro de pièce	Qté	Nom
1	782078	2	TIR/WHL 24X9.50-12 SLV
2	782284	2	TIR 24X9.50-12 B4R LTFT
3	606821	2	WHL 12X7.00 5X4.5 SLV
4	019521	2	TIRE VALVE TR-412 GOODY
5	061077	5	WHEEL NUT
6	601085	10	STUD, WHEEL LUG 1/2-20

Comments for Page: Drive Wheel Breakdown


1. Torque to 88.13-101.7 N•m.



Élément	Numéro de pièce	Qté	Nom
1	034272	6	NT .312-18HXG5
2	768523	6	FW 0.343SAE
3	350835	2	BRACKET, WHEELIE WHEEL
4	068239	2	CS .500-13X4.500HXG5
5	767962	4	FW .531 x 1.063 x .175
6	781567	2	NT .500-13NLG5
7	016253	6	CB .312-18X .750 FUL ZN
8	031997	2	ANTI-SCALP WHEEL

Comments for Page: Anti-Rollover Wheel Breakdown


1. Do not torque; the wheel must turn freely.
2. Mowers with serial number prior to 04110938 will have anti rollover wheel brackets as part of mower frame.



Élément	Numéro de pièce	Qté	Nom
1	546408	1	DECK W/A, (CRATED) 52"
2	601117	1	DISCHARGE CHUTE ASSY
3	064014	1	CS .312-18X0.875HXG5
4	768523	1	FW 0.343SAE
5	767954	16	FW 0.379X.82X.06 HD ZY
6	054502	8	NT .375-16HXG5
7	108967	1	BRACKET, CHUTE W/A
8	108537	1	PIN, CHUTE MTG W/A
9	389189	1	DECK PUSHER, W/A
10	015495	2	GREASE FITTING STRAIGHT
11	036244	6	CS .375-16X1.00 HX G5 ZY
12	781708	4	CS .500-13X4.25 HX G5 ZY
13	767962	8	FW .531 x 1.063 x .175
14	053199	4	NT .500-13JAMG5
15	781567	4	NT .500-13NLG5
16	031997	4	ANTI-SCALP WHEEL
17	601069	1	CN .312-18x.200 MAX THK
18	808485	4	RIVET NUT, 5/16-18 THRE
19	055822	2	CS .375-16X0.75 HX G5 ZY
Not Shown	788166	4	WHEEL ASSY, ANTI SCALP

Comments for Page: Deck

1. For mowers with serial numbers prior to 07080912 with metal discharge chutes, order kit 108928 for rubber chute replacement. Kit includes items 2, 3, 4, 7, 8 and 17.
2. The deck includes decals (see the Decal Section).
3. The anti-scalp wheel assembly includes hardware (12, 13, 14, 15 & 16).




Élément	Numéro de pièce	Qté	Nom
1	789388	1	DECK BELT
2	784199	1	CS .312-18X1.250 FLT SH
3	601434	2	IDLER SLIDE, UHMW
4	781872	7	CS .625-11X1.250HXG5
5	028118	6	FW 0.625X1.00X.13 ZY
6	781856	1	PULLEY, IDLER NHI 5.00"
7	350884	1	SLIDE, DECK IDLER
8	259812	1	CHAIN, 13 LINK
9	781302	1	IDLER SPRING
10	016972	2	NT .625-11 HX G5 ZNYC
11	781385	2	PULLEY, IDLER NHI 6.00"
12	782474	8	CW .678 X 2.250 X .187
13	786889	3	PULLEY, DRIVE 5.68 OP
14	054502	12	NT .375-16HXG5
15	767954	24	FW 0.379X.82X.06 HD ZY
16	368993	1	PULLEY COVER, L.S. 52"M
17	368985	1	PULLEY COVER, R.S. 52"M
18	034280	4	CS .312-18X0.750HXG5
19	794875	2	CS .625-11 X 3.500 FLTHD
20	768523	8	FW 0.343SAE
21	058776	6	NT .312-18NLG5
22	783514	3	HOUSING, BLADE SPINDLE
23	005116	12	CS .375-16X1.38 HX G5 ZY
24	795526	3	BLADE, F17.86"-H-F-CW
Not Shown	783753	3	BLADE, 17.86"-L-F-CW
Not Shown	785436	3	BLADE, 17.86"-GAT-F-CW

Comments for Page: Deck Pulleys

1. Torque to 160 N•m.

2. Optional blades:


785436 18" CW Gator Blade



Spindle Breakdown

Hustler Mini Z 44" / 52" CE Parts Manual


Élément	Numéro de pièce	Qté	Nom
1	783548	1	RING, BLADE SPINDLE RET
2	783555	2	BEARING, BLADE SPINDLE
3	783530	1	SPACER, BLADE SPINDLE
4	783514	1	HOUSING, BLADE SPINDLE
5	783522	1	SHAFT, BLADE SPINDLE



Élément	Numéro de pièce	Qté	Nom
1	055749	4	CS .437-14X1.750HXG5
2	051169	2	CS .750-10X3.000HXG5
3	025296	4	FW .760X1.63X0.08 ZY
4	061101	2	NT .750-10 HX ZY NL GR B
5	704643	8	NT .437-14FLKG5

Comments for Page: Deck Installation


1. 52" Deck installation shown, 44" Deck installation is similar.




Élément	Numéro de pièce	Qté	Nom
1	784702CE	1	DECAL, INSTRUMENT PANEL
2	727008CE	1	DECAL, HYDRO FLUID
3	786814	1	DECAL, HUSTLER MINI-Z I
4	789727CE	1	DECAL, EYE/EAR/FOOT
5	789701CE	1	DECAL, READ OWNER'S MANUAL
6	789719CE	1	DECAL, READ SERVICE MANUAL
7	777029CE	1	DECAL, MAXIMUM ANGLE
8	791848	1	DECAL, FUEL INDICATOR- M
9	789776CE	1	DBA LIMIT DECAL
10	N/A	1	SERIAL NUMBER / SPEC DECAL
11	776310	1	DECAL, CE MARK
12	785154CE	1	DECAL, DECK HEIGHT MINIZ
13	793588	1	HUSTLER NAME PLATE
14	727016CE	1	DECAL, BATTERY
15	771436CE	1	DECAL, STABILIZER ROLLER
16	779280CE	1	DECAL, HOT CE

Comments for Page: Mower Decals

1. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.




Élément	Numéro de pièce	Qté	Nom
1	789693CE	1	DECAL, BELT ROUTING
2	789701CE	1	DECAL, READ OWNER'S MANUAL
3	789719CE	1	DECAL,READ SERVICE MANUAL
4	727438CE	2	DECAL, FINGERS AND TOES
5	789685CE	2	DECAL, THROWN OBJECT
6	727420CE	1	DECAL, DISCHARGE CHUTE
7	727453CE	2	DECK COVER CE DECAL
8	785535	1	DECAL, 52 DECK ID



Élément	Numéro de pièce	Qté	Nom
1	793661	1	SEAT, MICHIGAN STANDARD
2	601444	1	SEAT BELT
3	109503	1	SEAT BELT BRKT
4	754101	2	CS .437-20X1.250HXG5
5	017129	8	FW .440X1.00X0.08 ZY
6	704635	2	NT .437-20HXG5
7	036244	1	CS .375-16X1.00 HX G5 ZY
8	350421	1	SEAT PAN STOP (PLATED)
9	724716	1	WASHER, FIBER (FS)
10	767954	7	FW 0.379X.82X.06 HD ZY
11	086660	3	NT .375-16NLG8
12	000331	3	WIRE TIE, SMALL/SHORT
13	109463	1	SEAT PAN 44/52 MZ
14	109467	1	STOP ROD, SEAT LATCH
15	109464	1	SEAT LATCH W/A, MZ
16	783910	1	SPRING, TORSION
17	768523	4	FW 0.343SAE
18	034272	4	NT .312-18HXG5
19	781880	2	BUMPER, .500x 1.00x .31
20	080358	1	GM .50X1.00X.75X.12
21	052860	2	CS .375-16X1.25 HX G5 ZY
22	722199	1	POLYURETHANE 2" (FS)
23	781617	3	BUMPER, RUBBER

Comments for Page: Seat Installation—S/N 08010000 and Higher


1. The seat pan stop must pivot freely.
2. Part of the seat.




Élément	Numéro de pièce	Qté	Nom
1	036244	1	CS .375-16X1.00 HX G5 ZY
2	767954	5	FW 0.379X.82X.06 HD ZY
3	748756	1	LATCH SPRING PLUNGER(FS)
4	389940	1	SEAT LATCH BRACKET
5	781617	3	BUMPER, RUBBER
6	722199	1	POLYURETHANE 2" (FS)
7	793661	1	SEAT, MICHIGAN STANDARD
8	000331	3	WIRE TIE, SMALL/SHORT
9	086660	3	NT .375-16NLG8
10	724716	1	WASHER, FIBER (FS)
11	350421	1	SEAT PAN STOP (PLATED)
12	388983	1	SEAT PAN
13	768523	4	FW 0.343SAE
14	034272	4	NT .312-18HXG5
15	080358	1	GM .50X1.00X.75X.12
16	781880	2	BUMPER, .500x 1.00x .31
17	052860	2	CS .375-16X1.25 HX G5 ZY
18	768523	2	FW 0.343SAE
19	055822	2	CS .375-16X0.75 HX G5 ZY

Comments for Page: Seat Installation—S/N Prior to 08010000

1. The seat pan stop must pivot freely.



Élément	Numéro de pièce	Qté	Nom
1	797464	1	ARMREST ASSY LH RND
2	797472	1	ARMREST ASSY RH RND
3	793273	1	ARMREST,STOP ASSY
4	797480	1	2 ARMRESTS, MOLDED RND
5	793307	1	SLIDE KIT
6	793315	1	SWITCH, SNAP MOUNT
7	604458	1	EXT. ARMREST KIT L.H.
8	604459	1	EXT. ARMREST KIT R.H.



Élément	Numéro de pièce	Qté	Nom
1	601210	1	KIT, MZ FOLD ROPS(SN#)
2	601471	2	LYNCH PIN W/ LANYARD
3	601470	2	KNOB, HAND FOR ROPS
4	601472	1	ROPS STOP
5	061812	5	CS .500-13X3.50 HX G5 ZY
6	023317	6	NT .500-13UNTG8
7	077859	1	CS .500-13X3.250HXG5
8	337378	1	ENGINE GUARD, HUSTLER M
9	767962	6	FW .531 x 1.063 x .175
10	601473	2	SPACER WASHER FOR ROPS
11	601560	1	ROPS WARNING DECAL