


Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.

The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

- 1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or**
- 2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.**

Frame & Engine Guard

Frame	1-1
Cover	1-2

Hydraulic & Steering

Drive Belt & Hydraulic System (Multi-Page)	2-1
Transmission Assembly (Multi-Page)	2-2
Transmission Service Parts	2-3
Handlebar	2-4
Throttle	2-5
Instrument Panel (Multi-Page)	2-6
Brake	2-7

Wheels & Tires



Wheel & Tire	3-1
Front Wheel Assembly Breakdown	3-2
Drive Wheel Breakdown	3-3

Engine & Fuel System

Engine (Multi-Page)	4-1
Engine Service Parts	4-2
Fuel System	4-3

Deck

Service Deck	5-1
Deck Pulleys & Spindles	5-2
Spindle Assembly - 783506	5-3
Deck Belt, Discharge Chute, Covers and Blades	5-4
Deck Lift & Mounting Hardware (Multi-Page)	5-5




Frame

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC

Item	Part No.	Qty	Name
1	551094	1	SVC FRAME, 48" CE TS
2	601069	7	CN .312-18x.200 MAX THK
3	033001	8 cm	FLEXIBLE TRIM UNI-GRIP
4	N/A	2	SERIAL NUMBER / SPEC DECAL
5	797647	1	DECAL, TSH IZT BELT
6	776310	1	DECAL, CE MARK
7	794834CE	1	CE 100 DBA LIMIT DECAL
8	602041	1	DECAL, HOT
9	808485	8	RIVET NUT, 5/16-18 THRE

Comments for Page: Frame


1. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.
2. EPA compliance decal (does not apply to mowers with serial numbers prior to 19020001).
3. The frames include decals and hardware.




Cover

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC


Item	Part No.	Qty	Name
1	114509	1	HEAT SHIELD, W/A
2	114003	1	DECK COVER, 48/54
3	036244	2	CS .375-16X1.00 HX G5 ZY
4	767954	4	FW 0.379X.82X.06 HD ZY
5	036236	4	CS .312-18X1.250HXG5
6	712927	4	FW 0.344X1.00X.12 HD ZY
7	602562	2	DECAL, NO SERVICE
8	086660	2	NT .375-16NLG8
9	602061CE	1	DECK HEIGHT DECAL




Item	Part No.	Qty	Name
1	025296	1	FW .760X1.63X0.08 ZY
2	781153	2	BUSHING, UHMW
3	110739	1	PUMP IDLER ARM W/A
4	601084	1	SB .750X 2.000 SH.625-11
5	778746	1	RING, 2" ID SPLIT
6	259812	1	CHAIN, 13 LINK
7	036384	1	SPRING 1/4 COIL PL 1.23
8	793836	1	DRIVE BELT
9	786848	1	PULLEY, IDLER 4"od x .6
10	028118	1	FW 0.625X1.00X.13 ZY
11	781872	1	CS .625-11X1.250HXG5
12	604514	1	FW .760X1.38X.08 ZY
13	036236	2	CS .312-18X1.250HXG5
14	768523	24	FW 0.343SAE
15	601996	1	EXPANSION TANK, ZT2800
16	058776	2	NT .312-18NLG5
17	710087	8	CS .312-18X2.500HXG5
18	034280	8	CS .312-18X0.750HXG5
19	111157	2	PLATE, TS TOW VALVE
20	N/A	1	TRANSMISSION ASSEMBLY
21	034272	8	NT .312-18HXG5
22	000331	6	WIRE TIE, SMALL/SHORT
23	600767	1	CAP, OVERFLOW TANK




This page intentionally left blank



Item	Part No.	Qty	Name
1	601729	1	ZT2800, LH TRANSMISSION
2	034272	2	NT .312-18HXG5
3	768523	8	FW 0.343SAE
4	781922	2	BALL STUD
5	024927	2	NT .250-20HXG5
6	109202	1	BRAKE SPRING LINK, RS
7	768515	8	FW 0.281SAE
8	055939	2	CS .250-20X0.75 HX G5 ZY
9	601001	4	SPRING CLAMP, .75" DIA
10	605899	1	HOSE 23" 787713
11	601219	2	FTG, 90 - 9/16 SAE
12	601503	2	CB .250-20 X .625 ZNYC
13	111616	1	TOW VALVE BRACKET, LS
14	602228	2	TOW LINK ROD
15	068551	4	NT .250-20 HXZY NL
16	041988	2	SPRING LC-042F-5
17	601730	1	ZT2800, RH TRANSMISSION
18	109203	1	BRAKE SPRING LINK, LS
19	605900	1	HOSE 43" 787713
20	111617	1	TOW VALVE BRACKET, RS
21	016410	2	CS .375-16X2.000HXG5
22	767954	2	FW 0.379X.82X.06 HD ZY
23	110731	1	CHARGE PUMP COVER, RH
24	600987	1	ZT SPACER TUBE
25	034280	2	CS .312-18X0.750HXG5
26	110601	1	BRAKE PULL BRKT 48/54 TS



Item	Part No.	Qty	Name
27	058776	2	NT .312-18NLG5
28	110730	1	CHARGE PUMP COVER, LH




Transmission Assembly (Multi-Page)

Comments for Page: Transmission Assembly (Multi-Page)

1. Supplied with the transmission.


48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC



Item	Part No.	Qty	Name
1	602094	1	FAN / PULLEY KIT
2	604901	1	HG RTN CW
Not Shown	604902	1	HG RTN CCW
3	604903	1	HG RTN SPRING
4	601433	1	KIT, HUB 4 BOLT
Comments for Part Num. 601433 CUSTOMER SERVICE NOTE: Lug Studs are not sold separately.			
5	601221	1	ZT2800 BRAKE ARM - 2007
6	600972	1	CLIP, RETAINING
7	603572	1	COVER, ZT3100 CHRG PUMP
8	603223	1	O-RING, ZT28/3100 CHARGE
9	600976	1	HYDRAULIC OIL FILTER
10	600974	1	GUARD, TRANS FILTER
Not Shown	600975	1	GUARD, TRANS FILTER
11	606830	1	OIL RETENSION KIT,
12	602208	1	SPRING, EXT RTN 52401
Not Shown	607199	1	SEAL KIT 72994 HYDRO-G

Comments for Page: Transmission Service Parts

1. 604901 is used on the left side transmission. 604902 is used on the right side transmission.
2. The hub kit includes the nut.




Handlebar

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC

Item	Part No.	Qty	Name
1	771139	2	GRIP, .834 - .4563 BLK
2	773556	2	BEARING, STEERING
3	110766	1	STEERING BAR W/A
4	785766	2	STEERING ROD, ADJUSTER
5	041152	2	NT 0.312-24 HX G8
6	768523	8	FW 0.343SAE
7	601839	2	PIVOT SPACER BUSHING
8	606926	6	SC #10-24x0.750BH
9	551031	1	SVC ASSY, POWER BAR
10	779157	2	CB .312-18X1.750
11	058776	2	NT .312-18NLG5
12	077842	4	MS#6-32X1.000RDSL
13	341826	2	ARM, OPC W/A WB
14	342378	2	SPACER, SWITCH WB
15	779165	4	RP0.078X 0.50 ZN
16	039693	2	WN #6-32 X 1.00 TP 1116
17	601972	1	WIRE HARNESS, OPC TS
18	603457	1	DECAL, STEERING

Comments for Page: Handlebar


1. The steering cover includes the decal.




Throttle

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC


Item	Part No.	Qty	Name
1	601098	2	CB 10-24 X .500 ZYNC
2	102707	1	STOP, CE THROTTLE
3	778365	1	CABLE, THROTTLE
4	704932	2	FW 0.219X.50X.05 ZY
5	059832	2	NT #10-24 HX NL ZN




Item	Part No.	Qty	Name
1	043299	1	KNOB,1.31RD .375-16x50
2	110645	1	NEUTRAL LOCK HANDLE ROD
3	047456	1	GM .750X.188X1.00X.12
4	045765	3	FW 1.030X1.50X.13 HD ZY
5	784223	2	BEARING
6	768523	10	FW 0.343SAE
7	041152	2	NT 0.312-24 HX G8
8	550072	1	CONSOLE TS SERV ASSY
9	605669	1	DECAL, TrimStar ID
10	601934	1	DECAL, TS INST PNL NO-ES
11	771030	1	DECAL, H-BAR STEERING
12	601967	1	DECAL, ENGINE COMPART
13	767962	2	FW .531 x 1.063 x .175
14	073338	1	CE .500X4.50 .156X4.34
15	017244	1	CP .125DX1.000 LG HML Z
16	054502	6	NT .375-16HXG5
17	768259	6	BUSHING,IGUS#0810 (FS)
18	119748	1	NEUTRAL LOCK YOKE ASSY
19	076422	1	FW 0.406X1.00X.06 ZY
20	086660	1	NT .375-16NLG8
21	305086	1	PIVOT PIN
22	110639	2	BELLCRANK W/A
23	601953	1	WASHER, WAVY .558x1.005
24	788554	1	LOCK COLLAR, .500x1.000
25	058776	3	NT .312-18NLG5
26	601952	2	PUMP ADJUSTMENT ROD



Item	Part No.	Qty	Name
27	604448	1	UHMW CHANNEL
28	601098	2	CB 10-24 X .500 ZYNC
29	034272	2	NT .312-18HXG5
30	785113	1	CS .312-18X4.250 HX G5
31	034652	1	SPRING 2.5
32	792374	1	SWITCH,PLUNGER SNAP MOU
33	110646	1	NEUTRAL SWITCH BRKT
34	704932	2	FW 0.219X.50X.05 ZY
35	059832	2	NT #10-24 HX NL ZN
36	314351	1	ARM W/A, WB DAMPER
37	607193	1	CS .250-28X 0.625 SH ZN
38	781922	2	BALL STUD
39	788349	1	DAMPER, CENTERING
40	110647	2	NEUTRAL LOCK SPACER
41	601798	1	BRAKE ROD ASSY, CONSOLE
42	603314	1	WIRE HARNESS, WB
43	785808	1	KEY ASSEMBLY
44	776518	1	IGN SWITCH INDAK D431
45	776476	1	SWITCH, PTO 6201-321
46	769166	1	HOUR METER
47	601097	1	CABLE, CHOKE
48	767954	8	FW 0.379X.82X.06 HD ZY
49	055822	4	CS .375-16X0.75 HX G5 ZY
50	114052	1	KIT, CLUTCH CONN. REP.




This page intentionally left blank



Comments for Page: Instrument Panel (Multi-Page)


1. 119748 includes 604448, which can be purchased separately.2. Part of the wire harness.3. Part of the operator presence control harness.4. The console includes the decals.



Brake

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC


Item	Part No.	Qty	Name
1	080655	3	CS .375-16X1.500HXG5
2	767954	9	FW 0.379X.82X.06 HD ZY
3	124380-3	1	LOWER BRAKE BELLCRANK
4	086660	4	NT .375-16NLG8
5	765339	1	BUSHING,IGUS#0608 (FS)
6	601710	1	LOWER BRAKE ROD ASSY
7	054502	2	NT .375-16HXG5
8	784421	1	SPRING, SUPPLIER # 2512



Wheel & Tire

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC


Item	Part No.	Qty	Name
1	600668	2	TIR/WHL 20X10.00-10 SLV
2	061077	8	WHEEL NUT
3	705954	2	CS .500-13X1.25 HX G5 ZY
4	344267	2	FW .510X2.15X.19 ZY
5	712976	2	FW 0.531X1.38X.12 ZY
6	784223	4	BEARING
7	784603	2	SPACER
8	N/A	1	FRONT TIRE ASSY



Front Wheel Assembly Breakdown

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC


Item	Part No.	Qty	Name
1	042630	1	CS .500-13X6.500HXG5
2	767962	2	FW .531 x 1.063 x .175
3	339689	1	CASTER FORK W/A, WB/FAS
4	781567	1	NT .500-13NLG5
5	306969	1	GAGE WHEEL SPACER
6	788604	1	TIR/WHL 11X4.00-5 SLV
7	772806	2	BEARING CAP
8	772814	1	BEARING, 3/4" ROLLER




Drive Wheel Breakdown

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC


Item	Part No.	Qty	Name
1	600684	1	TIR 20X10.00-10 B4R GRMR
2	600700	1	WHL 10X7.00 4X4.0 SLV
3	019521	1	TIRE VALVE TR-412 GOODY



Item	Part No.	Qty	Name
1		1	KAWASAKI FS541V ENGINE
2	720516	3	CS M8-1.25X16HX FL10.9
3	113970	1	CABLE GUIDE
4	016832	5	NT .312-18FLKG5
5	000398	1	CLAMP
6	768523	7	FW 0.343SAE
7	036236	3	CS .312-18X1.250HXG5
8	029876	1	LW .312 INTEXT ZY
9	604463	33 cm	HOSE, OIL DRAIN
10	796524	1	VALVE,OIL DRAIN M20x2.5
11	603187	1	MUFFLER, FS600V TRIMSTAR
12	016253	4	CB .312-18X .750 FUL ZN
13	124363-1	1	MUFFLER MOUNT
14	034280	3	CS .312-18X0.750HXG5
15	124468-1	1	PULLEY COVER, 48/54
16	767954	4	FW 0.379X.82X.06 HD ZY
17	602580	4	CS .375-16X1.25HXG8ZYP85
18	000331	1	WIRE TIE, SMALL/SHORT
19	124466-1	1	CLUTCH ANCHOR
20	712372	1	KEY 1/4 SQ X 0.66 LG(FS)
21	799429	1	PULLEY, A SEC, 4.5 OD
22	791251	1	HARNESS, CLUTCH PIGTAIL
Comments for Part Num. 791251			
Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material.			
23	601784K	1	CLUTCH KIT




Item	Part No.	Qty	Name
24	602680	1	FW .453X1.12X.12 HRD ZY
25	601834	1	CS .437-20X3.25 HXG5 P85
26	603524	1	CS M5-0.8 X 50 MM
27	000323	2	CLIP, HOSE CLAMP
28	015818	30 cm	FUEL LINE, 1/4"
Comments for Part Num. 015818			
Sold by the foot.			



Engine Service Parts

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC

Item	Part No.	Qty	Name
1	603058	1	PRE FILTER, KAW
2	603059	1	AIR FILTER, KAW (MAIN AIR FILTER)
3	602581	1	ENGINE OIL FILTER
4	068478	1	FUEL FILTER - IN LINE




Fuel System

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC

Item	Part No.	Qty	Name
1	779306	1	FUEL CAP,3.5"
2	792044	1	FUEL TANK, WALKBEHIND
3	110602	1	CONSOLE SUPPORT W/A, 48
4	768523	4	FW 0.343SAE
5	034280	4	CS .312-18X0.750HXG5
6	054502	4	NT .375-16HXG5
7	767954	4	FW 0.379X.82X.06 HD ZY

Comments for Page: Fuel System

1. Torque to 9 N•m.




Service Deck

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC

Item	Part No.	Qty	Name
1	550230	1	SERVICE DECK, 48"
2	601069	4	CN .312-18x.200 MAX THK
3	601787	2	DECAL, TRIMSTAR
4	601796	1	DECAL, TRIMSTAR
5	781419	1	DECAL, BELT ROUTING
6	793976	1	DECAL,48"DECK ID
7	601931	1	DECAL, THROWN OBJECTS

Comments for Page: Service Deck


1. The deck includes the decals and hardware.



Deck Pulleys & Spindles

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC

Item	Part No.	Qty	Name
1	025007	1	CS .62511X1.750HXG5
2	046821	3	FW .656X2.00X.08 ZY
3	797449	3	FW .630X1.13X.18 ZY
4	781856	3	PULLEY, IDLER NHI 5.00"
5	600296	2	SPACER, DECK IDLER
6	259812	1	CHAIN, 13 LINK
7	036384	1	SPRING 1/4 COIL PL 1.23
8	105031	1	IDLER, DECK MNZ W/A
9	797910	6	CS .312-18x1.50FLT SH ZY
10	601434	2	IDLER SLIDE, UHMW
11	781872	3	CS .625-11X1.250HXG5
12	782474	5	CW .678 X 2.250 X .187
13	792689	3	PULLEY, DRIVE 5.19 OP
14	016972	2	NT .625-11 HX G5 ZNYC
15	116335	2	PUSHER ARM
16	034272	2	NT .312-18HXG5
17	768523	10	FW 0.343SAE
18	034280	2	CS .312-18X0.750HXG5
19	054502	12	NT .375-16HXG5
20	767954	24	FW 0.379X.82X.06 HD ZY
21	783506	3	BLADE SPINDLE ASSEMBLY
22	005116	12	CS .375-16X1.38 HX G5 ZY
23	058776	6	NT .312-18NLG5
24	783738	1	CS .625-11X3.000HXG5
25	794875	1	CS .625-11 X 3.500 FLTHD
26	781567	4	NT .500-13NLG5




Deck Pulleys & Spindles

48" TrimStar Parts Manual - 930396CE - HTTSRS048KAWFS541VC



Item	Part No.	Qty	Name
27	788166	4	WHEEL ASSY, ANTI SCALP
28	053199	4	NT .500-13JAMG5
29	767962	8	FW .531 x 1.063 x .175
30	031997	4	ANTI-SCALP WHEEL
31	781708	4	CS .500-13X4.25 HX G5 ZY

Comments for Page: Deck Pulleys & Spindles

1. Torque to 40 N•m.2. Torque to 160 N•m.




Item	Part No.	Qty	Name
1	783548	1	RING, BLADE SPINDLE RET
2	783555	2	BEARING, BLADE SPINDLE
3	783530	1	SPACER, BLADE SPINDLE
4	783514	1	HOUSING, BLADE SPINDLE
5	783522	1	SHAFT, BLADE SPINDLE




Item	Part No.	Qty	Name
1	550477	1	SVC PULLEY COVER-RS
2	550478	1	SVC PULLEY COVER-LS
3	086660	7	NT .375-16NLG8
4	767954	6	FW 0.379X.82X.06 HD ZY
5	601806	1	DISCHARGE CHUTE
6	602562	2	DECAL, NO SERVICE
7	034280	4	CS .312-18X0.750HXG5
8	768523	4	FW 0.343SAE
9	601969	1	BELT, B 122.00 EL
10	601843	1	PIN, CHUTE
11	601824	1	SPRING, TORSION
12	114794	1	CHUTE BRACKET, 48/54
13	025395	2	CB .375-16X 1.00 G5 ZNY
14	795757	3	BLADE, F16.50"-H-F-CW
Not Shown	601123	3	BLADE, 16.50"-L-F-CW
Not Shown	796631	3	BLADE, 16.50"-GAT-F-CW
15	782474	3	CW .678 X 2.250 X .187
16	781872	3	CS .625-11X1.250HXG5

Comments for Page: Deck Belt, Discharge Chute, Covers and Blades

1. Torque to 160 N•m.
2. Do not torque; the discharge chute must pivot freely.
3. The pulley covers include the decals.



Item	Part No.	Qty	Name
1	792317	1	GRIP,1.000 X 4.562 BLK
2	110570	1	DECK LIFT HANDLE
3	768523	4	FW 0.343SAE
4	036236	2	CS .312-18X1.250HXG5
5	034272	3	NT .312-18HXG5
6	765339	1	BUSHING,IGUS#0608 (FS)
7	348284	1	STOP, HEIGHT ADJ W/A
8	110529	1	DECK INDICATOR W/A
9	086660	1	NT .375-16NLG8
10	767954	4	FW 0.379X.82X.06 HD ZY
11	054502	2	NT .375-16HXG5
12	767962	11	FW .531 x 1.063 x .175
13	008193	2	NT .500-13HXG5
14	008417	2	NT .750-10HXG5
15	781930	1	BLOCK, DECK LIFT MT 3/4"
16	110530	1	LOWER HANDLE
17	550073	1	DECK LIFT TS SERV ASSY
18	036244	1	CS .375-16X1.00 HX G5 ZY
19	705954	2	CS .500-13X1.25 HX G5 ZY
20	263517	2	BEARING DISC .531 ID
21	728550	1	SB .50X.75SH .375-16TD
22	601953	2	WASHER, WAVY .558x1.005
23	601942	2	DECK LIFT ROD N/SPRING
24	781294	5	CLIP E, 1.00 X.625X .05
25	601681	5	FW .781X1.50X.12 ZY
26	015495	4	GREASE FITTING STRAIGHT



Item	Part No.	Qty	Name
27	704643	16	NT .437-14FLKG5
28	360131	4	CHAIN, DECK LIFT
29	055749	7	CS .437-14X1.750HXG5
30	348458	1	YOKE W/A, DECK LEVELER
31	756270	1	CS .312-18X1.500HXG5
32	781831	1	CS .437-14x1.75 FULTHG5
33	008573	2	CS .500-13X2.500HXG5
34	781567	2	NT .500-13NLG5


Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.


The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

- 1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or**
- 2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.**

Mulch Kit 48" 1



Item	Part No.	Qty	Name
Not Shown	122909	1	MULCH KIT,
Comments for Part Num. 122909			
Includes Blades.			
1	086660	4	NT .375-16NLG8
2	767954	4	FW 0.379X.82X.06 HD ZY
3	011320	1	CB .375-16X .750 STD ZN
4	122911	1	MULCH BAFFLE W/A
5	122912	2	MULCH BAFFLE COMMON
6	796623	3	BLADE, 16.50"-MUL-F-CW