

# Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



#### NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.

The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or
2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.

|                          |   |
|--------------------------|---|
| General Information Page | 1 |
|--------------------------|---|

## Frame & Engine Guard

|              |     |
|--------------|-----|
| Frame        | 2-1 |
| Engine Guard | 2-2 |

## Hydraulic System, Drive Belt, Clutch, Steering & Brake

|                                       |      |
|---------------------------------------|------|
| Hydraulic System                      | 3-1  |
| Hydraulic Filter & Reservoir Assembly | 3-2  |
| Wheel Motor Assembly                  | 3-3  |
| LS Pump Assembly                      | 3-4  |
| RS Pump Assembly                      | 3-5  |
| Oil Cooler Mount                      | 3-6  |
| Pump Drive                            | 3-7  |
| Steering                              | 3-8  |
| Steering Assembly (Multi-Page)        | 3-9  |
| LS Steering Box Assembly              | 3-10 |
| RS Steering Box Assembly              | 3-11 |
| Brake                                 | 3-12 |

## Wheels & Tires

|                                |     |
|--------------------------------|-----|
| Wheel & Tire                   | 4-1 |
| Front Wheel Assembly Breakdown | 4-2 |
| Drive Wheel Breakdown          | 4-3 |

## Engine, Muffler & Fuel System

|                                  |     |
|----------------------------------|-----|
| Engine (Multi-Page)              | 5-1 |
| Engine Service Parts - FX850V    | 5-2 |
| Fuel System                      | 5-3 |
| Fuel Tank Service Parts - 607872 | 5-4 |
| Fuel Tank Service Parts - 607873 | 5-5 |

## Battery, Instrument Panel & Wire Harness

|                  |     |
|------------------|-----|
| Battery          | 6-1 |
| Instrument Panel | 6-2 |

## Deck, Deck Belt, Blades & Deck Lift

|                                                     |     |
|-----------------------------------------------------|-----|
| Side Discharge Service Deck                         | 7-1 |
| Side Discharge Deck Pulleys & Spindles              | 7-2 |
| Side Discharge Deck                                 | 7-3 |
| Rear Discharge Service Deck                         | 7-4 |
| Rear Discharge Deck Pulleys & Spindles (Multi-Page) | 7-5 |
| Rear Discharge Dust Shield                          | 7-6 |
| Rear Discharge Deck (Multi-Page)                    | 7-7 |
| Deck Lift & Mounting Hardware (Multi-Page)          | 7-8 |

## Seat & ROPS

|                             |     |
|-----------------------------|-----|
| Seat                        | 8-1 |
| Seat Service Parts, Grammer | 8-2 |
| ROPS                        | 8-3 |





---

## General Information

**Note:** When ordering parts, you must use the part number as shown for each part, not the index number. Always give the model and serial number to your parts and service representative.

**Note:** Items sold in bulk such as seals and hoses are sold by the foot.

---

### **Using This Manual**

This manual is part of a service package for the Hustler® mowers. Use of this manual in conjunction with other Hustler® mower and component manuals will provide the information necessary to service and maintain Hustler® mowers.

This Parts Manual provides a complete parts listing for the unit. Use this manual when ordering parts. Illustrations used were current at the time of printing, but subsequent production changes may cause your machine to vary slightly in detail. Excel Industries, Inc. reserves the right to redesign and change the machine as deemed necessary, without notification. If a change has been made to your machine which is not reflected in this parts manual, see your authorized dealer for current information and parts.

The Service Manual is a service guide for use by Service Technicians. It provides the necessary information needed to perform normal maintenance requirements on these units.

The Operator's Manual provides fundamental operational information and operational safety that is needed when operating the mower.

The component manuals are furnished by the various manufacturers to be used for the troubleshooting and servicing of their products.

### **Hardware Description Codes & Abbreviations**

The following codes are used throughout this parts manual. Refer to this list when ordering parts.

| ABBREVIATION | DESCRIPTION   | ABBREVIATION | DESCRIPTION            |
|--------------|---------------|--------------|------------------------|
| CB           | CARRIAGE BOLT | MB           | MACHINE BUSHING        |
| CE           | CLEVIS PIN    | MS           | MACHINE SCREW          |
| CN           | CLIP NUT      | NT           | NUT                    |
| CP           | COTTER PIN    | SC           | SELF TAPPING CAP SCREW |
| CS           | CAP SCREW     | SH           | SOCKET HEAD            |
| CW           | CUP WASHER    | SB           | SHOULDER BOLT          |
| FDRW         | FENDER WASHER | SS           | SET SCREW              |
| FW           | FLAT WASHER   | OD           | OUTSIDE DIAMETER       |
| HX           | HEX HEAD      | ID           | INSIDE DIAMETER        |
| LW           | LOCK WASHER   | WN           | WELD NUT               |

---


### **Standard Torques**

The following chart lists the standard torque values for the threaded fasteners found in this manual. Torque all cap screws, nuts and set screws to these values unless a different torque is shown in the Notes section next to the fastener.

| SIZE | FT-LBS | N•M  | SIZE | FT-LBS | N•M   |
|------|--------|------|------|--------|-------|
| .250 | 8.2    | 11.1 | M3   | 1      | 1.3   |
| .312 | 17     | 23   | M4   | 2.2    | 3     |
| .375 | 30     | 40   | M5   | 4.5    | 6.1   |
| .438 | 48     | 65   | M6   | 7.7    | 10.4  |
| .500 | 73     | 99   | M8   | 18.5   | 25    |
| .562 | 105    | 143  | M10  | 37     | 50    |
| .625 | 145    | 200  | M12  | 64     | 87    |
| .750 | 260    | 350  | M14  | 80     | 108.5 |
| .875 | 420    | 565  | M16  | 160    | 215   |
| 1.00 | 625    | 850  | M20  | 320    | 435   |
|      |        |      | M24  | 555    | 750   |

---


This page intentionally left blank



| Item | Part No. | Qty | Name                        |
|------|----------|-----|-----------------------------|
| 1    | 553360   | 1   | SERVICE FRAME               |
| 2    | 781880   | 4   | BUMPER, .500x 1.00x .31     |
| 3    | 781427CE | 1   | DECK HEIGHT INDICATOR DECAL |
| 4    | 601993   | 1   | DECAL, SAFE OPERATION       |
| 5    | 789776CE | 1   | DBA LIMIT DECAL             |
| 6    | N/A      | 1   | SERIAL NO. / SPEC DECAL     |
| 7    | 776310   | 1   | DECAL, CE MARK              |
| 8    | 808493   | 4   | RIVET NUT, 3/8-16 THREA     |
| 9    | 600961   | 4   | RIVET NUT, 1/2-13 THREAD    |
| 10   | 602041   | 2   | DECAL, HOT                  |
| 11   | 602407   | 1   | DECAL, HUSTLER ID           |
| 12   | 015495   | 4   | GREASE FITTING STRAIGHT     |

Comments for Page: Frame


1. Serial number decal. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 553457   | 1   | SVC, BUMPER WITH DECAL   |
| 2    | 604352   | 1   | DECAL, H LOGO            |
| 3    | 025395   | 4   | CB .375-16X 1.00 G5 ZN   |
| 4    | 124385-1 | 1   | HITCH                    |
| 5    | 767962   | 4   | FW .531 x 1.063 x .175   |
| 6    | 705954   | 4   | CS .500-13X1.25 HX G5 ZN |
| 7    | 016899   | 4   | NT .375-16 FLKG5         |
| 8    | 121403   | 1   | MUFFLER GUARD            |
| 9    | 377994   | 2   | HEAT SHIELD, MMZ ROLLER  |


Comments for Page: Engine Guard

- 1. Part of the Wheel & Tire assembly.
- 2. The bumper includes the decal.




| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | N/A      | 1   | RESERVOIR ASSEMBLY       |
| 2    | 056069   | 1   | CS .375-16X0.63 HX G5 ZN |
| 3    | 767954   | 6   | FW 0.379X.82X.06 HD ZN   |
| 4    | 036244   | 2   | CS .375-16X1.00 HX G5 ZN |
| 5    | 601571   | 1   | VIBRATION MOUNT          |
| 6    | 601356   | 1   | S/C TO 608007            |
|      | 608007   | 1   | OIL COOLER               |
| 7    | 008193   | 4   | NT .500-13HXG5           |
| 8    | 767962   | 12  | FW .531 x 1.063 x .175   |
| 9    | N/A      | 1   | RS PUMP ASSEMBLY         |
| 10   | N/A      | 1   | LS PUMP ASSEMBLY         |
| 11   | 054502   | 3   | NT .375-16HXG5           |
| 12   | N/A      | 2   | MOTOR ASSEMBLY           |
| 13   | 023317   | 8   | NT .500-13UNTG8          |
| 14   | 602256   | 8   | CS .500-13X2.500 SQ G5   |
| 15   | 028274   | 4   | CB .500-13X 1.500 FULL   |






| Item | Part No. | Qty | Name                   |
|------|----------|-----|------------------------|
| 1    | 032763   | 1   | CAP, BREATHER          |
| 2    | 032771   | 1   | STRAINER               |
| 3    | 606088   | 1   | RESERVOIR, HYDRAULIC   |
| 4    | 700484   | 4   | CLAMP, HOSE (FS)       |
| 5    | 603045   | 2   | HOSE, PUMP SUCTION     |
| 6    | 601523   | 1   | FTG, -8MORB/-8BT STR   |
| 7    | 601001   | 2   | SPRING CLAMP, .75" DIA |
| 8    | 603819   | 1   | HOSE ASSY, COOLER-TANK |
| 9    | 781658   | 1   | FTG, -8MORB/HEX PLUG   |
| 10   | 602768X  | 1   | HYDRAULIC OIL FILTER   |




| Item | Part No. | Qty | Name                    |
|------|----------|-----|-------------------------|
| 1    | 606089   | 1   | MOTOR, TG0310 HOS - HH  |
| 2    | 781526   | 2   | FTG, 90°-10MORB/-8MORFS |
| 3    | 065516   | 1   | ROSS NUT                |
| 4    | 064337   | 1   | ROSS WOODRUFF KEY       |
| 5    | 748806   | 1   | ROSS VITON SEAL KIT     |



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 605759   | 1   | PUMP, H-G PY W/HOS-LS HH |
| 2    | 601001   | 4   | SPRING CLAMP, .75" DIA   |
| 3    | 606102   | 1   | HOSE, PUMP DRAIN         |
| 4    | 606101   | 1   | HOSE, PUMP DRAIN         |
| 5    | 606100   | 1   | FTG, T -8 MORB/BT/BT     |
| 6    | 744854   | 1   | O-RING TUBE ADAPTER 45   |
| 7    | 008581   | 1   | CS .250-20X1.500HXG5     |
| 8    | 768515   | 1   | FW 0.281SAE              |
| 9    | 604831   | 1   | PUMP ARM, SZ             |
| 10   | 068551   | 1   | NT .250-20 HXZY NL       |
| 11   | 781542   | 2   | FTG, 90°-8MORB/-8MORFS   |
| 12   | 604334   | 1   | TUBE, LP-TM LT LOOP      |
| 13   | 604335   | 1   | TUBE, RP-BM LT LOOP      |
| 14   | 784983   | 1   | SEAL KIT, PW PUMPS       |

Comments for Page: LS Pump Assembly

1. Torque to 11 N•m.




| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 605760   | 1   | PUMP, H-G PY W/HOS-RS-HH |
| 2    | 744854   | 1   | O-RING TUBE ADAPTER 45   |
| 3    | 601523   | 1   | FTG, -8MORB/-8BT STR     |
| 4    | 781542   | 2   | FTG, 90°-8MORB/-8MORFS   |
| 5    | 604333   | 1   | TUBE, LP-TM RT LOOP      |
| 6    | 604332   | 1   | TUBE, RP-BM RT LOOP      |
| 7    | 008581   | 1   | CS .250-20X1.500HXG5     |
| 8    | 768515   | 1   | FW 0.281SAE              |
| 9    | 604831   | 1   | PUMP ARM, SZ             |
| 10   | 068551   | 1   | NT .250-20 HXZY NL       |
| 11   | 784983   | 1   | SEAL KIT, PW PUMPS       |


Comments for Page: RS Pump Assembly

1. Torque to 11 N•m.





| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 117196   | 1   | W/A, OIL COOLER MOUNT    |
| 2    | 704163   | 4   | CS .250-20X2.000HXG5     |
| 3    | 768515   | 16  | FW 0.281SAE              |
| 4    | 016253   | 2   | CB .312-18X .750 FUL ZN  |
| 5    | 767954   | 8   | FW 0.379X.82X.06 HD ZN   |
| 6    | 054502   | 4   | NT .375-16HXG5           |
| 7    | 109401   | 1   | SCREEN, OIL COOLER       |
| 8    | 601357   | 1   | FAN, ELECTRIC 8" 12VDC   |
| 9    | 056077   | 4   | CS .250-20X1.000HXG5     |
| 10   | 601538   | 4   | FOOT, ELECTRIC FAN       |
| 11   | 068551   | 8   | NT .250-20 HXZY NL       |
| 12   | 123687-3 | 1   | AIR DEFLECTOR            |
| 13   | 034272   | 2   | NT .312-18HXG5           |
| 14   | 768523   | 2   | FW 0.343SAE              |
| 15   | 036244   | 4   | CS .375-16X1.00 HX G5 ZN |
| 16   | 000430   | 5   | WIRE TIE, SMALL/LONG     |
| 17   | 706531   | 2   | GM 1.12X1.75X1.37X.12    |




| Item                                                                                                                   | Part No. | Qty | Name                     |
|------------------------------------------------------------------------------------------------------------------------|----------|-----|--------------------------|
| 1                                                                                                                      | 051151   | 1   | CS .500-13X5.000HXG5     |
| 2                                                                                                                      | 344267   | 1   | FW .510X2.15X.19 ZN      |
| 3                                                                                                                      | 212076   | 1   | KEY 1/4 SQ X 1.50 LG(FS) |
| 4                                                                                                                      | 791251   | 1   | HARNESS, CLUTCH PIGTAIL  |
| Comments for Part Num. 791251                                                                                          |          |     |                          |
| Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material. |          |     |                          |
| 5                                                                                                                      | 603734   | 1   | PULLEY 6.67 OPX1.125SHFT |
| 6                                                                                                                      | 606936K  | 1   | CLUTCH KIT, CMS250       |
| 7                                                                                                                      | 602680   | 1   | FW .453X1.12X.12 HRD ZN  |
| 8                                                                                                                      | 785048   | 1   | CS .437-20X3.00 HXG5 P85 |
| 9                                                                                                                      | 034272   | 2   | NT .312-18HXG5           |
| 10                                                                                                                     | 768523   | 4   | FW 0.343SAE              |
| 11                                                                                                                     | 113347   | 1   | CLUTCH ANCHOR            |
| 12                                                                                                                     | 036236   | 2   | CS .312-18X1.000HXG5     |
| 13                                                                                                                     | 083196   | 4   | SS .312-18X0.750SQ       |
| 14                                                                                                                     | 602754   | 2   | PULLEY 7.35 OPx0.875SHFT |
| 15                                                                                                                     | 210146   | 2   | KEY 1/4 SQ X 1.12 LONG   |
| 16                                                                                                                     | 054502   | 2   | NT .375-16HXG5           |
| 17                                                                                                                     | 767954   | 2   | FW 0.379X.82X.06 HD ZN   |
| 18                                                                                                                     | 025007   | 1   | CS .62511X1.750HXG5      |
| 19                                                                                                                     | 603783   | 1   | PULLEY, 6" FLAT IDLER    |
| 20                                                                                                                     | 602880   | 1   | BUSHING, IDLER PIVOT     |
| 21                                                                                                                     | 115536   | 1   | S/C TO 608005            |
|                                                                                                                        | 608005   | 1   | TENSIONER CAST           |
| 22                                                                                                                     | 602879   | 1   | BUSHING, IDLER PIVOT     |
| 23                                                                                                                     | 767962   | 1   | FW .531 x 1.063 x .175   |
| 24                                                                                                                     | 781567   | 1   | NT .500-13NLG5           |
| 25                                                                                                                     | 015495   | 1   | GREASE FITTING STRAIGHT  |
| 26                                                                                                                     | 601016   | 1   | IDLER SPRING             |
| 27                                                                                                                     | 601486   | 1   | EB, .375-16X3.00 FULTHD  |
| 28                                                                                                                     | 604208   | 1   | DRIVE BELT               |
| Comments for Part Num. 604208                                                                                          |          |     |                          |
| Belt design was a COG belt but has been changed to a smooth V-belt.                                                    |          |     |                          |

Comments for Page: Pump Drive

1. Torque to 61–65 N•m. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.
2. Torque to 16–20 N•m.
3. Torque to 96–102 N•m. The tensioner should pivot freely.

This page intentionally left blank




| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | N/A      | 1   | STEERING COVER, S/A      |
| 2    | 605670   | 1   | DECAL, SUPER Z ID        |
| 3    | 109839   | 2   | HANDLE, Z W/A            |
|      | 781260   | 2   | GRIP, STEERING BAR       |
| 4    | 036244   | 4   | CS .375-16X1.00 HX G5 ZN |
| 5    | 767954   | 12  | FW 0.379X.82X.06 HD ZN   |
| 6    | 055822   | 4   | CS .375-16X0.75 HX G5 ZN |
| 7    | 601087   | 2   | SWITCH, PLUNGER N.O.     |
| 8    | 054502   | 4   | NT .375-16HXG5           |
| 9    | 795351   | 2   | DAMPER, CENTERING        |
| 10   | 781922   | 2   | BALL STUD                |
| 11   | 768523   | 6   | FW 0.343SAE              |
| 12   | 029876   | 2   | LW .312 INTEXT ZN        |
| 13   | 016832   | 2   | NT .312-18FLKG5          |
| 14   | 023655   | 2   | NT 0.312-24 NL G8        |
| 15   | 781153   | 4   | BUSHING, UHMW            |


Comments for Page: Steering

1. The handle includes the grip.






This page intentionally left blank



This page intentionally left blank




| Item | Part No. | Qty | Name                      |
|------|----------|-----|---------------------------|
| 1    | 604295   | 1   | STEERING BOX SUB, RH      |
| 2    | 604296   | 1   | STEERING BOX SUB, LH      |
| 3    | 023655   | 2   | NT 0.312-24 NL G8         |
| 4    | 768523   | 6   | FW 0.343SAE               |
| 5    | 034272   | 2   | NT .312-18HXG5            |
| 6    | 781922   | 2   | BALL STUD                 |
| 7    | 712927   | 2   | FW 0.344X1.00X.12 HD ZN   |
| 8    | 781286   | 2   | PUMP ROD ADJUSTER ASSY    |
| 9    | 112895   | 1   | STEERING COVER W/A, SZ    |
| 10   | 608000   | 2   | BUSHING                   |
| 11   | 603078   | 2   | FW .750X1.50X.16 ZN       |
| 12   | 784439   | 2   | LOCK COLLAR,0.757 ID(FS)  |
| 13   | 113007   | 1   | STEER PIVOT TUBE, SZ      |
| 14   | 080358   | 1   | GM .50X1.00X.75X.12       |
| 15   | 053199   | 2   | NT .500-13JAMG5           |
| 16   | 603055   | 2   | SS .500-13X 2.50 SH ZN    |
| 17   | 722199P  | 1   | POLYURETHANE 2" FS - 1 FT |

Comments for Page: Steering Assembly (Multi-Page)

#### WEAR TAPE LENGTH

A: 14 cm +/- 0.8 cm

1. The steering cover includes the decal.




| Item | Part No. | Qty | Name                    |
|------|----------|-----|-------------------------|
| 1    | 607152   | 1   | STEERING ARM W/A        |
| 2    | 086660   | 3   | NT .375-16NLG8          |
| 3    | 767954   | 6   | FW 0.379X.82X.06 HD ZN  |
| 4    | 705178   | 3   | CS .375-16X1.750HXG5    |
| 5    | 112899   | 1   | STEERING BOX W/A LH     |
| 6    | 608000   | 2   | BUSHING                 |
| 7    | 348862   | 2   | STEERLEVER BUSHING (PLA |
| 8    | 047456   | 1   | GM .750X.188X1.00X.12   |
| 9    | 797738   | 1   | SS .500-13X2.000SH      |

Comments for Page: LS Steering Box Assembly

1. Torque all hardware to 33 ft-lbs  $\pm$  10%.






| Item | Part No. | Qty | Name                    |
|------|----------|-----|-------------------------|
| 1    | 607152   | 1   | STEERING ARM W/A        |
| 2    | 086660   | 3   | NT .375-16NLG8          |
| 3    | 767954   | 6   | FW 0.379X.82X.06 HD ZN  |
| 4    | 705178   | 3   | CS .375-16X1.750HXG5    |
| 5    | 112898   | 1   | STEERING BOX W/A, RH    |
| 6    | 608000   | 2   | BUSHING                 |
| 7    | 348862   | 2   | STEERLEVER BUSHING (PLA |
| 8    | 047456   | 1   | GM .750X.188X1.00X.12   |
| 9    | 797738   | 1   | SS .500-13X2.000SH      |

Comments for Page: RS Steering Box Assembly


1. Torque all hardware to 33 ft-lbs  $\pm$  10%.



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 086660   | 2   | NT .375-16NLG8           |
| 2    | 767954   | 12  | FW 0.379X.82X.06 HD ZN   |
| 3    | 023655   | 4   | NT 0.312-24 NL G8        |
| 4    | 768523   | 12  | FW 0.343SAE              |
| 5    | 781583   | 2   | BRAKE ROD ASSEMBLY       |
| 6    | 112907   | 1   | BRAKE BELLCRANK, SZ LS   |
|      | 112906   | 1   | BRAKE BELLCRANK, SZ RS   |
| 7    | 765339   | 4   | BUSHING,IGUS#0608 (FS)   |
| 8    | 054502   | 4   | NT .375-16HXG5           |
| 9    | 350397   | 2   | BRAKE LINK TURNBUCKLE A  |
| 10   | 005116   | 4   | CS .375-16X1.38 HX G5 ZN |
| 11   | 052514   | 2   | CS .375-16X4.500HXG5     |
| 12   | 034272   | 4   | NT .312-18HXG5           |
| 13   | 111309   | 2   | BRAKE ARM,Z4             |
| 14   | 037887   | 4   | CB .312-18X 1.000 FUL ZN |
| 15   | 604461   | 8   | CS .312-18X.75HXG8 FL    |
| 16   | 602384   | 2   | HUB ASSY, PARKER         |
| 17   | 602383   | 2   | BRAKE ASSY, PARKER       |
| 18   | 606124   | 5   | STUD 1/2-20 X 1 1/2"     |

Comments for Page: Brake


1. Included with the wheel motor.
2. Torque to 298–325 N•m.
3. Torque to 37 N•m. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.
4. The hub assembly includes the studs.



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 705954   | 2   | CS .500-13X1.25 HX G5 ZN |
| 2    | 798603   | 2   | FW .515X1.65X.12 HD ZN   |
| 3    | 601375   | 2   | O-RING, SAE-14           |
| 4    | 603153   | 2   | DUST CAP, SZ CASTER      |
| 5    | 784223   | 4   | BEARING                  |
| 6    | 387035   | 2   | SPACER, 1.07x1.312x2.79  |
| 7    | 603164   | 2   | BEARING DISC, FORK       |
| 8    | N/A      | 2   | FRONT TIRE SUB-ASSEMBLY  |
| 9    | 606968   | 2   | TIR/WHL 24X12.00-12 SLV  |
|      | 601238   | 2   | S/C TO 606968            |
| 10   | 061077   | 10  | WHEEL NUT                |
| 11   | 068239   | 2   | CS .500-13X4.500HXG5     |
| 12   | 767962   | 4   | FW .531 x 1.063 x .175   |
| 13   | 602345   | 2   | SPACER, ANTI-SCALP 3.22  |
| 14   | 602263   | 2   | WHEEL, ANTI-SCALP        |
| 15   | 008193   | 2   | NT .500-13HXG5           |

Comments for Page: Wheel & Tire

1. Torque to 88–102 N•m. 2. 606968 is used on mowers S/N 17120035 & higher. 601238 is used on mowers prior to S/N 17120035.




## Front Wheel Assembly Breakdown


Hustler Super Z CE Parts Manual (2016)

| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 116890   | 1   | FORK W/A, HEAVY DUTY     |
|      | 113621   | 1   | FORK W/A, STANDARD       |
| 2    | 061101   | 1   | NT .750-10 HX ZN NL GR B |
| 3    | 025296   | 2   | FW .760X1.63X0.08 ZN     |
| 4    | 041475   | 1   | CS .750-10X9.50 HX G5 ZN |
| 5    | 606744   | 1   | TIR/WHL 13X6.50-6 SLV    |
| 6    | 039677   | 2   | WHEEL BEARING            |
| 7    | 019521   | 1   | TIRE VALVE TR-412 GOODY  |
| 8    | 782771   | 1   | SPACER, BEARING (SERV P  |
| 9    | 604843   | 1   | TIR 13X6.50-6 B4R SMTH   |
| 10   | 606751   | 1   | WHL 6X4.50 SLV           |






| Item | Part No. | Qty | Name                    |
|------|----------|-----|-------------------------|
| 1    | 781245   | 1   | S/C TO 606967           |
| 2    | 606820   | 1   | WHL 12X8.50 5X4.5 SLV   |
| 3    | 019521   | 1   | TIRE VALVE TR-412 GOODY |





This page intentionally left blank



| Item | Part No. | Qty   | Name                     |
|------|----------|-------|--------------------------|
| 1    |          | 1     | ENGINE, KAW FX850V       |
| 2    | 788943   | 1     | AIR FILTER INDICATOR     |
| 3    | 601216   | 1     | FTG, ELBOW, STREET       |
| 4    | 720516   | 1     | CS M8-1.25X16HX FL10.9   |
| 5    | 605155   | 1     | BATTERY CABLE, NEGATIVE  |
| 6    | 604029   | 1     | BATTERY CABLE, POSITIVE  |
| 7    | 034272   | 2     | NT .312-18HXG5           |
| 8    | 768523   | 5     | FW 0.343SAE              |
| 9    | 045088   | 1     | HOSE CLAMP 1" (FS)       |
| 10   | 767954   | 4     | FW 0.379X.82X.06 HD ZN   |
| 11   | 602580   | 4     | CS .375-16X1.25HXG8ZYP85 |
| 12   | 602827   | 1     | CB .312-18X 1.250 ZN     |
| 13   | 603012   | 1     | MUFFLER, FX850V          |
| 14   | 796524   | 1     | VALVE,OIL DRAIN M20x2.5  |
| 15   | 000331   | 4     | WIRE TIE, SMALL/SHORT    |
| 16   | 603112   | 1     | CLAMP, 3/16 FUEL         |
| 17   | 000323   | 2     | CLIP, HOSE CLAMP         |
| 18   | 036236   | 3     | CS .312-18X1.000HXG5     |
| 19   | 603326P  | 86 cm | VAPOR LINE, 3/16" - 7 FT |
| 20   | 043570   | 1     | CLIP - HOSE - SINGLE(FS) |
| 21   | 114578   | 1     | ANGLE, BRACE             |
| 22   | 016832   | 3     | NT .312-18FLKG5          |
| 23   | 015818P  | 43 cm | FUEL LINE, 1/4" - 6 FT   |
| 24   | 603524   | 1     | CS M5-0.8 X 50 MM        |
| 25   | 048934   | 2     | NT M5-0.8 HX GRD 8.8 ZN  |
| 26   | 120231   | 1     | BRACKET, THROTTLE FX850V |


Comments for Page: Engine (Multi-Page)

FUEL & VAPOR LINE LENGTHSA: 43 cm VALVE TO ENGINE (FUEL)B: 86 cm TEE TO ENGINE (VAPOR)1. Part of the wire harness.2. Supplied with the engine.3. Torque to 16 N•m plus 60° rotation of the cap screw head. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.4. Torque to 23 N•m.



| Item | Part No. | Qty | Name                  |
|------|----------|-----|-----------------------|
| 1    | 785261   | 1   | AIR FILTER - MAIN     |
| 2    | 785279   | 1   | AIR FILTER - SAFETY   |
| 3    | 068478   | 1   | FUEL FILTER - IN LINE |
| 4    | 763318   | 1   | VALVE, VACUATOR       |
| 5    | 603138   | 1   | ENGINE OIL FILTER     |





| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 603807   | 2   | CAP, 3.5" RATCHETING GAS |
| 2    | 605102   | 1   | S/C TO 607872            |
|      | 607872   | 1   | FUEL TANK ASM, LH FENDER |
| 3    | 605101   | 1   | S/C TO 607873            |
|      | 607873   | 1   | FUEL TANK ASM, RH FENDER |
| 4    | 000323   | 4   | CLIP, HOSE CLAMP         |
| 5    | 603326P  | 74" | VAPOR LINE, 3/16" - 7 FT |
| 6    | 604281   | 2   | TEE, 3/16" PLASTIC       |
| 7    | 015818P  | 66" | FUEL LINE, 1/4" - 6 FT   |
| 8    | 745059   | 1   | FUEL VALVE 3-WAY         |
| 9    | 604323   | 1   | VAPOR SYSTEM FILTER      |
| 10   | 712919   | 10  | FW 0.406X1.00X.12 HD ZN  |
| 11   | 055822   | 10  | CS .375-16X0.75 HX G5 ZN |
| 12   | 036236   | 3   | CS .312-18X1.000HXG5     |
| 13   | 768523   | 3   | FW 0.343SAE              |
| 14   | 043570   | 3   | CLIP - HOSE - SINGLE(FS) |
| 15   | 016832   | 3   | NT .312-18FLKG5          |
| 16   | 055947   | 4   | CS .250-20X0.50 HX G5 ZN |
| 17   | 768515   | 4   | FW 0.281SAE              |
| 18   | 115998   | 1   | COVER, TANK              |
| 19   | 115999   | 1   | COVER, TANK              |
| 20   | 000331   | 1   | WIRE TIE, SMALL/SHORT    |

Comments for Page: Fuel System

#### FUEL & VAPOR LINE LENGTHS

A: 43 cm LEFT TANK TO TEE (VAPOR)

B: 61 cm TEE TO TEE (VAPOR)

C: 61 cm RIGHT TANK TO TEE (VAPOR)


D: 23 cm TEE TO FILTER (VAPOR)

E: 112 cm RIGHT TANK TO VALVE (FUEL)


F: 56 cm LEFT TANK TO VALVE (FUEL)

1. Torque to 22 N•m.


2. Part of the wire harness.



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
|      | 607872   | 1   | FUEL TANK ASM, LH FENDER |
| 1    | 603888K  | 1   | SVC KIT, FUEL SENDER     |
| 2    | 603888K  | 1   | SVC KIT, FUEL SENDER     |
|      | 608041   | 1   | FUEL GAUGE & SENDER KIT  |
| 3    | 604287K  | 2   | VENT FITTING SVC KIT     |
| 4    | 604200K  | 1   | GROMMET SVC KIT          |
| 5    | 605158K  | 1   | SUCTION HOSE SVC KIT     |




| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
|      | 607873   | 1   | FUEL TANK ASM, RH FENDER |
| 1    | 608041   | 1   | FUEL GAUGE & SENDER KIT  |
| 2    | 603888K  | 1   | SVC KIT, FUEL SENDER     |
|      | 603889K  | 1   | SVC KIT, TANK GROMMET    |
| 3    | 604287K  | 2   | VENT FITTING SVC KIT     |
| 4    | 604200K  | 1   | GROMMET SVC KIT          |
| 5    | 605158K  | 1   | SUCTION HOSE SVC KIT     |



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 000331   | 3   | WIRE TIE, SMALL/SHORT    |
| 2    | 124387-1 | 1   | BATTERY STRAP, SZ GRP 45 |
| 3    | 050823   | 2   | CS .312-18X5.000HXG5     |
| 4    | 768523   | 2   | FW 0.343SAE              |
| 5    | 601069   | 2   | CN .312-18x.200 MAX THK  |






| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 601095   | 1   | CABLE, CHOKE             |
| 2    | 603523   | 1   | KNOB                     |
| 3    | 601098   | 2   | CB 10-24 X .500 ZYNC     |
| 4    | 776476   | 1   | SWITCH, PTO 6201-321     |
| 5    | 712257   | 1   | INDICATOR LIGHT, RED(FS) |
| 6    | 606068   | 1   | GAUGE, FUEL/HOURMETER    |
| 7    | 785808   | 1   | KEY ASSEMBLY             |
| 8    | 045898   | 1   | IGNITION SWITCH          |
| 9    | 604373   | 1   | RELAY CONTROL MODULE     |
| 10   | 059832   | 4   | NT #10-24 HX NL ZN       |
| 11   | 553453   | 1   | SVC, INSTRUMENT PANEL    |
| 12   | 063198   | 2   | CS #10-24X0.750FLKG5     |
| 13   | 704932   | 2   | FW 0.219X.50X.05 ZN      |
| 14   | 603847   | 1   | CABLE, THROTTLE 50.0"    |
| 15   | 055947   | 4   | CS .250-20X0.50 HX G5 ZN |
| 16   | 768515   | 4   | FW 0.281SAE              |
| 17   | 000430   | 1   | WIRE TIE, SMALL/LONG     |
| 18   | 606075   | 1   | DECAL, INST PANEL        |
| 19   | 034280   | 1   | CS .312-18X0.750HXG5     |
| 20   | 768523   | 2   | FW 0.343SAE              |
| 21   | 043570   | 1   | CLIP - HOSE - SINGLE(FS) |
| 22   | 034272   | 1   | NT .312-18HXG5           |
| 23   | 604241   | 1   | WIRE HARNESS             |
| 24   | 000331   | 8   | WIRE TIE, SMALL/SHORT    |
| 25   | 114052   | 1   | KIT, CLUTCH CONN. REP.   |
| 26   | 604430   | 1   | WIRE HARNESS             |
| 27   | 601047   | 1   | HOLDER, FUSE             |

Comments for Page: Instrument Panel


1. Part of the wire harness.
2. The instrument panel includes the decal.



| Item | Part No. | Qty | Name                    |
|------|----------|-----|-------------------------|
| 1    | 550739   | 1   | 60" SERVICE DECK        |
| 2    | 601069   | 4   | CN .312-18x.200 MAX THK |
| 3    | 781419   | 1   | DECAL, BELT ROUTING     |
| 4    | 604221   | 1   | DECAL, DANGER / CHUTE   |
| 5    | 601837   | 1   | DECAL, DECK DANGERS     |
| 6    | 601892   | 1   | DECAL, THROWN OBJECTS   |
| 7    | 786277   | 1   | DECAL, 60 DECK ID       |
| 8    | 603092   | 1   | DECAL, VX4 TECHNOLOGY   |

Comments for Page: Side Discharge Service Deck

- 1. The deck includes decals and hardware.



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 794446   | 1   | CS .625-11X1.500HXG5     |
| 2    | 608144   | 2   | SHIELD, DUST             |
| 3    | 602821   | 2   | IDLER, 6.0" COMMERCIAL   |
| 4    | 028118   | 2   | FW 0.625X1.00X.13 ZN     |
| 5    | 350884   | 1   | SLIDE, DECK IDLER        |
| 6    | 781302   | 1   | IDLER SPRING             |
| 7    | 373191   | 1   | CHAIN, 21 LINK           |
| 8    | 602936   | 2   | IDLER SLIDE, UHMW        |
| 9    | 603023   | 4   | WN .312-18 ZN            |
| 10   | 016972   | 2   | NT .625-11 HX G5 ZN      |
| 11   | 602963   | 1   | DUST SHIELD, IDLER LG    |
| 12   | 602743   | 1   | IDLER, 10.0" COMMERCIAL  |
| 13   | 705954   | 15  | CS .500-13X1.25 HX G5 ZN |
| 14   | 752386   | 3   | CW .505 X 1.625 X .140   |
| 15   | 602745   | 3   | PULLEY, DRIVE 7.00 EFF   |
| 16   | 045765   | 3   | FW 1.030X1.50X.13 HD ZN  |
| 17   | 015495   | 2   | GREASE FITTING STRAIGHT  |
| 18   | 113340   | 1   | PUSHER W/A, HZ/SZ        |
| 19   | 767954   | 6   | FW 0.379X.82X.06 HD ZN   |
| 20   | 086660   | 6   | NT .375-16NLG8           |
| 21   | 603022   | 4   | CS .312-18X.625 BH ZN    |
| 22   | 767962   | 15  | FW .531 x 1.063 x .175   |
| 23   | 607407   | 3   | SPINDLE ASSY, DUCTILE    |
| 24   | 212472   | 3   | KEY 1/4 SQ X 1.00 LG(FS) |
| 25   | 782474   | 2   | CW .678 X 2.250 X .187   |
| 26   | 783738   | 2   | CS .625-11X3.000HXG5     |
| 27   | 603113   | 6   | CB .375-16X1.250 G5 ZN   |
| 28   | 602338   | 1   | CB .50-13 X 7.50 STD ZN  |
| 29   | 602341   | 1   | WHEEL, ANTI-SCALP        |
| 30   | 602344   | 1   | SPACER, ANTI- SCALP 5.73 |
| 31   | 781567   | 3   | NT .500-13NLG5           |
| 32   | 602263   | 2   | WHEEL, ANTI-SCALP        |
| 33   | 602345   | 2   | SPACER, ANTI-SCALP 3.22  |
| 34   | 603049   | 2   | S/C TO 607288            |
|      | 607288   | 2   | CB .50-13X4.75 STD ZN    |

## Side Discharge Deck Pulleys & Spindles


## Hustler Super Z CE Parts Manual (2016)

Comments for Page: Side Discharge Deck Pulleys & Spindles

1. Torque to 87–98 N•m.

This page intentionally left blank






| Item | Part No. | Qty | Name                    |
|------|----------|-----|-------------------------|
| 1    | 553268   | 1   | SERVICE GUARD, RH       |
| 2    | 553267   | 1   | SERVICE GUARD, LH       |
| 3    | 602562   | 2   | DECAL, NO SERVICE       |
| 4    | 768523   | 4   | FW 0.343SAE             |
| 5    | 034280   | 4   | CS .312-18X0.750HXG5    |
| 6    | 602891   | 1   | CHUTE, DISCHARGE LG     |
| 7    | 602435   | 2   | SPRING, TORSION         |
| 8    | 602432   | 1   | PIN, CHUTE              |
| 9    | 086660   | 8   | NT .375-16NLG8          |
| 10   | 604494   | 1   | DECK BELT               |
| 11   | 602817   | 1   | RUBBER BUMPER           |
| 12   | 079210   | 2   | FW 0.344X1.0X0.06 ZN    |
| 13   | 064014   | 2   | CS .312-18X0.875HXG5    |
| 14   | 113563   | 1   | BACKING PLATE W/A       |
| 15   | 767954   | 7   | FW 0.379X.82X.06 HD ZN  |
| 16   | 025395   | 7   | CB .375-16X 1.00 G5 ZN  |
| 17   | 113636   | 1   | WALL, INNER RH 60" CE   |
| 18   | 113637   | 1   | WALL, INNER LH 60" CE   |
| 19   | 782474   | 3   | CW .678 X 2.250 X .187  |
| 20   | 781872   | 3   | CS .625-11X1.250HXG5    |
| 21   | 602771   | 3   | BLADE, F20.50" EHN-F-CW |
|      | 793794   | 3   | BLADE,20.50"-L-F-CW     |
|      | 794214   | 3   | BLADE,20.50"-MUL-F-CW   |
|      | 794230   | 3   | BLADE,20.50"GAT-F-CW    |
|      | 794685   | 3   | BLADE, F20.50"-H-F-CW   |

Comments for Page: Side Discharge Deck


1. Torque to 160 N•m.
2. Torque to 13 N•m.
3. Do not torque; the chute must pivot freely.
4. The pulley covers include the decals.




| Item | Part No. | Qty | Name                    |
|------|----------|-----|-------------------------|
| 1    | 550935   | 1   | 60" RD SERVICE DECK     |
| 2    | 601069   | 4   | CN .312-18x.200 MAX THK |
| 3    | 603349   | 1   | DECAL, 2 BELT ROUTING   |
| 4    | 601837   | 2   | DECAL, DECK DANGERS     |
| 5    | 601892   | 2   | DECAL, THROWN OBJECTS   |
| 6    | 603391   | 2   | DECAL, RUBBER FLAP      |
| 7    | 786277   | 1   | DECAL, 60 DECK ID       |
| 8    | 792887   | 1   | RIVET NUT,HX 5/16-18 TH |

Comments for Page: Rear Discharge Service Deck

- 1. The deck includes decals and hardware.



This page intentionally left blank



Page)

| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 025015   | 1   | CS .625-11X2.500HXG5     |
| 2    | 028118   | 12  | FW 0.625X1.00X.13 ZN     |
| 3    | 113088   | 1   | BELT GUIDE, W/A          |
| 4    | 603256   | 1   | SPACER DECK IDLER 1/2"LG |
| 5    | 608144   | 2   | SHIELD, DUST             |
| 6    | 602821   | 2   | IDLER, 6.0" COMMERCIAL   |
| 7    | 114133   | 1   | IDLER ARM W/A, RD DECK   |
| 8    | 797910   | 2   | CS .312-18x1.50FLT SH ZN |
| 9    | 601779   | 1   | IDLER GUIDE, UHMW        |
| 10   | 794446   | 1   | CS .625-11X1.500HXG5     |
| 11   | 603057   | 4   | DUST SHIELD W/OFFSET     |
| 12   | 602672   | 2   | PULLEY, V-IDLER HBB 5.0" |
| 13   | 373191   | 2   | CHAIN, 21 LINK           |
| 14   | 781567   | 1   | NT .500-13NLG5           |
| 15   | 767962   | 13  | FW .531 x 1.063 x .175   |
| 16   | 770867   | 2   | BUSHING, PLAS .750x1(FS) |
| 17   | 109549   | 1   | BUSHING, IDLER PIVOT     |
| 18   | 781302   | 2   | IDLER SPRING             |
| 19   | 704759   | 1   | FW 0.500X1.25X.08 ZN     |
| 20   | 784199   | 4   | CS .312-18X1.250 FLT SH  |
| 21   | 016972   | 2   | NT .625-11 HX G5 ZN      |
| 22   | 602963   | 1   | DUST SHIELD, IDLER LG    |
| 23   | 602838   | 1   | IDLER, 8.0" COMMERCIAL   |
| 24   | 114105   | 1   | IDLER SLIDE W/A          |
| 25   | 601619   | 2   | IDLER SLIDE UHMW RT & LT |
| 26   | 016642   | 3   | CS .625-11X2.000HXG5     |
| 27   | 796714   | 2   | PULLEY, 6" HB IDLER RD   |
| 28   | 768523   | 6   | FW 0.343SAE              |
| 29   | 058776   | 6   | NT .312-18NLG5           |
| 30   | 782474   | 1   | CW .678 X 2.250 X .187   |
| 31   | 783738   | 1   | CS .625-11X3.000HXG5     |
| 32   | 705954   | 1   | CS .500-13X1.25 HX G5 ZN |
| 33   | 017616   | 2   | CS .500-13X1.750HXG5     |
| 34   | 752386   | 3   | CW .505 X 1.625 X .140   |
| 35   | 602745   | 2   | PULLEY, DRIVE 7.00 EFF   |
| 36   | 770388   | 1   | PULLEY, PTED             |




This page intentionally left blank


| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 37   | 212472   | 3   | KEY 1/4 SQ X 1.00 LG(FS) |
| 38   | 045765   | 2   | FW 1.030X1.50X.13 HD ZN  |
| 39   | 016527   | 12  | CS .500-13X1.000HXG5     |
| 40   | 114108   | 1   | SPACER 3/8" THICK        |
| 41   | 607408   | 1   | SPINDLE ASSY, DUCTILE    |
| 42   | 607407   | 2   | SPINDLE ASSY, DUCTILE    |

Comments for Page: Rear Discharge Deck Pulleys & Spindles (Multi-Page)


- 1. Torque to 88–102 N•m.



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 058776   | 10  | NT .312-18NLG5           |
| 2    | 768523   | 10  | FW 0.343SAE              |
| 3    | 015495   | 2   | GREASE FITTING STRAIGHT  |
| 4    | 036244   | 6   | CS .375-16X1.00 HX G5 ZN |
| 5    | 767954   | 12  | FW 0.379X.82X.06 HD ZN   |
| 6    | 113340   | 1   | PUSHER W/A, HZ/SZ        |
| 7    | 778399   | 2   | FW .781X1.38X.25 ZN      |
| 8    | 109482   | 1   | CHUTE BRACKET            |
| 9    | 109483   | 1   | CHUTE BRACKET            |
| 10   | 109487   | 1   | CLAMP ANGLE RS           |
| 11   | 114440   | 1   | SHIELD, DUST 60" RD SZ   |
| 12   | 109486   | 1   | CLAMP ANGLE              |
| 13   | 601483   | 2   | SIDE FLAP, RUBBER        |
| 14   | 086660   | 6   | NT .375-16NLG8           |
| 15   | 106716   | 2   | ANGLE, DISCHARGE CHUTE   |
| 16   | 600254   | 2   | FLAP, RD REAR            |
| 17   | 351676   | 2   | ANGLE, DECK STIFFENER    |
| 18   | 037887   | 6   | CB .312-18X 1.000 FUL ZN |
| 19   | 016253   | 4   | CB .312-18X .750 FUL ZN  |
| 20   | 114522   | 1   | STOP, REAR DECK W/A      |
| 21   | 710194   | 6   | CB .375-16X 1.50 STD G5  |



This page intentionally left blank




| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 553293   | 1   | SERVICE GUARD, RH        |
| 2    | 602562   | 3   | DECAL, NO SERVICE        |
| 3    | 601837   | 1   | DECAL, DECK DANGERS      |
| 4    | 768523   | 5   | FW 0.343SAE              |
| 5    | 034280   | 5   | CS .312-18X0.750HXG5     |
| 6    | 553290   | 1   | SERVICE GUARD            |
| 7    | 553289   | 1   | SERVICE GUARD, LH        |
| 8    | 777185   | 1   | DECK BELT                |
| 9    | 027284   | 1   | DECK BELT                |
| 10   | 603049   | 2   | S/C TO 607288            |
|      | 607288   | 2   | CB .50-13X4.75 STD ZN    |
| 11   | 767962   | 3   | FW .531 x 1.063 x .175   |
| 12   | 781567   | 3   | NT .500-13NLG5           |
| 13   | 602345   | 2   | SPACER, ANTI-SCALP 3.22  |
| 14   | 602263   | 2   | WHEEL, ANTI-SCALP        |
| 15   | 602338   | 1   | CB .50-13 X 7.50 STD ZN  |
| 16   | 602341   | 1   | WHEEL, ANTI-SCALP        |
| 17   | 602344   | 1   | SPACER, ANTI- SCALP 5.73 |
| 18   | 055822   | 8   | CS .375-16X0.75 HX G5 ZN |
| 19   | 767954   | 8   | FW 0.379X.82X.06 HD ZN   |
| 20   | 114206   | 1   | BAFFLE, ADJ 60 RD CE RS  |
| 21   | 114207   | 1   | BAFFLE, ADJ 60 RD CE LS  |
| 22   | 795633   | 1   | BLADE, F20.50"-L-F-CCW   |
|      | 601928   | 1   | BLADE, 20.5"GAT-F-CCW    |
|      | 604163   | 1   | BLADE, 20.50-MUL-F-CCW   |
| 23   | 782474   | 3   | CW .678 X 2.250 X .187   |
| 24   | 604383   | 1   | CS .625-11X1.250 G5 LHT  |
| 25   | 600901   | 2   | BLADE, F20.50"-L-F-CW    |
|      | 794230   | 2   | BLADE,20.50"GAT-F-CW     |
|      | 794214   | 2   | BLADE,20.50"-MUL-F-CW    |
| 26   | 781872   | 2   | CS .625-11X1.250HXG5     |


Comments for Page: Rear Discharge Deck (Multi-Page)

1. Torque to 160 N•m.
2. The pulley covers include decals.






This page intentionally left blank



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 600437   | 1   | PIN, DECK HEIGHT W/A     |
| 2    | 348318   | 1   | HANDLE, STOP             |
| 3    | 602898   | 1   | DECK LIFT                |
| 4    | 603184   | 2   | DECK LIFT SPRING S/A     |
| 5    | 055749   | 7   | CS .437-14X1.750HXG5     |
| 6    | 348391   | 4   | CHAIN, DECK LIFT         |
| 7    | 704643   | 16  | NT .437-14FLKG5          |
| 8    | 781294   | 6   | CLIP E, 1.00 X.625X .05  |
| 9    | 781872   | 1   | CS .625-11X1.250HXG5     |
| 10   | 704783   | 1   | FW 0.625X1.500X0.105     |
| 11   | 348458   | 1   | YOKE W/A, DECK LEVELER   |
| 12   | 034272   | 1   | NT .312-18HXG5           |
| 13   | 756270   | 1   | CS .312-18X1.500HXG5     |
| 14   | 781831   | 1   | CS .437-14x1.75 FULTHG5  |
| 15   | 781229   | 1   | CE .750X2.25 X1.75 HEAD  |
| 16   | 061101   | 2   | NT .750-10 HX ZN NL GR B |
| 17   | 025296   | 4   | FW .760X1.63X0.08 ZN     |
| 18   | 789115   | 2   | CS .750-10X3.500HXG5     |



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 605698   | 1   | SEAT, GRAMMER WO ISO     |
| 2    | 016253   | 2   | CB .312-18X .750 FUL ZN  |
| 3    | 605907   | 1   | LATCH ASSEMBLY           |
| 4    | 601815   | 1   | DECAL, BATTERY WARNINGS  |
| 5    | 768523   | 7   | FW 0.343SAE              |
| 6    | 034272   | 2   | NT .312-18HXG5           |
| 7    | 000331   | 3   | WIRE TIE, SMALL/SHORT    |
| 8    | 604439   | 1   | PIGTAIL, SEAT SWITCH     |
| 9    | 550815   | 1   | SEAT PAN, SERVICE        |
| 10   | 080358   | 2   | GM .50X1.00X.75X.12      |
| 11   | 605688   | 1   | DECAL, LEVEL FUEL FILL   |
| 12   | 785188   | 1   | DECAL, Z ARMREST WARNING |
| 13   | 712927   | 4   | FW 0.344X1.00X.12 HD ZN  |
| 14   | 000398   | 1   | CLAMP                    |
| 15   | 058776   | 4   | NT .312-18NLG5           |
| 16   | 724716   | 2   | WASHER, FIBER (FS)       |
| 17   | 350421   | 2   | SEAT PAN STOP (PLATED)   |
| 18   | 767954   | 12  | FW 0.379X.82X.06 HD ZN   |
| 19   | 036244   | 6   | CS .375-16X1.00 HX G5 ZN |
| 20   | 086660   | 5   | NT .375-16NLG8           |
| 21   | 052860   | 3   | CS .375-16X1.25 HX G5 ZN |
| 22   | 712919   | 4   | FW 0.406X1.00X.12 HD ZN  |
| 23   | 601967   | 1   | DECAL, ENGINE COMPART    |
| 24   | 601968   | 1   | DECAL, HYDRAULIC PRESS   |
| 25   | 779280   | 1   | DECAL, HOT & HYD OIL     |
| 26   | 601650   | 2   | VIBRATION MOUNT 70DURO   |
| 27   | 550816   | 1   | SEAT SUPPORT, SERVICE    |
| 28   | 791848   | 1   | FUEL INDICATOR DECAL     |
| 29   | 785139   | 1   | DECAL, STEERING L.S.     |
| 30   | 550823   | 1   | FRAME COVER LS, SERVICE  |
| 31   | 601069   | 5   | CN .312-18x.200 MAX THK  |
| 32   | 054502   | 2   | NT .375-16HXG5           |
| 33   | 550824   | 1   | FRAME COVER RS, SERVICE  |
| 34   | 785220   | 1   | DECAL, STEERING R.S.     |
| 35   | 553779   | 1   | SVC, FLOOR PAN           |
| 36   | 602562   | 1   | DECAL, NO SERVICE        |


This page intentionally left blank

| Item | Part No. | Qty | Name                   |
|------|----------|-----|------------------------|
| 37   | 118900   | 1   | SPACER, DECK LIFT LINK |
| 38   | 036236   | 5   | CS .312-18X1.000HXG5   |

Comments for Page: Seat

- 1. Do not torque; the seat pan and seat pan stop must pivot freely.
- 2. The seat pan includes decals and installation kit.
- 3. The seat support, floor pan and frame covers include decals.






| Item | Part No. | Qty | Name                 |
|------|----------|-----|----------------------|
|      | 605698   | 1   | SEAT, GRAMMER WO ISO |
| 1    | 604940   | 1   | BACK CUSHION         |
| 2    | 604938   | 1   | ARMREST, RIGHT       |
| 3    | 604937   | 1   | ARMREST, LEFT        |
| 4    | 604941   | 1   | SEAT BELT            |
| 5    | 604939   | 1   | SEAT CUSHION         |
| 6    | 119287   | 1   | KIT, SLIDE           |
| 7    | 604973   | 1   | KIT, SEAT SWITCH     |
| 8    | 607248   | 1   | SVC, SEAT HANDLE KIT |

Comments for Page: Seat Service Parts, Grammer

1. The slide kit includes left and right slides.



| Item | Part No. | Qty | Name                     |
|------|----------|-----|--------------------------|
| 1    | 605639   | 1   | S/C TO 608230            |
|      | 608230   | 1   | SVC, ROPS ASSY           |
| 2    | 605731   | 2   | KIT, POLY STOP (SET)     |
| 3    | 605638   | 1   | ROPS HARDWARE KIT        |
| 4    | 061812   | 4   | CS .500-13X3.50 HX G5 ZN |
| 5    | 767962   | 8   | FW .531 x 1.063 x .175   |
| 6    | 023317   | 4   | NT .500-13UNTG8          |

Comments for Page: ROPS

- 1. Torque to 99 N•m.