


Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.

The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or
2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.

General Information	1
Frame, Fenders, Instrument Panel & Engine Guard	
Frame, 36" & 42"—S/N 16080000 & Higher	3-1
Frame, 36" & 42"—S/N Prior to 16080000	3-2
Frame, 48" - S/N 16034000 & HIGHER	3-3
Frame, 48"—S/N Prior to 16034000	3-4
Fenders & Instrument Panel	3-5
Guards	3-6
Transmissions & Steering	
Transmission Assembly & Drive Belt (Multi-Page)	4-1
Transmission Service Parts - 604708	4-2
Transmission Service Parts - 604709	4-3
Steering & Brake - S/N 16017612 & Higher	4-4
Steering & Brake - S/N Prior to 16017612	4-5
Steering Cover Assembly (Multi-Page)	4-6
Wheels & Tires	
Wheel & Tire - 36" & 42" Mowers - S/N 18020001 & Higher	5-1
Wheel & Tire - 36" & 42" Mowers - S/N Prior to 18020001	5-2
Wheel & Tire - 48" Mowers	5-3
Front Wheel Assembly Breakdown	5-4
Drive Wheel Breakdown - 36" & 42" Mowers	5-5
Rear Wheel Breakdown 48" Mowers	5-6
Engine & Fuel System	
Engine, FR651V - 36" & 42" Mowers (Multi-Page)	6-1
Engine, FR691V - 48" Mowers - S/N 15023236 & Higher (Multi-Page)	6-2
Engine, FR691V - 48" Mowers - S/N Prior to 15023236 (Multi-Page)	6-3
Engine Service Parts - FR691V	6-4
Fuel System	6-5
Fuel Tank Service Parts - 606432	6-6
Electrical	
Battery	7-1
Deck	
36" Service Deck	8-1
36" Deck Pulleys & Spindles	8-2
36" Deck	8-3
42" Service Deck	8-4
42" Deck Pulleys & Spindles	8-5
42" Deck	8-6
48" Service Deck	8-7
48" Deck Pulleys & Spindles - S/N 15032154 & Higher	8-8
48" Deck Pulleys & Spindles - S/N Prior to 15032154	8-9
48" Deck	8-10
Spindle Service Parts - 607418	8-11
Deck Lift, 36" (Multi-Page)	8-12
Deck Lift, 42" (Multi-Page)	8-13
Deck Lift, 48" (Multi-Page)	8-14
48" CE Guard Kit	8-15
Seat	
Standard Seat, 48" Mowers - S/N 15110000 & Higher	9-1
Standard Seat, 48" Mowers - S/N PRIOR TO 15110000	9-2
Seat Service Parts - Standard Seat	9-3
Seat - S/N 19084846 & Higher	9-4
Seat Service Parts - 607347	9-5

Seat - S/N PRIOR TO 190848469-6

Seat Service Parts - 6060779-7

General Information

Note: When ordering parts, you must use the part number as shown for each part, not the index number. Always give the model and serial number to your parts and service representative.

Note: Items sold in bulk such as seals and hoses are sold by the foot.

Using This Manual

This manual is part of a service package for the Hustler® mowers. Use of this manual in conjunction with other Hustler® mower and component manuals will provide the information necessary to service and maintain Hustler® mowers.

This Parts Manual provides a complete parts listing for the unit. Use this manual when ordering parts. Illustrations used were current at the time of printing, but subsequent production changes may cause your machine to vary slightly in detail. Excel Industries, Inc. reserves the right to redesign and change the machine as deemed necessary, without notification. If a change has been made to your machine which is not reflected in this parts manual, see your authorized dealer for current information and parts.

The Service Manual is a service guide for use by Service Technicians. It provides the necessary information needed to perform normal maintenance requirements on these units.

The Operator's Manual provides fundamental operational information and operational safety that is needed when operating the mower.

The component manuals are furnished by the various manufacturers to be used for the troubleshooting and servicing of their products.

Hardware Description Codes & Abbreviations

The following codes are used throughout this parts manual. Refer to this list when ordering parts.


ABBREVIATION	DESCRIPTION	ABBREVIATION	DESCRIPTION
CB	CARRIAGE BOLT	MB	MACHINE BUSHING
CE	CLEVIS PIN	MS	MACHINE SCREW
CN	CLIP NUT	NT	NUT
CP	COTTER PIN	SC	SELF TAPPING CAP SCREW
CS	CAP SCREW	SH	SOCKET HEAD
CW	CUP WASHER	SB	SHOULDER BOLT
FDRW	FENDER WASHER	SS	SET SCREW
FW	FLAT WASHER	OD	OUTSIDE DIAMETER
HX	HEX HEAD	ID	INSIDE DIAMETER
LW	LOCK WASHER	WN	WELD NUT

Standard Torques

The following chart lists the standard torque values for the threaded fasteners found in this manual. Torque all cap screws, nuts and set screws to these values unless a different torque is shown in the Notes section next to the fastener.

SIZE	FT-LBS	N•M	SIZE	FT-LBS	N•M
.250	8.2	11.1	M3	1	1.3
.312	17	23	M4	2.2	3
.375	30	40	M5	4.5	6.1
.438	48	65	M6	7.7	10.4
.500	73	99	M8	18.5	25
.562	105	143	M10	37	50
.625	145	200	M12	64	87
.750	260	350	M14	80	108.5
.875	420	565	M16	160	215
1.00	625	850	M20	320	435
			M24	555	750

Cette page intentionnellement laissée vierge




Élément	Numéro de pièce	Qté	Nom
1	123637-3	1	SEAT SUPPORT
2	123636-3	1	SPRING SUPPORT
3	029629	6	CS .375-16X0.75 HXF G5ZN
4	604176	30	CS .375-16X.75 HXF NF
5	552564	1	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552564			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
6	602041	1	DECAL, HOT
7	552217	1	SERVICE, BUMPER
8	029751	4	CS .375-16X1.00 HXF G5ZN
9	551858	1	SVC, ENGINE PLATE
10	604177	30	NT .375-16 HXFLK PLN
11	552565	1	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552565			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
12	601982	5	CN .250-20X .150 MAX THK
13	552566	2	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552566			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
14	119718	1	SVC, RS FRAME CHANNEL
15	552567	2	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552567			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
16	551861	2	SVC, CROSS SUPPORT
17	016899	10	NT .375-16 FLKG5
18	551868	1	SVC, LS FRAME CHANNEL
19	601967	1	DECAL, ENGINE COMPART
20	N/A	2	SERIAL NUMBER / SPEC DECAL
21	552568	1	FRONT CROSS FRAME W/A
22	552569	2	SVC, FAIRING
23	605782	1	DECAL, LEVEL FUEL BLOWM
24	551865	1	SVC, FOOT PAN
25	601981	1	DECAL, SAFE OPERATE-GRAY

Cette page intentionnellement laissée vierge

Élément	Numéro de pièce	Qté	Nom
26	552569	1	SVC, FAIRING
27	604307	4	MOUNT, PUSH BUTTON
28	000331	4	WIRE TIE, SMALL/SHORT
29	552570	1	BATTERY TRAY
30	776310	1	DECAL, CE MARK
31	789776CE	1	DBA LIMIT DECAL
32	125255	1	KIT, HYDRO BRACKETS

Comments for Page: Frame, 36" & 42"—S/N 16080000 & Higher

1. Serial number decal. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.
2. EPA compliance decal (does not apply to mowers with serial numbers prior to 19020001).
3. Torque all the hardware to a minimum of 45 N•m.
4. The bumper, LS frame channel and foot pan include decals.




Élément	Numéro de pièce	Qté	Nom
1	123637-3	1	SEAT SUPPORT
2	123636-3	1	SPRING SUPPORT
3	029629	6	CS .375-16X0.75 HXF G5ZN
4	604176	30	CS .375-16X.75 HXF NF
5	552564	1	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552564			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
6	602041	1	DECAL, HOT
7	553148	1	SERVICE, BUMPER STAMPED
8	029751	4	CS .375-16X1.00 HXF G5ZN
9	551858	1	SVC, ENGINE PLATE
10	604177	30	NT .375-16 HXFLK PLN
11	552565	1	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552565			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
12	601982	5	CN .250-20X .150 MAX THK
13	552566	2	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552566			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
14	119718	1	SVC, RS FRAME CHANNEL
15	552567	2	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552567			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
16	551861	2	SVC, CROSS SUPPORT
17	016899	10	NT .375-16 FLKG5
18	551868	1	SVC, LS FRAME CHANNEL
19	601967	1	DECAL, ENGINE COMPART
20	N/A	1	SERIAL NUMBER / SPEC DECAL
21	552568	1	FRONT CROSS FRAME W/A
22	552569	2	SVC, FAIRING
23	605782	1	DECAL, LEVEL FUEL BLOWM
24	551865	1	SVC, FOOT PAN
25	601981	1	DECAL, SAFE OPERATE-GRAY

Cette page intentionnellement laissée vierge

Élément	Numéro de pièce	Qté	Nom
26	552569	1	SVC, FAIRING
27	604307	4	MOUNT, PUSH BUTTON
28	000331	4	WIRE TIE, SMALL/SHORT
29	552570	1	BATTERY TRAY
30	776310	1	DECAL, CE MARK
31	789776CE	1	DBA LIMIT DECAL
32	125255	1	KIT, HYDRO BRACKETS

Comments for Page: Frame, 36" & 42"—S/N Prior to 16080000

1. Serial number decal. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.
2. Torque all the hardware to a minimum of 45 N•m.
3. The bumper, LS frame channel and foot pan include decals.




Élément	Numéro de pièce	Qté	Nom
1	123637-3	1	SEAT SUPPORT
2	123636-3	1	SPRING SUPPORT
3	029629	6	CS .375-16X0.75 HXF G5ZN
4	604176	30	CS .375-16X.75 HXF NF
5	552564	1	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552564			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
6	602041	1	DECAL, HOT
7	553148	1	SERVICE, BUMPER STAMPED
8	029751	4	CS .375-16X1.00 HXF G5ZN
9	551858	1	SVC, ENGINE PLATE
10	604177	30	NT .375-16 HXFLK PLN
11	601967	1	DECAL, ENGINE COMPART
12	552565	1	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552565			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
13	601982	5	CN .250-20X .150 MAX THK
14	552566	2	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552566			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
15	119718	1	SVC, RS FRAME CHANNEL
16	552567	2	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552567			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
17	551861	2	SVC, CROSS SUPPORT
18	016899	10	NT .375-16 FLKG5
19	551868	1	SVC, LS FRAME CHANNEL
20	N/A	1	SERIAL NUMBER / SPEC DECAL
21	552568	1	FRONT CROSS FRAME W/A
22	552569	2	SVC, FAIRING
23	551865	1	SVC, FOOT PAN
24	601981	1	DECAL, SAFE OPERATE-GRAY
25	605782	1	DECAL, LEVEL FUEL BLOWM

Cette page intentionnellement laissée vierge

Élément	Numéro de pièce	Qté	Nom
26	604307	6	MOUNT, PUSH BUTTON
27	000331	6	WIRE TIE, SMALL/SHORT
28	552570	1	BATTERY TRAY
29	789776CE	1	DBA LIMIT DECAL
30	776310	1	DECAL, CE MARK
31	125255	1	KIT, HYDRO BRACKETS

Comments for Page: Frame, 48" - S/N 16034000 & HIGHER

1. Serial number decal. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.
2. EPA compliance decal (does not apply to mowers with serial numbers prior to 19020001).
3. Torque all the hardware to a minimum of 45 N•m.
4. The bumper, LS frame channel and foot pan include decals.




Élément	Numéro de pièce	Qté	Nom
1	123637-3	1	SEAT SUPPORT
2	123636-3	1	SPRING SUPPORT
3	029629	6	CS .375-16X0.75 HXF G5ZN
4	604176	30	CS .375-16X.75 HXF NF
5	552564	1	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552564			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
6	602041	1	DECAL, HOT
7	552217	1	SERVICE, BUMPER
8	029751	4	CS .375-16X1.00 HXF G5ZN
9	551858	1	SVC, ENGINE PLATE
10	604177	30	NT .375-16 HXFLK PLN
11	601967	1	DECAL, ENGINE COMPART
12	552565	1	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552565			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
13	601982	5	CN .250-20X .150 MAX THK
14	552566	2	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552566			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
15	119718	1	SVC, RS FRAME CHANNEL
16	552567	2	ORDER 125255 KIT
Commentaires pour le numéro de pièce 552567			
NOT SOLD SEPARATELY. ORDER '125255 KIT, HYDRO BRACKETS'			
17	551861	2	SVC, CROSS SUPPORT
18	016899	10	NT .375-16 FLKG5
19	551868	1	SVC, LS FRAME CHANNEL
20	N/A	1	SERIAL NUMBER / SPEC DECAL
21	552568	1	FRONT CROSS FRAME W/A
22	552569	2	SVC, FAIRING
23	551865	1	SVC, FOOT PAN
24	601981	1	DECAL, SAFE OPERATE-GRAY
25	605782	1	DECAL, LEVEL FUEL BLOWM

Cette page intentionnellement laissée vierge

Élément	Numéro de pièce	Qté	Nom
26	604307	6	MOUNT, PUSH BUTTON
27	000331	6	WIRE TIE, SMALL/SHORT
28	552570	1	BATTERY TRAY
29	776310	1	DECAL, CE MARK
30	789776CE	1	DBA LIMIT DECAL
31	125255	1	KIT, HYDRO BRACKETS

Comments for Page: Frame, 48"—S/N Prior to 16034000


1. Serial number decal. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.
2. Torque all the hardware to a minimum of 45 N•m.
3. The bumper, LS frame channel and foot pan include decals.



Élément	Numéro de pièce	Qté	Nom
1	601097	1	CABLE, CHOKE
2	776476	1	SWITCH, PTO 6201-321
3	769166	1	HOUR METER
4	785808	1	KEY ASSEMBLY
5	552300	1	SERVICE, INSTR PANEL
6	604889	1	DECAL, INSTRUMENT PANEL
7	045898	1	IGNITION SWITCH
8	055939	1	CS .250-20X0.75 HX G5 ZN
9	601098	2	CB 10-24 X .500 ZYNC
10	704932	2	FW 0.219X.50X.05 ZN
11	059832	2	NT #10-24 HX NL ZN
12	601096	1	CABLE, THROTTLE
13	604324	8	CS .250-20 X .75 HX FLG
14	552809	1	SVC, FENDER RS
15	552810	1	SVC, FENDER LS
16	601982	1	CN .250-20X .150 MAX THK
17	552414	1	SVC, FOOTREST
18	602407	1	DECAL, HUSTLER ID
19	029629	2	CS .375-16X0.75 HXF G5ZN
20	016899	2	NT .375-16 FLKG5
21	000331	2	WIRE TIE, SMALL/SHORT
22	604388	2	DECAL, RAPTOR FENDER
23	604876	1	WIRE HARNESS
24	114052	1	KIT, CLUTCH CONN. REP.

Comments for Page: Fenders & Instrument Panel



1. The instrument panel and footrest include decals.




Élément	Numéro de pièce	Qté	Nom
1	552982	1	SERVICE GUARD
2	602562	2	DECAL, NO SERVICE
3	055939	4	CS .250-20X0.75 HX G5 ZN
4	768515	4	FW 0.281SAE
5	601982	4	CN .250-20X .150 MAX THK
6	552981	1	SERVICE GUARD
7	120855	2	GUARD, TRANS. SIDE, CE
8	120838	1	REAR TRANSMISSION BRACE

Comments for Page: Guards


1. Part of the Frame Assembly.
2. Part of the Transmission Assembly.
3. Part of the Deck Lift Assembly.



Cette page intentionnellement laissée vierge



Cette page intentionnellement laissée vierge



Élément	Numéro de pièce	Qté	Nom
1	710087	4	CS .312-18X2.500HXG5
2	601887	1	CB .375-16 X 2.75 STD ZN
3	043067	4	CS .312-18X3.000HXG5
4	016899	3	NT .375-16 FLKG5
5	607400	1	DRIVE BELT
6	604714	1	SPACER, IDLER
7	116287	1	IDLER ARM
8	712893	1	FW 0.406X1.25X.12 HD ZN
9	086660	3	NT .375-16NLG8
10	080655	1	CS .375-16X1.500HXG5
11	767954	2	FW 0.379X.82X.06 HD ZN
12	604491	1	PULLEY, 2.0" IDLER
13	054502	1	NT .375-16HXG5
14	604490	1	SPRING, 3.00 X .50 EXT
15	005108	3	CS .375-16X3.500HXG5
16	706549	2	HP0.080X1.190
17	118310	2	LINK, TOW VALVE
18	768523	22	FW 0.343SAE
19	058776	10	NT .312-18NLG5
20	029629	1	CS .375-16X0.75 HXF G5ZN
21	601051	2	OVERTRAVEL SPRING
22	601131	2	SPRING, BRAKE ARM RET.
23	604667	2	ROD, BRAKE ACTUATOR
24	601219	2	FTG, 90 - 9/16 SAE
25	604709	1	ZT2800, 20.69:1 TRANS
26	712919	4	FW 0.406X1.00X.12 HD ZN
27	601001	4	SPRING CLAMP, .75" DIA
28	787713	1	HOSE, 1/2" LOW PRESSURE
29	787713	1	HOSE, 1/2" LOW PRESSURE
30	000331	2	WIRE TIE, SMALL/SHORT
31	123292	1	KIT, CROSS BRACE
32	604708	1	ZT2800, 20.69:1 TRANS
33	055939	4	CS .250-20X0.75 HX G5 ZN
34	109203	1	BRAKE SPRING LINK, LS
35	016816	2	NT .250-20FLKG5
36	109202	1	BRAKE SPRING LINK, RS

Cette page intentionnellement laissée vierge

Élément	Numéro de pièce	Qté	Nom
37	068551	2	NT .250-20 HXZY NL
38	768515	4	FW 0.281SAE
39	118284	1	EXPANSION TANK MNT
40	601996	1	EXPANSION TANK, ZT2800
41	600767	1	CAP, OVERFLOW TANK


Comments for Page: Transmission Assembly & Drive Belt (Multi-Page)

1. Torque to 23 N•m.
2. Torque to 41 N•m.
3. Left Side transmission.
4. Right Side transmission.

HOSE LENGTHS

A: 71 cm LEFT TRANSMISSION TO OVERFLOW TANK


B: 48 cm RIGHT TRANSMISSION TO OVERFLOW TANK



Élément	Numéro de pièce	Qté	Nom
1	602094	1	FAN / PULLEY KIT
2	607729	1	FAN - 7.0" (10 BLADE)
3	600975	1	GUARD, TRANS FILTER LS
4	604324	3	CS .250-20 X .75 HX FLG
5	600976	1	HYDRAULIC OIL FILTER
6	604901	1	HG RTN CW
7	604903	1	HG RTN SPRING
8	600970	1	KIT, HUB, 4 BOLT
9	601221	1	ZT2800 BRAKE ARM - 2007
10	600972	1	CLIP, RETAINING
11	603223	1	O-RING, ZT28/3100 CHARGE
12	603572	1	COVER, ZT3100 CHRGR PUMP
13	606830	1	OIL RETENSION KIT
14	607199	1	SEAL KIT
15	607870	1	KIT - SIDE COVER
16	607869	1	TUBE - SEALANT
Commentaires pour le numéro de pièce 607869 Used for sealing side cover on transmission. One tube covers multiple covers.			

Comments for Page: Transmission Service Parts - 604708


1. Hub kit (600970) includes the hub nut.



Élément	Numéro de pièce	Qté	Nom
1	602094	1	FAN / PULLEY KIT
2	607729	1	FAN - 7.0" (10 BLADE)
3	600974	1	GUARD, TRANS FILTER RS
4	604324	3	CS .250-20 X .75 HX FLG
5	600976	1	HYDRAULIC OIL FILTER
6	600970	1	KIT, HUB, 4 BOLT
7	604902	1	HG RTN CCW
8	604903	1	HG RTN SPRING
9	601221	1	ZT2800 BRAKE ARM - 2007
10	600972	1	CLIP, RETAINING
11	603223	1	O-RING, ZT28/3100 CHARGE
12	603572	1	COVER, ZT3100 CHRGR PUMP
13	606830	1	OIL RETENSION KIT
14	607199	1	SEAL KIT
15	607871	1	KIT - SIDE COVER
16	607869	1	TUBE - SEALANT
Commentaires pour le numéro de pièce 607869 Used for sealing side cover on transmission. One tube covers multiple covers.			

Comments for Page: Transmission Service Parts - 604709


1. Hub kit (600970) includes the hub nut.



Élément	Numéro de pièce	Qté	Nom
1	603983	2	DAMPER
2	781922	4	BALL STUD
3	768523	6	FW 0.343SAE
4	058776	2	NT .312-18NLG5
5	601069	2	CN .312-18x.200 MAX THK
6	772483	2	SB0.312X0.750SH0.250-20
7	606273	2	STEERING ROD S/A
8	768515	2	FW 0.281SAE
9	068551	2	NT .250-20 HXZY NL
10	023655	2	NT 0.312-24 NL G8
11	606575	2	CLIP, SAFETY
12	110370	2	STEERING BAR W/ GRIP
Not Shown	781260	2	GRIP, STEERING BAR
13	767954	4	FW 0.379X.82X.06 HD ZN
14	036244	4	CS .375-16X1.00 HX G5 ZN
15	029629	7	CS .375-16X0.75 HXF G5ZN
16	016899	7	NT .375-16 FLKG5
17	034272	2	NT .312-18HXG5
18	N/A	1	STEERING COVER ASSEMBLY
19	604173	2	YOKE, 5/16-24
20	041152	6	NT 0.312-24 HX G8
21	604666	2	ROD, STEERING
22	116144	2	BLOCK, STEERING CONTROL

Comments for Page: Steering & Brake - S/N 16017612 & Higher


1. Part of the transmission assembly.
2. Torque to 19 N•m.
3. The steering bar (110370) includes the grip (781260).




Élément	Numéro de pièce	Qté	Nom
1	603983	2	DAMPER
2	781922	4	BALL STUD
3	768523	6	FW 0.343SAE
4	058776	2	NT .312-18NLG5
5	601069	2	CN .312-18x.200 MAX THK
6	772483	2	SB0.312X0.750SH0.250-20
7	604173	2	YOKE, 5/16-24
8	041152	6	NT 0.312-24 HX G8
9	604666	2	ROD, STEERING
10	768515	2	FW 0.281SAE
11	068551	2	NT .250-20 HXZY NL
12	110370	2	STEERING BAR W/ GRIP
Not Shown	781260	1	GRIP, STEERING BAR
13	054502	4	NT .375-16HXG5
14	767954	8	FW 0.379X.82X.06 HD ZN
15	080655	4	CS .375-16X1.500HXG5
16	029629	7	CS .375-16X0.75 HXF G5ZN
17	016899	7	NT .375-16 FLKG5
18	034272	2	NT .312-18HXG5
19	116144	2	BLOCK, STEERING CONTROL
20	603332	2	CLIP E .66 X .303 X .035
21	N/A	1	STEERING COVER ASSEMBLY

Comments for Page: Steering & Brake - S/N Prior to 16017612

1. Part of the transmission assembly.
2. Steering bar (110370) includes the grip (781260).



Cette page intentionnellement laissée vierge




Élément	Numéro de pièce	Qté	Nom
1	604452	2	CS .250-20X2.00 HX FH ZN
2	768515	4	FW 0.281SAE
3	605529	2	STOP, STEERING
4	055939	2	CS .250-20X0.75 HX G5 ZN
5	601822	2	NUT PLATE, .420 CENTERS
6	781211	2	SWITCH, PUSH BUTTON
7	086660	3	NT .375-16NLG8
8	552415	1	SVC, STEERING S/A
9	781708	2	CS .500-13X4.25 HX G5 ZN
10	604288	2	SPACER, STEERING
11	606106	1	STEERING BOX SUB, LH
Not Shown	604300	1	STEERING BOX SUB, LH
12	768523	8	FW 0.343SAE
13	058776	4	NT .312-18NLG5
14	604179	2	BRAKE LINK
15	765339	4	BUSHING,IGUS#0608 (FS)
16	116142	1	BRAKE BLCRNK, LH
17	781567	2	NT .500-13NLG5
18	063198	4	CS #10-24X0.750FLKG5
19	005108	2	CS .375-16X3.500HXG5
20	606105	1	STEERING BOX SUB, RH
Not Shown	604299	1	STEERING BOX SUB, RH
21	116141	1	BRAKE BLCRNK, RH
22	605149	1	TRANSPORT LATCH
23	767954	2	FW 0.379X.82X.06 HD ZN
24	029629	1	CS .375-16X0.75 HXF G5ZN
25	552177	1	SERVICE, INDICATOR PANEL
26	604819	1	DECAL, DECK HEIGHT
27	056036	1	CS .375-16X2.250HXG5
28	016899	1	NT .375-16 FLKG5
29	785220	1	DECAL, STEERING R.S.
30	604840	1	DECAL, ID RSD
31	785139	1	DECAL, STEERING L.S.
32	781153	4	BUSHING, UHMW

Comments for Page: Steering Cover Assembly (Multi-Page)

1. 606106 and 606105 are used on mowers S/N 15100000 & higher. 604300 and 604299 are used on mowers S/N prior to 15100000.
2. Steering cover (552415) includes decals.
3. Indicator (552177) includes the decal (604819).


Cette page intentionnellement laissée vierge



Élément	Numéro de pièce	Qté	Nom
1	600676	2	TIR/WHL 20X8.00-10 SLV
2	061077	8	WHEEL NUT
3	705954	2	CS .500-13X1.25 HX G5 ZN
4	344267	2	FW .510X2.15X.19 ZN
5	712976	2	FW 0.531X1.38X.12 ZN
6	784223	4	BEARING
7	784603	2	SPACER
8	469924	2	GAGE WHEEL SPACER 1/4"
9	N/A	1	TIRE/WHEEL ASSEMBLY

Comments for Page: Wheel & Tire - 36" & 42" Mowers - S/N 18020001 & Higher


1. Torque to 88–102 N•m.



Élément	Numéro de pièce	Qté	Nom
1	606023	2	TIR/WHL 20X6.50-10 SLV
2	061077	8	WHEEL NUT
3	705954	2	CS .500-13X1.25 HX G5 ZN
4	344267	2	FW .510X2.15X.19 ZN
5	712976	2	FW 0.531X1.38X.12 ZN
6	784223	4	BEARING
7	784603	2	SPACER
8	469924	2	GAGE WHEEL SPACER 1/4"
9	N/A	2	TIRE/WHEEL ASSEMBLY

Comments for Page: Wheel & Tire - 36" & 42" Mowers - S/N Prior to 18020001


1. Torque to 88–102 N•m.




Élément	Numéro de pièce	Qté	Nom
1	600676	2	TIR/WHL 20X8.00-10 SLV
2	061077	8	WHEEL NUT
3	705954	2	CS .500-13X1.25 HX G5 ZN
4	344267	2	FW .510X2.15X.19 ZN
5	712976	2	FW 0.531X1.38X.12 ZN
6	784223	4	BEARING
7	784603	2	SPACER
8	N/A	1	TIRE/WHEEL ASSEMBLY

Comments for Page: Wheel & Tire - 48" Mowers


1. Torque to 88–102 N•m.




Élément	Numéro de pièce	Qté	Nom
1	605042	1	FORK W/A, 13X5
2	061101	1	NT .750-10 HX ZN NL GR B
3	025296	2	FW .760X1.63X0.08 ZN
4	786731	1	CS .750-10X8.000HXG5
5	605038	1	TIR/WHL 13X5.00-6 SLV
6	605039	1	TIR 13X5.00-6 B4R SMTH
7	786103	2	WHEEL BEARING
8	786079	1	WHL 6X3.25 SLV
9	019521	1	TIRE VALVE TR-412 GOODY




Élément	Numéro de pièce	Qté	Nom
1	604503	1	TIR 20X6.50-10 B4R GRMR
2	606022	1	WHL 10X6.00 4X4.0 SLV
3	019521	1	TIRE VALVE TR-412 GOODY



Élément	Numéro de pièce	Qté	Nom
1	600692	1	TIR 20X8.00-10 B4R GRMR
2	600718	1	WHL 10X7.00 4X4.0 SLV
3	019521	1	TIRE VALVE TR-412 GOODY



Cette page intentionnellement laissée vierge





Élément	Número de pièce	Qté	Nom
1		1	ENGINE, KAWASAKI FR651V
2	604463	30 cm	HOSE, OIL DRAIN
3	604016	1	MUFFLER, FR730V
4	016899	1	NT .375-16 FLKG5
5	121625	1	CLUTCH ANCHOR
6	767954	5	FW 0.379X.82X.06 HD ZN
7	036244	1	CS .375-16X1.00 HX G5 ZN
8	602580	4	CS .375-16X1.25HXG8ZYP85
9	712372	1	KEY 1/4 SQ X 0.66 LG(FS)
10	605675	1	PULLEY, ENG 4.118 OP
11	000331	4	WIRE TIE, SMALL/SHORT
12	791251	1	HARNESS, CLUTCH PIGTAIL
Commentaires pour le numéro de pièce 791251			
Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material.			
13	605595	1	BUSHING, CLUTCH
14	605777K	1	CLUTCH KIT, 605777
15	602680	1	FW .453X1.12X.12 HRD ZN
16	601834	1	CS .437-20X3.25 HXG5 P85
17	029876	1	LW .312 INTEXT ZN
18	720516	1	CS M8-1.25X16HX FL10.9
19	055939	2	CS .250-20X0.75 HX G5 ZN
20	768515	4	FW 0.281SAE
21	030817	1	STARTER SOLENOID
22	044255	1	NT #10-32HXG5
23	024927	2	NT .250-20HXG5
24	000323	2	CLIP, HOSE CLAMP
25	015818	46cm	FUEL LINE, 1/4"
Commentaires pour le numéro de pièce 015818			
Sold by the foot.			
26	603524	1	CS M5-0.8 X 50 MM
27	604274	1	VAPOR LINE, 3/16 FORMED


Comments for Page: Engine, FR651V - 36" & 42" Mowers (Multi-Page)

FUEL LINE LENGTHA: 46cm FUEL LINE FROM TANK TO FUEL FILTER1. Supplied with the engine.2. Torque to 61–65 N•m. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.3. Torque to 41–47 N•m. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.4. Torque to 23 N•m.5. Part of the fuel system.6. Part of the wire harness.

Cette page intentionnellement laissée vierge



Cette page intentionnellement laissée vierge





Élément	Numéro de pièce	Qté	Nom
1		1	ENGINE, KAW FR691V
2	604463	30 cm	HOSE, OIL DRAIN
3	603524	1	CS M5-0.8 X 50 MM
4	604016	1	MUFFLER, FR730V
5	016899	1	NT .375-16 FLKG5
6	121625	1	CLUTCH ANCHOR
7	767954	5	FW 0.379X.82X.06 HD ZN
8	036244	1	CS .375-16X1.00 HX G5 ZN
9	602580	4	CS .375-16X1.25HXG8ZYP85
10	712372	1	KEY 1/4 SQ X 0.66 LG(FS)
11	000331	4	WIRE TIE, SMALL/SHORT
12	791251	1	HARNESS, CLUTCH PIGTAIL
Commentaires pour le numéro de pièce 791251			
Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material.			
13	605675	1	PULLEY, ENG 4.118 OP
14	605777K	1	CLUTCH KIT, 605777
15	605595	1	BUSHING, CLUTCH
16	602680	1	FW .453X1.12X.12 HRD ZN
17	601834	1	CS .437-20X3.25 HXG5 P85
18	029876	1	LW .312 INTEXT ZN
19	720516	1	CS M8-1.25X16HX FL10.9
20	030817	1	STARTER SOLENOID
21	055939	2	CS .250-20X0.75 HX G5 ZN
22	768515	4	FW 0.281SAE
23	044255	1	NT #10-32HXG5
24	024927	2	NT .250-20HXG5
25	000323	2	CLIP, HOSE CLAMP
26	015818	46 cm	FUEL LINE, 1/4"
Commentaires pour le numéro de pièce 015818			
Sold by the foot.			
27	604274	1	VAPOR LINE, 3/16 FORMED



Comments for Page: Engine, FR691V - 48" Mowers - S/N 15023236 & Higher (Multi-Page)

1. Supplied with the engine.2. Torque to 61–65 N•m. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.3. Torque to 41–47 N•m. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.4. Torque to 23 N•m.5. Part of the fuel system.6. Part of the wire harness.FUEL LINE LENGTHA: 4 46 cm TANK TO FUEL FILTER (FUEL)

Cette page intentionnellement laissée vierge



Cette page intentionnellement laissée vierge




Élément	Numéro de pièce	Qté	Nom
1		1	ENGINE, KAW FR691V
2	604369	1	O-RING
3	604350	1	VALVE, OIL DRAIN
4	604463	30 cm	HOSE, OIL DRAIN
5	604016	1	MUFFLER, FR730V
6	016899	1	NT .375-16 FLKG5
7	118238	1	CLUTCH ANCHOR
8	767954	5	FW 0.379X.82X.06 HD ZN
9	036244	1	CS .375-16X1.00 HX G5 ZN
10	602580	4	CS .375-16X1.25HXG8ZYP85
11	000331	4	WIRE TIE, SMALL/SHORT
12	604712	1	PULLEY, PUMP STUB SHAFT
13	604713K	1	CLUTCH KIT, RSD
14	602680	1	FW .453X1.12X.12 HRD ZN
15	605448	1	CS .437-20X4.75 HXG5 P85
16	791251	1	HARNESS, CLUTCH PIGTAIL
Commentaires pour le numéro de pièce 791251			
Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material.			
17	055939	2	CS .250-20X0.75 HX G5 ZN
18	768515	4	FW 0.281SAE
19	044255	1	NT #10-32HXG5
20	030817	1	STARTER SOLENOID
21	024927	2	NT .250-20HXG5
22	029876	1	LW .312 INTEXT ZN
23	720516	1	CS M8-1.25X16HX FL10.9
24	000323	2	CLIP, HOSE CLAMP
25	015818	46 cm	FUEL LINE, 1/4"
Commentaires pour le numéro de pièce 015818			
Sold by the foot.			
26	604274	1	VAPOR LINE, 3/16 FORMED

Comments for Page: Engine, FR691V - 48" Mowers - S/N Prior to 15023236 (Multi-Page)

FUEL LINE LENGTHS
 Flag A: 46 cm TANK TO FUEL FILTER (FUEL)
 1. Supplied with the engine.
 2. Torque to 61–65 N•m. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.
 3. Torque to 41–47 N•m. Replace (do not reuse) the cap screw if it is

removed or loosened. Use only hand tools to install this fastener.4. Torque to 23 N•m.5. Part of the fuel system.6. Part of the wire harness.

Cette page intentionnellement laissée vierge




Élément	Numéro de pièce	Qté	Nom
1	068478	1	FUEL FILTER - IN LINE
2	603059	1	AIR FILTER - MAIN
3	602581	1	ENGINE OIL FILTER
4	604369	1	O-RING
5	604350	1	VALVE, OIL DRAIN




Élément	Numéro de pièce	Qté	Nom
1	606432	1	FUEL TANK
2	603807	1	CAP, 3.5" RATCHETING GAS
3	117059	1	TANK MNT LEFT
4	117060	1	TANK MNT RIGHT
5	713198	47 cm	SEAL 3/8x3/4 SOLD BY FT
6	055939	3	CS .250-20X0.75 HX G5 ZN
7	768515	3	FW 0.281SAE
8	604279	1	VAPOR LINE, 3/16 FORMED
9	604322	1	1/4" HOSE BARB CROSS
10	604273	1	VAPOR LINE, 3/16 FORMED
11	604292	1	BOOT, 3/16" TO 1/4" BARB
12	604323	1	VAPOR SYSTEM FILTER
13	000331	2	WIRE TIE, SMALL/SHORT
14	604307	2	MOUNT, PUSH BUTTON
15	033035	56 cm	WEATHERSTRIP .12X.75
16	601400	1	GM .63 x1.13 x.88 x .13

Comments for Page: Fuel System

1. 601400 is used on mowers S/N 15077829 & higher. WEATHERSTRIP & SEAL LENGTHS: A: 23.5 cm B: 13 cm C: 30 cm




Élément	Numéro de pièce	Qté	Nom
1	604199K	2	VENT FITTING SVC KIT
2	604200K	3	GROMMET SVC KIT
3	605126K	1	SUCTION HOSE SVC KIT



Élément	Numéro de pièce	Qté	Nom
1	604178	1	STRAP, TIE DOWN
2	604465	2	CS .250-20X7.50 HX G5 ZN
3	768515	2	FW 0.281SAE
4	771428	1	BATTERY CBL BOOT-RED(FS)
5	024927	2	NT .250-20HXG5
6	029868	4	LW .250 INTEXT ZN
7	055939	2	CS .250-20X0.75 HX G5 ZN
8	000331	2	WIRE TIE, SMALL/SHORT
9	601982	2	CN .250-20X .150 MAX THK

Comments for Page: Battery


1. When performing service on the mower, disconnect the negative battery cable and do not reconnect it to the battery until ready to start the engine.



Élément	Numéro de pièce	Qté	Nom
1	553371	1	36" SERVICE DECK
2	604221	1	DECAL, DANGER / CHUTE
3	793513	1	DECAL, 36" DECK ID
4	604222	1	DECAL, DANGER / OBJECTS

Comments for Page: 36" Service Deck


1. The deck includes decals.



Élément	Numéro de pièce	Qté	Nom
1	122027	1	PULLER
2	074252	2	CS .500-13X1.50 HX G5 ZN
3	606250	2	PIVOT SPACER BUSHING
4	781567	4	NT .500-13NLG5
5	607616	1	SPRING, DECK IDLER
6	767962	2	FW .531 x 1.063 x .175
7	605512	1	4" IDLER PULLEY
8	086660	1	NT .375-16NLG8
9	712893	2	FW 0.406X1.25X.12 HD ZN
10	119936	1	IDLER ARM, PIVOTING 36"
11	601839	1	PIVOT SPACER BUSHING
12	117539	1	SPACER, IDLER ARM
13	604253	1	CB .50-13 X 2.00 STD ZN
14	604251	2	NT .312-18 HXNL JAM G2ZN
15	122398	1	TENSIONING PULLEY STOP
16	768523	1	FW 0.343SAE
17	705954	2	CS .500-13X1.25 HX G5 ZN
18	798603	2	FW .515X1.65X.12 HD ZN
19	604777	2	SPINDLE SPACER
20	605860	2	PULLEY, A-SEC
21	604661	2	SPACER, SPINDLE PULLEY
22	054502	8	NT .375-16HXG5
23	767954	16	FW 0.379X.82X.06 HD ZN
24	005116	8	CS .375-16X1.38 HX G5 ZN
25	607418	2	BLADE SPINDLE ASSY
26	126123	1	SVC KIT 604219 PULLEY
27	604254	1	CB .50-13 X 2.50 STD ZN
28	037887	1	CB .312-18X 1.000 FUL ZN
29	080655	1	CS .375-16X1.500HXG5
30	083147	1	CB .312-18X .620 G5 ZN

Comments for Page: 36" Deck Pulleys & Spindles


1. Torque to 99 N•m.
2. Torque to 41 N•m.



Élément	Numéro de pièce	Qté	Nom
1	552183	1	SVC PULLEY COVER CE
2	604324	4	CS .250-20 X .75 HX FLG
3	552184	1	SVC PULLEY COVER LS CE
4	602562	2	DECAL, NO SERVICE
5	603806	1	DECK BELT
6	604609	1	DISCHARGE CHUTE
7	086660	1	NT .375-16NLG8
8	604331	1	CHUTE SPRING
9	604346	1	PIN, DISCHARGE CHUTE
10	781567	1	NT .500-13NLG5
11	767962	3	FW .531 x 1.063 x .175
12	788166	1	WHEEL ASSY, ANTI SCALP
13	783753	2	BLADE, 17.86"-L-F-CW
Not Shown	603995	2	BLADE, 17.86" -M-F-CW
Not Shown	787721	2	BLADE, 17.86"-H-F-CW
Not Shown	603848	2	BLADE, 17.86"-CAT-F-CW
Not Shown	794198	2	BLADE, 17.86"-MUL-F-CW
Not Shown	785436	2	BLADE, 17.86"-GAT-F-CW
14	782474	2	CW .678 X 2.250 X .187
15	781872	2	CS .625-11X1.250HXG5
16	781708	1	CS .500-13X4.25 HX G5 ZN
17	031997	1	ANTI-SCALP WHEEL
18	053199	1	NT .500-13JAMG5

Comments for Page: 36" Deck


1. Torque to 160 N•m.
2. Torque to 11 N•m on these self-tapping screws.
3. Do not torque; the discharge chute must pivot freely.
4. The plastic wheel assembly includes hardware.



Élément	Numéro de pièce	Qté	Nom
1	553369	1	42" SERVICE DECK
2	604221	1	DECAL, DANGER / CHUTE
3	793521	1	DECAL, 42" DECK ID
4	604222	1	DECAL, DANGER / OBJECTS

Comments for Page: 42" Service Deck


1. The deck includes decals.



Élément	Numéro de pièce	Qté	Nom
1	781567	4	NT .500-13NLG5
2	767962	2	FW .531 x 1.063 x .175
3	605512	1	4" IDLER PULLEY
4	086660	1	NT .375-16NLG8
5	712893	2	FW 0.406X1.25X.12 HD ZN
6	117512	1	IDLER ARM, PIVOTING
7	607616	1	SPRING, DECK IDLER
8	601839	1	PIVOT SPACER BUSHING
9	117539	1	SPACER, IDLER ARM
10	603846	1	NT .375-16 HX NL JAM ZN
11	122398	1	TENSIONING PULLEY STOP
12	604253	1	CB .50-13 X 2.00 STD ZN
13	126123	1	SVC KIT 604219 PULLEY
14	705954	2	CS .500-13X1.25 HX G5 ZN
15	798603	2	FW .515X1.65X.12 HD ZN
16	604661	4	SPACER, SPINDLE PULLEY
17	604704	2	PULLEY, DECK DRIVE B-SEC
18	054502	8	NT .375-16HXG5
19	767954	16	FW 0.379X.82X.06 HD ZN
20	005116	8	CS .375-16X1.38 HX G5 ZN
21	604254	1	CB .50-13 X 2.50 STD ZN
22	607418	2	BLADE SPINDLE ASSY
23	080655	1	CS .375-16X1.500HXG5
24	025395	1	CB .375-16X 1.00 G5 ZN
25	122027	1	PULLER
26	074252	2	CS .500-13X1.50 HX G5 ZN
27	606250	2	PIVOT SPACER BUSHING
28	604251	1	NT .312-18 HXNL JAM G2ZN
29	768523	1	FW 0.343SAE
30	083147	1	CB .312-18X .620 G5 ZN

Comments for Page: 42" Deck Pulleys & Spindles


1. Torque to 99 N•m.
2. Torque to 41 N•m.



Élément	Numéro de pièce	Qté	Nom
1	553569	2	SVC PULLEY COVER CE
2	604324	2	CS .250-20 X .75 HX FLG
3	602562	2	DECAL, NO SERVICE
4	606016	1	DECK BELT
5	604609	1	DISCHARGE CHUTE
6	086660	1	NT .375-16NLG8
7	604331	1	CHUTE SPRING
8	604346	1	PIN, DISCHARGE CHUTE
9	781567	1	NT .500-13NLG5
10	767962	3	FW .531 x 1.063 x .175
11	788166	1	WHEEL ASSY, ANTI SCALP
12	793794	2	BLADE,20.50"-L-F-CW
Not Shown	794685	2	BLADE, F20.50"-H-F-CW
Not Shown	793935	2	BLADE,20.50"-CAT-F-CW
Not Shown	794214	2	BLADE,20.50"-MUL-F-CW
Not Shown	794230	2	BLADE,20.50"GAT-F-CW
13	782474	2	CW .678 X 2.250 X .187
14	781872	2	CS .625-11X1.250HXG5
15	781708	1	CS .500-13X4.25 HX G5 ZN
16	031997	1	ANTI-SCALP WHEEL
17	053199	1	NT .500-13JAMG5

Comments for Page: 42" Deck


1. Torque to 160 N•m.
2. Torque to 11 N•m on these self-tapping screws.
3. Do not torque; the discharge chute must pivot freely.
4. The plastic wheel assembly includes hardware



Élément	Numéro de pièce	Qté	Nom
1	552267	1	48" SERVICE DECK
2	601624	1	DECAL, DISCHARGE CHUTE
3	601837	1	DECAL, DECK DANGERS
4	793976	1	DECAL,48"DECK ID
5	604222	1	DECAL, DANGER / OBJECTS

Comments for Page: 48" Service Deck


1. The deck includes decals.



Élément	Numéro de pièce	Qté	Nom
1	781567	3	NT .500-13NLG5
2	767962	3	FW .531 x 1.063 x .175
3	605512	1	4" IDLER PULLEY
4	604251	5	NT .312-18 HXNL JAM G2ZN
5	604252	4	FW .340X.68X.04 ZN
6	604110	2	ANCHOR, SPRING TENSIONER
7	607616	1	SPRING, DECK IDLER
8	604194	1	SLED, IDLER
9	604079	2	IDLER SLIDE, EXTRUDED
10	604253	1	CB .50-13 X 2.00 STD ZN
11	705954	3	CS .500-13X1.25 HX G5 ZN
12	798603	3	FW .515X1.65X.12 HD ZN
13	604661	6	SPACER, SPINDLE PULLEY
14	604665	3	PULLEY, DECK DRIVE B-SEC
15	054502	12	NT .375-16HXG5
16	767954	24	FW 0.379X.82X.06 HD ZN
17	126124	1	SVC KIT 604231 PULLEY
18	126123	1	SVC KIT 604219 PULLEY
19	017129	1	FW .440X1.00X0.08 ZN
20	607418	3	BLADE SPINDLE ASSY
21	005116	12	CS .375-16X1.38 HX G5 ZN
22	083147	5	CB .312-18X .620 G5 ZN
23	605516	2	FW .531 x 2.25 x .25 ZN
24	721910	2	CS .500-13X2.750HXG5

Comments for Page: 48" Deck Pulleys & Spindles - S/N 15032154 & Higher


1. Torque to 99 N•m.
2. Torque to 40 N•m.



Élément	Numéro de pièce	Qté	Nom
1	781567	3	NT .500-13NLG5
2	121780	1	BELT GUIDE
3	767962	3	FW .531 x 1.063 x .175
4	605512	1	4" IDLER PULLEY
5	604251	5	NT .312-18 HXNL JAM G2ZN
6	604252	4	FW .340X.68X.04 ZN
7	604110	2	ANCHOR, SPRING TENSIONER
8	607616	1	SPRING, DECK IDLER
9	604194	1	SLED, IDLER
10	604079	2	IDLER SLIDE, EXTRUDED
11	604253	1	CB .50-13 X 2.00 STD ZN
12	705954	3	CS .500-13X1.25 HX G5 ZN
13	798603	3	FW .515X1.65X.12 HD ZN
14	604661	6	SPACER, SPINDLE PULLEY
15	604665	3	PULLEY, DECK DRIVE B-SEC
16	054502	12	NT .375-16HXG5
17	767954	24	FW 0.379X.82X.06 HD ZN
18	126124	1	SVC KIT 604231 PULLEY
19	126123	1	SVC KIT 604219 PULLEY
20	607418	3	BLADE SPINDLE ASSY
21	005116	12	CS .375-16X1.38 HX G5 ZN
22	083147	5	CB .312-18X .620 G5 ZN
23	605516	2	FW .531 x 2.25 x .25 ZN
24	721910	2	CS .500-13X2.750HXG5
25	017129	1	FW .440X1.00X0.08 ZN

Comments for Page: 48" Deck Pulleys & Spindles - S/N Prior to 15032154


1. Torque to 99 N•m.
2. Torque to 40 N•m.




Élément	Numéro de pièce	Qté	Nom
1	122697	1	CE PULLEY COVER SVD KIT
2	604324	4	CS .250-20 X .75 HX FLG
3	602562	2	DECAL, NO SERVICE
4	604830	1	DECK BELT
5	604609	1	DISCHARGE CHUTE
6	604346	1	PIN, DISCHARGE CHUTE
7	604331	1	CHUTE SPRING
8	086660	1	NT .375-16NLG8
9	604658	2	PIN, PULLER
10	017301	2	HP .125 X2.375 ZN
11	117877	1	PULLER, RS
12	117878	1	PULLER, LS
13	781567	3	NT .500-13NLG5
14	767962	5	FW .531 x 1.063 x .175
15	788166	3	WHEEL ASSY, ANTI SCALP
16	601123	3	BLADE, 16.50"-L-F-CW
Not Shown	795757	3	BLADE, F16.50"-H-F-CW
Not Shown	796631	3	BLADE, 16.50"-GAT-F-CW
Not Shown	796649	3	BLADE, 16.50"-CAT-F-CW
17	782474	3	CW .678 X 2.250 X .187
18	781872	3	CS .625-11X1.250HXG5
19	781708	1	CS .500-13X4.25 HX G5 ZN
20	031997	1	ANTI-SCALP WHEEL
21	053199	1	NT .500-13JAMG5

Comments for Page: 48" Deck


1. Torque to 160 N•m.
2. Torque to 11 N•m on these 4 self-tapping screws.
3. Do not torque; the discharge chute must pivot freely.
4. Mowers with serial numbers prior to 15081706 require kit 122697, which includes a drill template, hardware and (1) pulley cover 553531 (with decal).
5. Pulley covers include decals.




Élément	Numéro de pièce	Qté	Nom
1	783548	1	RING, BLADE SPINDLE RET
2	601827	2	BEARING, 6205 2RST C3
3	601830	1	SPACER, BLADE SPINDLE
4	607419	1	SVC, SPINDLE HOUSING
5	607416	4	AXEL BOLT 3/8-16 X 1.375
6	601829	1	SHAFT, BLADE SPINDLE




Cette page intentionnellement laissée vierge




Élément	Numéro de pièce	Qté	Nom
1	118020	1	PIN, INDICATOR
2	054502	2	NT .375-16HXG5
3	767954	8	FW 0.379X.82X.06 HD ZN
4	118085	1	DECK LIFT W/A, REAR
5	601839	2	PIVOT SPACER BUSHING
6	118016	1	LIFT PEDAL, LINK
7	005132	1	CS .375-16X1.12 HX G5 Z
8	016899	8	NT .375-16 FLKG5
9	116151	4	PIVOT BLOCK, DECK LIFT
10	029629	8	CS .375-16X0.75 HXF G5ZN
11	086660	4	NT .375-16NLG8
12	605114	4	FW .41X.94X.25 UHMW
13	791673	8	CLIP E,.625x.480x.042 Z
14	118018	4	PIVOT, DECK LIFT
15	604579	4	LINK, DECK LIFT
16	604803	4	CE .375 x 2.00 W/BALE
17	036244	1	CS .375-16X1.00 HX G5 ZN
18	118084	1	DECK LIFT W/A, FRONT
19	074252	2	CS .500-13X1.50 HX G5 ZN
20	606250	2	PIVOT SPACER BUSHING
21	781567	2	NT .500-13NLG5




Cette page intentionnellement laissée vierge




Élément	Numéro de pièce	Qté	Nom
1	118020	1	PIN, INDICATOR
2	054502	2	NT .375-16HXG5
3	767954	8	FW 0.379X.82X.06 HD ZN
4	118085	1	DECK LIFT W/A, REAR
5	601839	2	PIVOT SPACER BUSHING
6	118016	1	LIFT PEDAL, LINK
7	005132	1	CS .375-16X1.12 HX G5 Z
8	016899	8	NT .375-16 FLKG5
9	116151	4	PIVOT BLOCK, DECK LIFT
10	029629	8	CS .375-16X0.75 HXF G5ZN
11	086660	4	NT .375-16NLG8
12	605114	4	FW .41X.94X.25 UHMW
13	791673	8	CLIP E,.625x.480x.042 Z
14	118018	4	PIVOT, DECK LIFT
15	604579	4	LINK, DECK LIFT
16	604803	4	CE .375 x 2.00 W/BALE
17	036244	1	CS .375-16X1.00 HX G5 ZN
18	118084	1	DECK LIFT W/A, FRONT
19	074252	2	CS .500-13X1.50 HX G5 ZN
20	606250	2	PIVOT SPACER BUSHING
21	781567	2	NT .500-13NLG5



Cette page intentionnellement laissée vierge




Élément	Numéro de pièce	Qté	Nom
1	118020	1	PIN, INDICATOR
2	016899	8	NT .375-16 FLKG5
3	118085	1	DECK LIFT W/A, REAR
4	054502	2	NT .375-16HXG5
5	767954	8	FW 0.379X.82X.06 HD ZN
6	601839	2	PIVOT SPACER BUSHING
7	118016	1	LIFT PEDAL, LINK
8	005132	1	CS .375-16X1.12 HX G5 Z
9	086660	4	NT .375-16NLG8
10	605114	4	FW .41X.94X.25 UHMW
11	791673	8	CLIP E,.625x.480x.042 Z
12	118018	4	PIVOT, DECK LIFT
13	604579	4	LINK, DECK LIFT
14	604803	4	CE .375 x 2.00 W/BALE
15	116151	4	PIVOT BLOCK, DECK LIFT
16	029629	8	CS .375-16X0.75 HXF G5ZN
17	036244	1	CS .375-16X1.00 HX G5 ZN
18	118084	1	DECK LIFT W/A, FRONT
19	604656	2	PIVOT SPACER BUSHING
20	767962	4	FW .531 x 1.063 x .175
21	781567	2	NT .500-13NLG5
22	074252	2	CS .500-13X1.50 HX G5 ZN



Élément	Numéro de pièce	Qté	Nom
1	552981	1	SERVICE GUARD
2	055939	4	CS .250-20X0.75 HX G5 ZN
3	768515	4	FW 0.281SAE
4	601982	2	CN .250-20X .150 MAX THK
5	552982	1	SERVICE GUARD
6	122347	1	GUARD, TRANS LH, CE- KIT
7	029751	4	CS .375-16X1.00 HXF G5ZN
8	073858	4	FW .406X .750X.250 ZN
9	016899	4	NT .375-16 FLKG5
10	122346	1	GUARD, TRANS RH ,CE- KIT
11	120838	1	REAR TRANSMISSION BRACE

Comments for Page: 48" CE Guard Kit


1. Part of the Transmission Assembly.



Élément	Numéro de pièce	Qté	Nom
1	792226	1	SEAT, MICHIGAN STANDARD
2	552751	1	SVC, SEAT PAN
3	604307	1	MOUNT, PUSH BUTTON
4	000331	1	WIRE TIE, SMALL/SHORT
5	086660	2	NT .375-16NLG8
6	768523	4	FW 0.343SAE
7	079186	4	CS .312-18X1.250HXG5
8	029629	2	CS .375-16X0.75 HXF G5ZN
9	793851	2	SPRING,COMP 1.25X4.00X.
10	016899	2	NT .375-16 FLKG5
11	036244	2	CS .375-16X1.00 HX G5 ZN
12	781419	1	DECAL, BELT ROUTING
13	601815	1	DECAL, BATTERY WARNINGS
14	712919	2	FW 0.406X1.00X.12 HD ZN

Comments for Page: Standard Seat, 48" Mowers - S/N 15110000 & Higher


1. Do not torque; the seat pan must pivot freely.
2. Torque to 9.5 N•m.
3. When replacing the seat pan, order (2) washers, (item 14).
4. Seat pan (552751) includes decals.




Élément	Numéro de pièce	Qté	Nom
1	792226	1	SEAT, MICHIGAN STANDARD
2	552751	1	SVC, SEAT PAN
3	604307	1	MOUNT, PUSH BUTTON
4	605782	1	DECAL, LEVEL FUEL BLOWM
5	000331	1	WIRE TIE, SMALL/SHORT
6	086660	2	NT .375-16NLG8
7	768523	4	FW 0.343SAE
8	079186	4	CS .312-18X1.250HXG5
9	029629	3	CS .375-16X0.75 HXF G5ZN
10	793851	3	SPRING,COMP 1.25X4.00X.
11	016899	3	NT .375-16 FLKG5
12	036244	2	CS .375-16X1.00 HX G5 ZN
13	601815	1	DECAL, BATTERY WARNINGS
14	712919	2	FW 0.406X1.00X.12 HD ZN

Comments for Page: Standard Seat, 48" Mowers - S/N PRIOR TO 15110000

1. Do not torque; the seat pan must pivot freely.
2. Torque to 9.5 N•m.
3. When replacing the seat pan, order (2) washers (712919).
4. The seat pan (552751) includes decals.




Élément	Numéro de pièce	Qté	Nom
Not Shown	792226	1	SEAT, MICHIGAN STANDARD
1	793315	1	SWITCH, SNAP MOUNT
2	604459	1	EXT. ARMREST KIT R.H.
3	604458	1	EXT. ARMREST KIT L.H.
4	793273	2	ARMREST,STOP ASSY




Élément	Numéro de pièce	Qté	Nom
1	607347	1	SEAT
2	552751	1	SVC, SEAT PAN
3	604307	1	MOUNT, PUSH BUTTON
4	000331	1	WIRE TIE, SMALL/SHORT
5	768523	4	FW 0.343SAE
6	036236	4	CS .312-18X1.000HXG5
7	767954	4	FW 0.379X.82X.06 HD ZN
8	086660	2	NT .375-16NLG8
9	029751	2	CS .375-16X1.00 HXF G5ZN
10	793851	2	SPRING,COMP 1.25X4.00X.
11	016899	2	NT .375-16 FLKG5
12	036244	2	CS .375-16X1.00 HX G5 ZN
13	602243	1	DECAL, BELT ROUTING
Not Shown	781419	1	DECAL, BELT ROUTING
14	601815	1	DECAL, BATTERY WARNINGS

Comments for Page: Seat - S/N 19084846 & Higher

1. Do not torque; the seat pan must pivot freely.
2. Torque to 12–19 N•m.
3. The seat pan (552751) includes decals.
4. 602243 is used on 36" & 42" mowers.
781419 is used on 48" mowers.




Élément	Numéro de pièce	Qté	Nom
1	607166	1	SVC, ARM REST KIT
2	606081	1	SVC, ARM PAD
3	607348	1	SVC, SEAT BACK COVER
4	607349	1	SVC, SEAT CUSHION COVER
5	606082	1	SVC, OPS



Élément	Numéro de pièce	Qté	Nom
1	606077	1	S/C TO 607347
2	712927	4	FW 0.344X1.00X.12 HD ZN
3	552751	1	SVC, SEAT PAN
4	604307	1	MOUNT, PUSH BUTTON
5	000331	1	WIRE TIE, SMALL/SHORT
6	768523	4	FW 0.343SAE
7	079186	4	CS .312-18X1.250HXG5
8	767954	4	FW 0.379X.82X.06 HD ZN
9	086660	2	NT .375-16NLG8
10	029629	2	CS .375-16X0.75 HXF G5ZN
11	793851	2	SPRING,COMP 1.25X4.00X.
12	016899	2	NT .375-16 FLKG5
13	036244	2	CS .375-16X1.00 HX G5 ZN
14	781419	1	DECAL, BELT ROUTING
15	601815	1	DECAL, BATTERY WARNINGS

Comments for Page: Seat - S/N PRIOR TO 19084846

1. Do not torque; the seat pan must pivot freely.2. Torque to 12–19 N•m.3. When replacing the seat pan, order (4) washers, 767954.4. The seat pan (552751) includes decals.



Élément	Numéro de pièce	Qté	Nom
Not Shown	606077	1	S/C TO 607347
1	606081	2	SVC, ARM PAD
2	606085	1	SVC, ARMEST SET
3	606082	1	SVC, OPS
4	606083	1	SVC, BACK CUSHION
5	606084	1	SVC, SEAT CUSHION

Comments for Page: Seat Service Parts - 606077

1. The arm bracket kit includes right and left side brackets.