


# Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



#### NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.

The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or
2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.

|                                                                           |     |
|---------------------------------------------------------------------------|-----|
| General Information .....                                                 | 1   |
| <b>Frame &amp; Cover</b>                                                  |     |
| Frame .....                                                               | 3-1 |
| Cover .....                                                               | 3-2 |
| <b>Transmissions, Drive Belt, Handlebar, Instrument Panel &amp; Brake</b> |     |
| Transmissions, Hoses & Drive Belt (Multi-Page) .....                      | 4-1 |
| Transmission Service Parts .....                                          | 4-2 |
| Instrument Panel (Multi-Page) .....                                       | 4-3 |
| Handlebar - Steering Sub-Assembly .....                                   | 4-4 |
| Brake .....                                                               | 4-5 |
| <b>Wheels &amp; Tires</b>                                                 |     |
| Wheels & Tires .....                                                      | 5-1 |
| Front Wheel Assembly .....                                                | 5-2 |
| Drive Wheel Breakdown - Black .....                                       | 5-3 |
| Drive Wheel Breakdown - Silver .....                                      | 5-4 |
| <b>Engine, Muffler, Clutch &amp; Fuel System</b>                          |     |
| Engine, Muffler, & Clutch (Multi-Page) .....                              | 6-1 |
| Engine Service Parts - FS541V .....                                       | 6-2 |
| Battery .....                                                             | 6-3 |
| Fuel System .....                                                         | 6-4 |
| Fuel Tank Service Parts - 605097 .....                                    | 6-5 |
| <b>Deck, Deck Belt, Blades &amp; Deck Lift</b>                            |     |
| Service Deck .....                                                        | 7-1 |
| Deck Pulleys & Spindles .....                                             | 7-2 |
| Spindle Service Parts - 607208 .....                                      | 7-3 |
| Deck, Deck Belt & Blades .....                                            | 7-4 |
| Mulch Kit .....                                                           | 7-5 |
| Deck Lift & Deck Mounting Hardware (Multi-Page) .....                     | 7-6 |



---

## General Information

**Note:** When ordering parts, you must use the part number as shown for each part, not the index number. Always give the model and serial number to your parts and service representative.

**Note:** Items sold in bulk such as seals and hoses are sold by the foot.

---

### **Using This Manual**

This manual is part of a service package for the Hustler® mowers. Use of this manual in conjunction with other Hustler® mower and component manuals will provide the information necessary to service and maintain Hustler® mowers.

This Parts Manual provides a complete parts listing for the unit. Use this manual when ordering parts. Illustrations used were current at the time of printing, but subsequent production changes may cause your machine to vary slightly in detail. Excel Industries, Inc. reserves the right to redesign and change the machine as deemed necessary, without notification. If a change has been made to your machine which is not reflected in this parts manual, see your authorized dealer for current information and parts.

The Service Manual is a service guide for use by Service Technicians. It provides the necessary information needed to perform normal maintenance requirements on these units.

The Operator's Manual provides fundamental operational information and operational safety that is needed when operating the mower.

The component manuals are furnished by the various manufacturers to be used for the troubleshooting and servicing of their products.

### **Hardware Description Codes & Abbreviations**

The following codes are used throughout this parts manual. Refer to this list when ordering parts.

| ABBREVIATION | DESCRIPTION   | ABBREVIATION | DESCRIPTION            |
|--------------|---------------|--------------|------------------------|
| CB           | CARRIAGE BOLT | MB           | MACHINE BUSHING        |
| CE           | CLEVIS PIN    | MS           | MACHINE SCREW          |
| CN           | CLIP NUT      | NT           | NUT                    |
| CP           | COTTER PIN    | SC           | SELF TAPPING CAP SCREW |
| CS           | CAP SCREW     | SH           | SOCKET HEAD            |
| CW           | CUP WASHER    | SB           | SHOULDER BOLT          |
| FDRW         | FENDER WASHER | SS           | SET SCREW              |
| FW           | FLAT WASHER   | OD           | OUTSIDE DIAMETER       |
| HX           | HEX HEAD      | ID           | INSIDE DIAMETER        |
| LW           | LOCK WASHER   | WN           | WELD NUT               |

---


### **Standard Torques**

The following chart lists the standard torque values for the threaded fasteners found in this manual. Torque all cap screws, nuts and set screws to these values unless a different torque is shown in the Notes section next to the fastener.

| SIZE | FT-LBS | N•M  | SIZE | FT-LBS | N•M   |
|------|--------|------|------|--------|-------|
| .250 | 8.2    | 11.1 | M3   | 1      | 1.3   |
| .312 | 17     | 23   | M4   | 2.2    | 3     |
| .375 | 30     | 40   | M5   | 4.5    | 6.1   |
| .438 | 48     | 65   | M6   | 7.7    | 10.4  |
| .500 | 73     | 99   | M8   | 18.5   | 25    |
| .562 | 105    | 143  | M10  | 37     | 50    |
| .625 | 145    | 200  | M12  | 64     | 87    |
| .750 | 260    | 350  | M14  | 80     | 108.5 |
| .875 | 420    | 565  | M16  | 160    | 215   |
| 1.00 | 625    | 850  | M20  | 320    | 435   |
|      |        |      | M24  | 555    | 750   |

---

Cette page intentionnellement laissée vierge



## Frame


36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC

| Élément | Numéro de pièce | Qté | Nom                        |
|---------|-----------------|-----|----------------------------|
| 1       | 555169          | 1   | SVC FRAME, 36" CE TS       |
| 2       | 601069          | 8   | CN .312-18x.200 MAX THK    |
| 3       | N/A             | 2   | SERIAL NUMBER / SPEC DECAL |
| 4       | 776310          | 1   | DECAL, CE MARK             |
| 5       | 794834CE        | 1   | CE 100 DBA LIMIT DECAL     |
| 6       | 602041          | 1   | DECAL, HOT                 |
| 7       | 808485          | 8   | RIVET NUT, 5/16-18 THRE    |

Comments for Page: Frame

1. Serial number decal. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.
2. EPA compliance decal.
3. The frame includes the decals and hardware.







## Cover

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC


| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 1       | 036236          | 4   | CS .312-18X1.000HXG5     |
| 2       | 712927          | 4   | FW 0.344X1.00X.12 HD ZN  |
| 3       | 125524-1        | 1   | DECK COVER               |
| 4       | 114509          | 1   | HEAT SHIELD, W/A         |
| 5       | 036244          | 2   | CS .375-16X1.00 HX G5 ZN |
| 6       | 767954          | 4   | FW 0.379X.82X.06 HD ZN   |
| 7       | 602061CE        | 1   | DECK HEIGHT DECAL        |
| 8       | 086660          | 2   | NT .375-16NLG8           |
| 9       | 602562          | 1   | DECAL, NO SERVICE        |



Cette page intentionnellement laissée vierge




Cette page intentionnellement laissée vierge



Cette page intentionnellement laissée vierge






| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 1       | 043067          | 4   | CS .312-18X3.000HXG5     |
| 2       | 768523          | 32  | FW 0.343SAE              |
| 3       | 710087          | 4   | CS .312-18X2.500HXG5     |
| 4       | 034280          | 10  | CS .312-18X0.750HXG5     |
| 5       | 111157          | 2   | PLATE, TS TOW VALVE      |
| 6       | 607496          | 1   | TRANS - L, ZT2800        |
| 7       | 607497          | 1   | TRANS - R, ZT2800        |
| 8       | 058776          | 10  | NT .312-18NLG5           |
| 9       | 110730          | 1   | CHARGE PUMP COVER, LH    |
| 10      | 110731          | 1   | CHARGE PUMP COVER, RH    |
| 11      | 778746          | 1   | RING, 2" ID SPLIT        |
| 12      | 259812          | 1   | CHAIN, 13 LINK           |
| 13      | 036384          | 1   | SPRING 1/4 COIL PL 1.23  |
| 14      | 025296          | 1   | FW .760X1.63X0.08 ZN     |
| 15      | 781153          | 2   | BUSHING, UHMW            |
| 16      | 110551          | 1   | IDLER ARM W/A, 36" TS    |
| 17      | 604514          | 1   | FW .760X1.38X.08 ZN      |
| 18      | 601084          | 1   | SB .750X 2.000 SH.625-11 |
| 19      | 601838          | 1   | DRIVE BELT               |
| 20      | 607525          | 1   | PULLEY, IDLER            |
| 21      | 028118          | 1   | FW 0.625X1.00X.13 ZN     |
| 22      | 781872          | 1   | CS .625-11X1.250HXG5     |
| 23      | 034272          | 2   | NT .312-18HXG5           |
| 24      | 781922          | 2   | BALL STUD                |
| 25      | 125532-3        | 1   | SUPPORT - BRAKE PULL     |
| 26      | 055939          | 2   | CS .250-20X0.75 HX G5 ZN |
| 27      | 016410          | 2   | CS .375-16X2.000HXG5     |
| 28      | 767954          | 2   | FW 0.379X.82X.06 HD ZN   |
| 29      | 109202          | 1   | BRAKE SPRING LINK, RS    |
| 30      | 110537          | 1   | ZT SPACER TUBE           |
| 31      | 109203          | 1   | BRAKE SPRING LINK, LS    |
| 32      | 016816          | 2   | NT .250-20FLKG5          |
| 33      | 602228          | 2   | TOW LINK ROD             |
| 34      | 601503          | 2   | CB .250-20 X .625 ZN     |
| 35      | 111616          | 1   | TOW VALVE BRACKET, LS    |
| 36      | 111617          | 1   | TOW VALVE BRACKET, RS    |

Cette page intentionnellement laissée vierge


| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 37      | 768515          | 10  | FW 0.281SAE              |
| 38      | 041988          | 2   | SPRING LC-042F-5         |
| 39      | 068551          | 6   | NT .250-20 HXZY NL       |
| 40      | 013334          | 2   | CS0.250-20X0.870HXG5     |
| 41      | 601996          | 1   | EXPANSION TANK, ZT2800   |
| 42      | 016253          | 6   | CB .312-18X .750 FUL ZN  |
| 43      | 043570          | 6   | CLIP - HOSE - SINGLE(FS) |
| 44      | 016832          | 6   | NT .312-18FLKG5          |
| 45      | 601001          | 4   | SPRING CLAMP, .75" DIA   |
| 46      | 605897          | 1   | HOSE 22" 787713          |
| 47      | 605898          | 1   | HOSE 37.5" 787713        |
| 48      | 601219          | 2   | FTG, 90 - 9/16 SAE       |
| 49      | 600767          | 1   | CAP, OVERFLOW TANK       |

Comments for Page: Transmissions, Hoses & Drive Belt (Multi-Page)


1. Torque to 136 N•m.
2. Torque to 41 N•m.
3. Left side transmission.
4. Right side transmission.



LEFT SIDE TRANSMISSION SHOWN  
RIGHT SIDE SIMILAR




| Élément   | Numéro de pièce | Qté | Nom                  |
|-----------|-----------------|-----|----------------------|
| 1         | 602094          | 1   | FAN / PULLEY KIT     |
| 2         | 604901          | 1   | HG RTN CW            |
| Not Shown | 604902          | 1   | HG RTN CCW           |
| 3         | 604903          | 1   | HG RTN SPRING        |
| 4         | 600972          | 1   | CLIP, RETAINING      |
| 5         | 604957          | 1   | BRAKE ARM, ZT3400    |
| 6         | 600974          | 1   | GUARD, TRANS FILTER  |
| Not Shown | 600975          | 1   | GUARD, TRANS FILTER  |
| 7         | 600976          | 1   | HYDRAULIC OIL FILTER |
| 8         | 600970          | 1   | KIT, HUB, 4 BOLT     |




Cette page intentionnellement laissée vierge






Cette page intentionnellement laissée vierge



Cette page intentionnellement laissée vierge



| Élément | Numéro de pièce | Qté | Nom                                         |
|---------|-----------------|-----|---------------------------------------------|
| 1       |                 | 1   | REFER TO "HANDLEBAR - STEERING SUB-ASSMBLY" |
| 2       | 606980          | 1   | KNOB, POLYPROPYLENE                         |
| 3       | 110645          | 1   | NEUTRAL LOCK HANDLE ROD                     |
| 4       | 047456          | 1   | GM .750X.188X1.00X.12                       |
| 5       | 045765          | 3   | FW 1.030X1.50X.13 HD ZN                     |
| 6       | 784223          | 2   | BEARING                                     |
| 7       | 768523          | 10  | FW 0.343SAE                                 |
| 8       | 041152          | 2   | NT 0.312-24 HX G8                           |
| 9       | 110652          | 1   | CONSOLE W/A                                 |
| 10      | 608105          | 1   | DECAL, TRIMSTAR                             |
| 11      | 608127          | 1   | DECAL, USA, F&D                             |
| 12      | 601935          | 1   | DECAL, TS INST PNL ES                       |
| 13      | 771030          | 1   | DECAL, H-BAR STEERING                       |
| 14      | 601967          | 1   | DECAL, ENGINE COMPART                       |
| 15      | 767962          | 2   | FW .531 x 1.063 x .175                      |
| 16      | 073338          | 1   | CE .500X4.50 .156X4.34                      |
| 17      | 017251          | 1   | CP .156DX1.000 LG HML Z                     |
| 18      | 054502          | 10  | NT .375-16HXG5                              |
| 19      | 768259          | 6   | BUSHING,IGUS#0810 (FS)                      |
| 20      | 119748          | 1   | NEUTRAL LOCK YOKE ASSY                      |
| 21      | 604448          | 1   | UHMW CHANNEL                                |
| 22      | 076422          | 1   | FW 0.406X1.00X.06 ZN                        |
| 23      | 086660          | 1   | NT .375-16NLG8                              |
| 24      | 305086          | 1   | PIVOT PIN                                   |
| 25      | 110639          | 2   | BELLCRANK W/A                               |
| 26      | 601953          | 1   | WASHER, WAVY .558x1.005                     |
| 27      | 788554          | 1   | LOCK COLLAR, .500x1.000                     |
| 28      | 058776          | 3   | NT .312-18NLG5                              |
| 29      | 601952          | 2   | PUMP ADJUSTMENT ROD                         |
| 30      | 601098          | 6   | CB 10-24 X .500 ZYNC                        |
| 31      | 016832          | 2   | NT .312-18FLKG5                             |
| 32      | 034652          | 1   | SPRING 2.5                                  |
| 33      | 785113          | 1   | CS .312-18X4.250 HX G5                      |
| 34      | 055863          | 2   | NT #6-32 HX G5 NL ZN                        |
| 35      | 023002          | 1   | DOUBLE POLE SWITCH                          |
| 36      | 110646          | 1   | NEUTRAL SWITCH BRKT                         |


Cette page intentionnellement laissée vierge

| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 37      | 704932          | 4   | FW 0.219X.50X.05 ZN      |
| 38      | 059832          | 6   | NT #10-24 HX NL ZN       |
| 39      | 077842          | 2   | MS#6-32X1.000RDSL        |
| 40      | 314351          | 1   | ARM W/A, WB DAMPER       |
| 41      | 607685          | 1   | CS .250-28X 0.625 SH     |
| 42      | 781922          | 2   | BALL STUD                |
| 43      | 788349          | 1   | DAMPER, CENTERING        |
| 44      | 607503          | 2   | SLEEVE BEARING           |
| 45      | 607502          | 2   | BUSHING                  |
| 46      | 601798          | 1   | BRAKE ROD ASSY, CONSOLE  |
| 47      | 607569          | 1   | WIRE HARNESS             |
| 48      | 785808          | 1   | KEY ASSEMBLY             |
| 49      | 776476          | 1   | SWITCH, PTO 6201-321     |
| 50      | 769166          | 1   | HOUR METER               |
| 51      | 712257          | 1   | INDICATOR LIGHT, RED(FS) |
| 52      | 045898          | 1   | IGNITION SWITCH          |
| 53      | 786657          | 1   | CABLE, CHOKE             |
| 54      | 767954          | 12  | FW 0.379X.82X.06 HD ZN   |
| 55      | 055822          | 4   | CS .375-16X0.75 HX G5 ZN |
| 56      | 601094          | 1   | CABLE, THROTTLE          |
| 57      | 555175          | 1   | SVC, TOWER, 36"          |
| 58      | 000331          | 4   | WIRE TIE, SMALL/SHORT    |
| 59      | 114052          | 1   | KIT, CLUTCH CONN. REP.   |

Comments for Page: Instrument Panel (Multi-Page)

1. 119748 includes 604448, which can be purchased separately.
2. Torque to 20 N•m.
3. Part of the wire harness.
4. Part of the operator presence control harness.
5. The tower includes the battery warning decal.






| Élément | Numéro de pièce | Qté | Nom                     |
|---------|-----------------|-----|-------------------------|
| 1       | 771139          | 2   | GRIP, .834 - .4563 BLK  |
| 2       | 773556          | 2   | BEARING, STEERING       |
| 3       | 110766          | 1   | STEERING BAR W/A        |
| 4       | 041152          | 2   | NT 0.312-24 HX G8       |
| 5       | 768523          | 8   | FW 0.343SAE             |
| 6       | 601839          | 2   | PIVOT SPACER BUSHING    |
| 7       | 785766          | 2   | STEERING ROD, ADJUSTER  |
| 8       | 606926          | 6   | #10-16 X 0.750 BH SDR   |
| 9       | 110641          | 1   | STEERING COVER W/A      |
| 10      | 779157          | 2   | CB .312-18X1.750        |
| 11      | 058776          | 2   | NT .312-18NLG5          |
| 12      | 077842          | 4   | MS#6-32X1.000RDSL       |
| 13      | 341826          | 2   | ARM, OPC W/A WB         |
| 14      | 342378          | 2   | SPACER, SWITCH WB       |
| 15      | 779165          | 4   | RP0.078X 0.50 ZN        |
| 16      | 039693          | 2   | WN #6-32 X 1.00 TP 1116 |
| 17      | 601972          | 1   | WIRE HARNESS, OPC TS    |

Comments for Page: Handlebar - Steering Sub-Assembly


1. Part of the wire harness.



## Brake

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC

| Élément | Numéro de pièce | Qté | Nom                     |
|---------|-----------------|-----|-------------------------|
| 1       | 080655          | 3   | CS .375-16X1.500HXG5    |
| 2       | 767954          | 9   | FW 0.379X.82X.06 HD ZN  |
| 3       | 124380-3        | 1   | LOWER BRAKE BELLCRANK   |
| 4       | 086660          | 4   | NT .375-16NLG8          |
| 5       | 765339          | 1   | BUSHING,IGUS#0608 (FS)  |
| 6       | 601710          | 1   | LOWER BRAKE ROD ASSY    |
| 7       | 054502          | 2   | NT .375-16HXG5          |
| 8       | 784421          | 1   | SPRING, SUPPLIER # 2512 |




## Wheels & Tires

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC

| Élément   | Numéro de pièce | Qté | Nom                             |
|-----------|-----------------|-----|---------------------------------|
| 1         | 606603          | 2   | TIRE/WHEEL ASSY BLACK           |
| Not Shown | 606023          | 2   | TIR/WHL 20X6.50-10 SLV          |
| 2         | 061077          | 8   | WHEEL NUT                       |
| 3         | 606711          | 2   | DUST CAP                        |
| 4         | 061101          | 2   | NT .750-10 HX ZN NL GR B        |
| 5         | 606715          | 6   | CW 0.766 X 1.50 X .093          |
| 6         | 606712          | 4   | BEARING, TAPERED ROLLER         |
| 7         | 606713          | 4   | RACE, TAPERED ROLLER            |
| 8         | 606817          | 2   | GREASE PLUG                     |
| 9         | 606714          | 2   | SEAL, 1.25 X 1.98               |
| 10        |                 | 2   | REFER TO "FRONT WHEEL ASSEMBLY" |

Comments for Page: Wheels & Tires

1. Torque to 88–102 N•m.
2. Black wheel assembly—606603.  
Silver wheel assembly—606023.




## Front Wheel Assembly

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC


| Élément | Numéro de pièce | Qté | Nom                     |
|---------|-----------------|-----|-------------------------|
| 1       | 125825-1        | 1   | FORK W/A                |
| 2       | 781567          | 1   | NT .500-13NLG5          |
| 3       | 767962          | 2   | FW .531 x 1.063 x .175  |
| 4       | 042630          | 1   | CS .500-13X6.500HXG5    |
| 5       | 306969          | 1   | GAGE WHEEL SPACER       |
| 6       | 606740          | 1   | TIR/WHL 11X4.00-5 SLV   |
| 7       | 606779          | 2   | DUST CAP, 0.502 ID      |
| 8       | 606780          | 2   | SEAL                    |
| 9       | 606778          | 2   | SPACER, 0.531           |
| 10      | 606753          | 2   | BEARING, TAPERED ROLLER |





Drive Wheel Breakdown - Black


| Élément | Numéro de pièce | Qté | Nom                     |
|---------|-----------------|-----|-------------------------|
| 1       | 604503          | 1   | TIR 20X6.50-10 B4R GRMR |
| 2       | 606602          | 1   | WHEEL 10X6 BLACK        |
| 3       | 019521          | 1   | TIRE VALVE TR-412 GOODY |





## Drive Wheel Breakdown - Silver

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC

| Élément | Numéro de pièce | Qté | Nom                     |
|---------|-----------------|-----|-------------------------|
| 1       | 604503          | 1   | TIR 20X6.50-10 B4R GRMR |
| 2       | 606022          | 1   | WHL 10X6.00 4X4.0 SLV   |
| 3       | 019521          | 1   | TIRE VALVE TR-412 GOODY |



Cette page intentionnellement laissée vierge



| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 1       |                 | 1   | ENGINE, KAW FS541V       |
| 2       | 603187          | 1   | MUFFLER, FS600V TRIMSTAR |
| 3       | 016253          | 5   | CB .312-18X .750 FUL ZN  |
| 4       | 016832          | 7   | NT .312-18FLKG5          |
| 5       | 124363-1        | 1   | MUFFLER MOUNT            |
| 6       | 000398          | 1   | CLAMP                    |
| 7       | 768523          | 7   | FW 0.343SAE              |
| 8       | 036236          | 4   | CS .312-18X1.000HXG5     |
| 9       | 767954          | 4   | FW 0.379X.82X.06 HD ZN   |
| 10      | 602580          | 4   | CS .375-16X1.25HXG8ZYP85 |
| 11      | 000331          | 4   | WIRE TIE, SMALL/SHORT    |
| 12      | 712372          | 1   | KEY 1/4 SQ X 0.66 LG(FS) |
| 13      | 607494          | 1   | PULLEY - ENGINE          |
| 14      | 607495K         | 1   | KIT - CLUTCH             |
| 15      | 791251          | 1   | HARNESS, CLUTCH PIGTAIL  |

Commentaires pour le numéro de pièce 791251

Pigtail was updated with epoxy to hold the wires steady. The wire sheath was also updated to a more flexible material.

|    |          |          |                          |
|----|----------|----------|--------------------------|
| 16 | 124466-1 | 1        | CLUTCH ANCHOR            |
| 17 | 602680   | 1        | FW .453X1.12X.12 HRD ZN  |
| 18 | 608619   | 1        | CS .437-20X2.75 HX G5 ZN |
| 19 | 603524   | 1        | CS M5-0.8 X 50 MM        |
| 20 | 604463   | 1        | HOSE, OIL DRAIN          |
| 21 | 603112   | 2        | CLAMP, 3/16 FUEL         |
| 22 | 603326   | 34"86 cm | VAPOR LINE, 3/16"        |

Commentaires pour le numéro de pièce 603326

Sold by the foot.

|    |        |          |                 |
|----|--------|----------|-----------------|
| 23 | 015818 | 11"28 cm | FUEL LINE, 1/4" |
|----|--------|----------|-----------------|

Commentaires pour le numéro de pièce 015818


Sold by the foot.

|    |        |   |                          |
|----|--------|---|--------------------------|
| 24 | 000323 | 2 | CLIP, HOSE CLAMP         |
| 25 | 043570 | 2 | CLIP - HOSE - SINGLE(FS) |
| 26 | 601503 | 2 | CB .250-20 X .625 ZN     |
| 27 | 606445 | 1 | STARTER SOLENOID         |




Cette page intentionnellement laissée vierge

| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 28      | 768515          | 3   | FW 0.281SAE              |
| 29      | 024927          | 3   | NT .250-20HXG5           |
| 30      | 771428          | 1   | BATTERY CBL BOOT-RED(FS) |
| 31      | 041152          | 2   | NT 0.312-24 HX G8        |
| 32      | 601062          | 2   | BATTERY CABLE, POS.      |
| 33      | 744284          | 1   | BATTERY CABLE NEGATIVE   |
| 34      | 029876          | 1   | LW .312 INTEXT ZN        |
| 35      | 720516          | 1   | CS M8-1.25X16HX FL10.9   |




| Élément | Numéro de pièce | Qté | Nom                   |
|---------|-----------------|-----|-----------------------|
| 1       | 603058          | 1   | PRE FILTER, KAW       |
| 2       | 603059          | 1   | AIR FILTER - MAIN     |
| 3       | 602581          | 1   | ENGINE OIL FILTER     |
| 4       | 068478          | 1   | FUEL FILTER - IN LINE |



## Battery

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC

| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 1       | 607066          | 1   | BATTERY COVER            |
| 2       | 024927          | 4   | NT .250-20HXG5           |
| 3       | 768515          | 2   | FW 0.281SAE              |
| 4       | 055939          | 2   | CS .250-20X0.75 HX G5 ZN |
| 5       | 029868          | 4   | LW .250 INTEXT ZN        |
| 6       | 036236          | 4   | CS .312-18X1.000HXG5     |
| 7       | 768523          | 4   | FW 0.343SAE              |
| 8       | 125493-1        | 2   | PULLEY COVER             |
| 9       | 793489          | 2   | BATTERY CLAMP ROD        |
| 10      | 000331          | 1   | WIRE TIE, SMALL/SHORT    |
| 11      | 601815          | 1   | DECAL, BATTERY WARNINGS  |



## Fuel System

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC

| Élément                                                                     | Numéro de pièce | Qté   | Nom                      |
|-----------------------------------------------------------------------------|-----------------|-------|--------------------------|
| 1                                                                           | 602916          | 1     | CAP, 3.5" RATCHETING GAS |
| 2                                                                           | 605097          | 1     | TANK, UNIVERSAL          |
| 3                                                                           | 603326          | 36 cm | VAPOR LINE, 3/16"        |
| <p>Commentaires pour le numéro de pièce 603326</p> <p>Sold by the foot.</p> |                 |       |                          |
| 4                                                                           | 000398          | 1     | CLAMP                    |
| 5                                                                           | 016832          | 1     | NT .312-18FLKG5          |
| 6                                                                           | 604305          | 1     | VACUUM BREAKER           |
| Not Shown                                                                   | 603161          | 1     | VACUUM BREAKER FILTER    |
| 7                                                                           | 768523          | 5     | FW 0.343SAE              |
| 8                                                                           | 036236          | 1     | CS .312-18X1.000HXG5     |
| 9                                                                           | 034280          | 4     | CS .312-18X0.750HXG5     |


Comments for Page: Fuel System

1. Torque to 9.5 N•m.


### LINE LENGTHS

A: 36 cm TANK TO VACUUM BREAKER (VAPOR)






| Élément | Numéro de pièce | Qté | Nom                   |
|---------|-----------------|-----|-----------------------|
| 1       | 604287K         | 1   | VENT FITTING SVC KIT  |
| 2       | 604200K         | 1   | GROMMET SVC KIT       |
| 3       | 785295K         | 1   | TANK GROMMET SVC KIT  |
| 4       | 783944K         | 1   | FUEL VALVE SVC KIT    |
| 5       | 603161          | 1   | VACUUM BREAKER FILTER |



| Élément | Numéro de pièce | Qté | Nom                    |
|---------|-----------------|-----|------------------------|
| 1       | 555066          | 1   | SVC, DECK DECAL 36" SD |
| 2       | 601796          | 1   | DECAL, TRIMSTAR        |
| 3       | 607583          | 4   | 0.25-20 X 0.625        |
| 4       | 601787          | 2   | DECAL, TRIMSTAR        |
| 5       | 602243          | 1   | DECAL, BELT ROUTING    |
| 6       | 601931          | 1   | DECAL, THROWN OBJECTS  |
| 7       | 793513          | 1   | DECAL, 36" DECK ID     |

Comments for Page: Service Deck

- 1. The deck includes the decals and hardware.




## Deck Pulleys & Spindles

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC

| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 1       | 781567          | 2   | NT .500-13NLG5           |
| 2       | 767962          | 2   | FW .531 x 1.063 x .175   |
| 3       | 605467          | 2   | DUST SHIELD              |
| 4       | 605512          | 1   | 4" IDLER PULLEY          |
| 5       | 119936          | 1   | IDLER ARM, PIVOTING 36"  |
| 6       | 604253          | 1   | CB .50-13 X 2.00 STD ZN  |
| 7       | 086660          | 1   | NT .375-16NLG8           |
| 8       | 712893          | 2   | FW 0.406X1.25X.12 HD ZN  |
| 9       | 607616          | 1   | SPRING, DECK IDLER       |
| 10      | 601839          | 1   | PIVOT SPACER BUSHING     |
| 11      | 117539          | 1   | SPACER, IDLER ARM        |
| 12      | 705954          | 2   | CS .500-13X1.25 HX G5 ZN |
| 13      | 798603          | 2   | FW .515X1.65X.12 HD ZN   |
| 14      | 607504          | 2   | PULLEY, A-SEC 4.778" EOD |
| 15      | 606362          | 2   | DUST SHIELD              |
| 16      | 607480          | 1   | IDLER PULLEY, 4.00"      |
| 17      | 605465          | 1   | BASE, IDLER PULLEY MOUNT |
| 18      | 604515          | 8   | NT .375-16 FL NY GF      |
| 19      | 604251          | 1   | NT .312-18 HXNL JAM G2ZN |
| 20      | 122398          | 1   | TENSIONING PULLEY STOP   |
| 21      | 607208          | 2   | BLADE SPINDLE ASSY       |
| 22      | 037887          | 1   | CB .312-18X 1.000 FUL ZN |
| 23      | 080655          | 1   | CS .375-16X1.500HXG5     |
| 24      | 721910          | 1   | CS .500-13X2.750HXG5     |
| 25      | 605516          | 1   | FW .531 x 2.25 x .25 ZN  |


Comments for Page: Deck Pulleys & Spindles

1. Torque to 99 N•m.



| Élément | Numéro de pièce | Qté | Nom                     |
|---------|-----------------|-----|-------------------------|
| 1       | 783548          | 1   | RING, BLADE SPINDLE RET |
| 2       | 607275          | 2   | BLADE SPINDLE BEARING   |
| 3       | 607210          | 1   | BLADE SPINDLE SPACER    |
| 4       | 607417          | 1   | SVC, SPINDLE HOUSING    |
| 5       | 607211          | 1   | BLADE SPINDLE SHAFT     |






| Élément   | Numéro de pièce | Qté | Nom                      |
|-----------|-----------------|-----|--------------------------|
| 1         | 068551          | 4   | NT .250-20 HXZY NL       |
| 2         | 768515          | 4   | FW 0.281SAE              |
| 3         | 604403          | 2   | PULLEY COVER             |
| 4         | 602562          | 2   | DECAL, NO SERVICE        |
| 5         | 605469          | 1   | DISCHARGE CHUTE          |
| 6         | 602435          | 1   | SPRING, TORSION          |
| 7         | 086660          | 1   | NT .375-16NLG8           |
| 8         | 602432          | 1   | PIN, CHUTE               |
| 9         | 603318          | 1   | BELT, A 97.0" EL         |
| 10        | 604658          | 2   | PIN, PULLER              |
| 11        | 116336          | 2   | PUSHER W/A               |
| 12        | 017301          | 2   | HP .125 X2.375 ZN        |
| 13        | 605376          | 1   | DECK BUMPER              |
| 14        | 079210          | 2   | FW 0.344X1.0X0.06 ZN     |
| 15        | 604251          | 2   | NT .312-18 HXNL JAM G2ZN |
| 16        | 016253          | 2   | CB .312-18X .750 FUL ZN  |
| 17        | 787721          | 2   | BLADE, 17.86"-H-F-CW     |
| Not Shown | 787721X         | 1   | 10PK BLADE, 17.86"-H-F-C |
| Not Shown | 794198          | 2   | BLADE, 17.86"-MUL-F-CW   |
| Not Shown | 794198X         | 1   | 10PK BLADE, 17.86"-MUL-F |
| 18        | 782474          | 2   | CW .678 X 2.250 X .187   |
| 19        | 781872          | 2   | CS .625-11X1.250HXG5     |

Comments for Page: Deck, Deck Belt & Blades


1. Torque to 160 N•m.
2. Do not torque; the discharge chute must pivot freely.
3. Torque to 1.7 N•m.
4. Torque to 4–8 N•m.




## Mulch Kit

36" TrimStar Parts Manual - 939496CE - HTTSRS036KAWFS541VC

| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 1       | 125804-3        | 1   | MULCH, LS W/A 36"        |
| 2       | 125806-3        | 1   | MULCH, CLOSE OFF W/A 36" |
| 3       | 794198          | 2   | BLADE, 17.86"-MUL-F-CW   |
| 4       | 025395          | 4   | CB .375-16X 1.00 G5 ZN   |
| 5       | 055822          | 5   | CS .375-16X0.75 HX G5 ZN |
| 6       | 767954          | 9   | FW 0.379X.82X.06 HD ZN   |
| 7       | 086660          | 9   | NT .375-16NLG8           |



Cette page intentionnellement laissée vierge



| Élément | Numéro de pièce | Qté | Nom                      |
|---------|-----------------|-----|--------------------------|
| 1       | 792317          | 1   | GRIP, 1.000 X 4.562 BLK  |
| 2       | 110570          | 1   | DECK LIFT HANDLE         |
| 3       | 036236          | 2   | CS .312-18X1.000HXG5     |
| 4       | 768523          | 4   | FW 0.343SAE              |
| 5       | 110530          | 1   | LOWER HANDLE             |
| 6       | 034272          | 3   | NT .312-18HXG5           |
| 7       | 036244          | 1   | CS .375-16X1.00 HX G5 ZN |
| 8       | 767954          | 4   | FW 0.379X.82X.06 HD ZN   |
| 9       | 555173          | 1   | SVC, TRANSPORT BRACKET   |
| 10      | 054502          | 2   | NT .375-16HXG5           |
| 11      | 008193          | 2   | NT .500-13HXG5           |
| 12      | 767962          | 11  | FW .531 x 1.063 x .175   |
| 13      | 705954          | 2   | CS .500-13X1.25 HX G5 ZN |
| 14      | 728550          | 1   | SB .50X.75SH .375-16TD   |
| 15      | 601953          | 2   | WASHER, WAVY .558x1.005  |
| 16      | 263517          | 2   | BEARING DISC .531 ID     |
| 17      | 601942          | 2   | DECK LIFT ROD N/SPRING   |
| 18      | 601681          | 5   | FW .781X1.50X.12 ZN      |
| 19      | 781294          | 5   | CLIP E, 1.00 X.625X .05  |
| 20      | 055749          | 7   | CS .437-14X1.750HXG5     |
| 21      | 360131          | 4   | CHAIN, DECK LIFT         |
| 22      | 704643          | 16  | NT .437-14FLKG5          |
| 23      | 015495          | 4   | GREASE FITTING STRAIGHT  |
| 24      | 756270          | 1   | CS .312-18X1.500HXG5     |
| 25      | 348458          | 1   | YOKE W/A, DECK LEVELER   |
| 26      | 781831          | 1   | CS .437-14x1.75 FULTHG5  |
| 27      | 348284          | 1   | STOP, HEIGHT ADJ W/A     |
| 28      | 110529          | 1   | DECK INDICATOR W/A       |
| 29      | 765339          | 1   | BUSHING, IGUS#0608 (FS)  |
| 30      | 086660          | 1   | NT .375-16NLG8           |
| 31      | 008417          | 2   | NT .750-10HXG5           |
| 32      | 781930          | 1   | BLOCK, DECK LIFT MT 3/4" |
| 33      | 008573          | 2   | CS .500-13X2.500HXG5     |
| 34      | 781567          | 2   | NT .500-13NLG5           |

Comments for Page: Deck Lift &amp; Deck Mounting Hardware (Multi-Page)



1. The transport latch includes the decal.